

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.34	2.75	11.94	9.20	15.35	0.32	2.64	0.22	2.42	0.00	26.04	74.00	0.00	0.00	370.63
010000	2.33	2.85	11.73	8.89	13.27	0.00	2.70	0.23	2.47	0.00	26.04	74.00	0.00	0.00	671.82
020000	2.37	2.84	11.49	8.66	11.96	0.25	2.72	0.23	2.49	0.00	26.04	74.00	0.00	0.00	33.01
030000	2.32	2.99	12.24	9.20	8.31	0.27	2.76	0.22	2.54	0.00	26.04	74.00	0.00	0.00	29.36
040000	2.29	2.99	11.92	8.87	6.14	0.34	2.90	0.21	2.69	0.00	26.04	74.00	0.00	0.00	25.69
050000	2.36	3.23	12.59	9.29	4.90	0.32	2.92	0.23	2.69	0.00	26.04	74.00	0.00	0.00	27.65
060000	2.34	5.63	15.59	9.87	4.23	0.31	3.04	0.23	2.81	0.00	26.04	74.00	0.00	0.00	29.35
070000	2.32	5.29	14.13	8.81	6.74	0.35	3.14	0.24	2.90	0.00	26.04	74.00	0.00	0.00	31.24
080000	2.38	5.34	16.69	11.31	20.78	0.34	3.00	0.30	2.70	0.00	26.04	74.00	0.00	0.00	37.59
090000	2.48	4.85	20.16	15.27	33.05	0.25	2.96	0.45	2.51	0.00	26.04	74.00	0.00	0.00	45.32
100000	2.47	3.01	11.13	8.08	46.11	0.29	2.66	0.27	2.39	0.00	26.04	74.00	0.00	0.00	45.59
110000	2.42	2.78	8.84	6.06	52.34	0.00	2.58	0.24	2.34	0.00	26.04	74.00	0.00	0.00	33.75
120000	2.35	2.55	7.38	4.78	54.74	0.00	2.51	0.21	2.30	0.00	26.04	74.00	0.00	0.00	26.77
130000	2.42	2.57	7.47	4.87	55.85	0.31	2.50	0.21	2.29	0.00	26.04	74.00	0.00	0.00	22.55
140000	2.43	2.56	7.10	4.52	54.20	0.32	2.49	0.20	2.29	0.00	26.04	74.00	0.00	0.00	22.62
150000	2.44	2.57	8.27	5.65	53.23	0.32	2.46	0.19	2.27	0.00	26.04	74.00	0.00	0.00	22.85
160000	2.45	2.49	8.80	6.27	54.69	0.29	2.46	0.19	2.27	0.00	26.04	74.00	0.00	0.00	26.05
170000	2.40	2.56	12.34	9.74	45.81	0.29	2.50	0.22	2.28	0.00	26.04	74.00	0.00	0.00	28.92
180000	2.44	2.57	14.24	11.66	34.54	0.00	2.59	0.23	2.36	0.00	26.04	74.00	0.00	0.00	34.77
190000	2.38	2.63	13.85	11.23	32.98	0.27	2.65	0.22	2.43	0.00	26.04	74.00	0.00	0.00	39.89
200000	2.35	2.62	13.26	10.66	28.06	0.31	2.70	0.22	2.48	0.00	26.04	74.00	0.00	0.00	37.73
210000	2.38	2.57	12.22	9.66	22.74	0.34	2.77	0.20	2.57	0.00	26.04	74.00	0.00	0.00	35.16
220000	2.43	2.64	10.88	8.27	21.12	0.31	2.79	0.20	2.59	0.00	26.04	74.00	0.00	0.00	35.98
230000	2.38	2.51	9.69	7.19	21.19	0.31	2.81	0.19	2.62	0.00	26.04	74.00	0.00	0.00	30.27
極大值	2.48	5.63	20.16	15.27	55.85	0.35	3.14	0.45	2.90	0.00	26.04	74.00	0.00	0.00	671.82
極小值	2.29	2.49	7.10	4.52	4.23	0.00	2.46	0.19	2.27	0.00	26.04	74.00	0.00	0.00	22.55
平均值	2.39	3.14	11.83	8.67	29.26	0.25	2.72	0.23	2.49	0.00	26.04	74.00	0.00	0.00	72.69
標準差	0.05	1	3.12	2.52	18.7	0.12	0.2	0.05	0.18	0	0	0	0	0	145.25

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A002 油車庄站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.34	2.62	10.30	7.65	15.56	0.00	2.95	0.19	2.76	0.00	26.04	74.00	0.00	0.00	346.67
010000	2.32	2.81	12.35	9.55	10.31	0.00	2.97	0.19	2.78	0.00	26.04	74.00	0.00	0.00	670.01
020000	2.37	3.05	12.95	9.91	10.03	0.32	3.00	0.19	2.81	0.00	26.04	74.00	0.00	0.00	29.05
030000	2.35	3.32	18.10	14.76	8.15	0.30	3.07	0.18	2.89	0.00	26.04	74.00	0.00	0.00	30.28
040000	2.35	2.74	11.44	8.74	10.24	0.32	3.07	0.17	2.90	0.00	26.04	74.00	0.00	0.00	26.54
050000	2.36	2.81	11.68	8.87	7.88	0.00	3.23	0.17	3.06	0.00	26.04	74.00	0.00	0.00	25.61
060000	2.37	3.16	10.68	7.46	9.38	0.00	3.09	0.19	2.90	0.00	26.04	74.00	0.00	0.00	25.69
070000	2.45	3.60	9.99	6.36	13.79	0.30	3.02	0.22	2.80	0.00	26.04	74.00	0.00	0.00	34.45
080000	2.43	3.19	8.90	5.68	27.98	0.31	2.77	0.22	2.55	0.00	26.04	74.00	0.00	0.00	36.63
090000	2.42	2.53	6.19	3.63	42.23	0.32	2.58	0.21	2.37	0.00	26.04	74.00	0.00	0.00	34.53
100000	2.45	2.56	7.56	4.98	55.35	0.00	2.60	0.23	2.37	0.00	26.04	74.00	0.00	0.00	30.38
110000	2.62	2.63	11.09	8.41	74.78	0.32	2.64	0.27	2.37	0.00	26.04	74.00	0.00	0.00	36.82
120000	2.68	3.00	15.33	12.29	68.25	0.00	2.69	0.29	2.40	0.00	26.04	74.00	0.00	0.00	44.88
130000	2.62	2.97	14.63	11.62	64.10	0.33	2.60	0.27	2.33	0.00	26.04	74.00	0.00	0.00	50.56
140000	2.67	2.58	12.22	9.63	74.79	0.33	2.59	0.24	2.35	0.00	26.04	74.00	0.00	0.00	41.96
150000	2.50	2.54	9.21	6.63	65.51	0.32	2.49	0.20	2.29	0.00	26.04	74.00	0.00	0.00	45.24
160000	2.47	2.37	7.47	5.05	63.40	0.33	2.47	0.19	2.28	0.00	26.04	74.00	0.00	0.00	37.85
170000	2.45	2.37	7.64	5.21	57.13	0.00	2.47	0.19	2.28	0.00	26.04	74.00	0.00	0.00	33.01
180000	2.49	2.37	6.49	4.09	54.54	0.00	2.45	0.19	2.26	0.00	26.04	74.00	0.00	0.00	28.50
190000	2.39	2.42	5.78	3.32	48.92	0.34	2.44	0.18	2.26	0.00	26.04	74.00	0.00	0.00	25.06
200000	2.36	2.44	7.43	4.98	41.70	0.29	2.48	0.19	2.29	0.00	26.04	74.00	0.00	0.00	26.81
210000	2.42	2.33	6.81	4.44	38.88	0.29	2.49	0.18	2.31	0.00	26.04	74.00	0.00	0.00	29.56
220000	2.35	2.40	7.83	5.39	32.21	0.32	2.53	0.19	2.34	0.00	26.04	74.00	0.00	0.00	26.27
230000	2.36	2.48	8.71	6.21	20.32	0.34	2.69	0.21	2.48	0.00	26.04	74.00	0.00	0.00	20.37
極大值	2.68	3.60	18.10	14.76	74.79	0.34	3.23	0.29	3.06	0.00	26.04	74.00	0.00	0.00	670.01
極小值	2.32	2.33	5.78	3.32	7.88	0.00	2.44	0.17	2.26	0.00	26.04	74.00	0.00	0.00	20.37
平均值	2.44	2.72	10.03	7.29	38.14	0.21	2.72	0.21	2.52	0.00	26.04	74.00	0.00	0.00	72.36
標準差	0.11	0.35	3.15	2.94	24.02	0.15	0.25	0.03	0.26	0	0	0	0	0	142.68

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.38	2.76	13.12	10.36	10.28	0.35	2.86	0.21	2.65	0.00	26.04	74.00	0.00	0.00	351.88
010000	2.41	2.85	14.16	11.29	9.68	0.31	3.01	0.23	2.78	0.00	26.04	74.00	0.00	0.00	695.55
020000	2.39	3.10	13.70	10.56	6.59	0.00	3.06	0.24	2.82	0.00	26.04	74.00	0.00	0.00	52.36
030000	2.45	3.01	13.62	10.60	6.44	0.28	3.07	0.23	2.84	0.00	26.04	74.00	0.00	0.00	47.84
040000	2.37	3.18	13.59	10.40	5.88	0.32	3.08	0.23	2.85	0.00	26.04	74.00	0.00	0.00	46.25
050000	2.33	3.05	11.93	8.88	6.12	0.34	3.19	0.21	2.98	0.00	26.04	74.00	0.00	0.00	40.87
060000	2.36	6.18	16.05	9.83	6.20	0.30	3.11	0.19	2.92	0.00	26.04	74.00	0.00	0.00	30.13
070000	2.35	5.63	14.16	8.55	9.10	0.28	3.17	0.20	2.97	0.00	26.04	74.00	0.00	0.00	26.50
080000	2.43	3.86	13.10	9.22	27.64	0.27	2.75	0.23	2.52	0.00	26.04	74.00	0.00	0.00	35.64
090000	2.42	2.93	10.03	7.10	46.32	0.00	2.72	0.25	2.47	0.00	26.04	74.00	0.00	0.00	37.50
100000	2.50	2.85	10.63	7.79	57.16	0.34	2.64	0.25	2.39	0.00	26.04	74.00	0.00	0.00	36.18
110000	2.47	2.78	9.66	6.92	53.84	0.34	2.58	0.25	2.33	0.00	26.04	74.00	0.00	0.00	32.16
120000	2.49	2.71	8.79	6.08	55.57	0.00	2.54	0.23	2.31	0.00	26.04	74.00	0.00	0.00	29.44
130000	2.48	2.42	7.93	5.50	60.76	0.32	2.53	0.20	2.33	0.00	26.04	74.00	0.00	0.00	30.89
140000	2.50	2.47	6.96	4.46	58.15	0.00	2.54	0.19	2.35	0.00	26.04	74.00	0.00	0.00	34.78
150000	2.45	2.47	8.26	5.75	52.85	0.35	2.50	0.19	2.31	0.00	26.04	74.00	0.00	0.00	29.94
160000	2.41	2.46	6.97	4.49	55.45	0.28	2.48	0.18	2.30	0.00	26.04	74.00	0.00	0.00	27.72
170000	2.43	2.44	9.04	6.60	53.29	0.35	2.49	0.18	2.31	0.00	26.04	74.00	0.00	0.00	32.89
180000	2.39	2.49	11.89	9.42	44.69	0.00	2.54	0.21	2.33	0.00	26.04	74.00	0.00	0.00	35.95
190000	2.37	2.54	14.79	12.25	32.94	0.35	2.60	0.21	2.39	0.00	26.04	74.00	0.00	0.00	34.61
200000	2.40	2.56	13.63	11.05	24.38	0.31	2.69	0.21	2.48	0.00	26.04	74.00	0.00	0.00	41.84
210000	2.35	2.62	12.44	9.81	18.03	0.36	2.73	0.18	2.55	0.00	26.04	74.00	0.00	0.00	38.72
220000	2.38	2.59	11.87	9.25	17.45	0.28	2.73	0.17	2.56	0.00	26.04	74.00	0.00	0.00	29.72
230000	2.37	2.59	10.79	8.19	15.53	0.00	2.77	0.19	2.58	0.00	26.04	74.00	0.00	0.00	28.00
極大值	2.50	6.18	16.05	12.25	60.76	0.36	3.19	0.25	2.98	0.00	26.04	74.00	0.00	0.00	695.55
極小值	2.33	2.42	6.96	4.46	5.88	0.00	2.48	0.17	2.30	0.00	26.04	74.00	0.00	0.00	26.50
平均值	2.41	3.02	11.55	8.51	30.60	0.24	2.77	0.21	2.56	0.00	26.04	74.00	0.00	0.00	76.14
標準差	0.05	0.95	2.6	2.22	21.37	0.14	0.24	0.02	0.24	0	0	0	0	0	147.02

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.34	2.81	11.79	8.93	9.72	0.29	3.09	0.20	2.89	0.00	26.04	74.00	0.00	0.00	322.27
010000	2.35	3.02	12.18	9.14	5.73	0.27	3.28	0.21	3.07	0.00	26.04	74.00	0.00	0.00	680.27
020000	2.38	3.21	12.83	9.58	5.00	0.33	3.47	0.22	3.25	0.00	26.04	74.00	0.00	0.00	41.41
030000	2.33	3.26	13.98	10.69	3.90	0.34	3.37	0.26	3.11	0.00	26.04	74.00	0.00	0.00	44.33
040000	2.37	3.28	13.95	10.66	4.21	0.32	3.26	0.26	3.00	0.00	26.04	74.00	0.00	0.00	47.89
050000	2.28	3.39	13.94	10.52	3.96	0.32	3.31	0.24	3.07	0.00	26.04	74.00	0.00	0.00	45.83
060000	2.36	4.58	15.69	11.06	4.61	0.35	3.20	0.25	2.95	0.00	26.04	74.00	0.00	0.00	42.71
070000	2.38	6.64	17.49	10.84	6.76	0.32	3.29	0.29	3.00	0.00	26.04	74.00	0.00	0.00	45.66
080000	2.36	4.36	12.50	8.11	19.19	0.33	3.07	0.24	2.83	0.00	26.04	74.00	0.00	0.00	47.75
090000	2.37	2.94	8.64	5.72	38.52	0.33	2.72	0.22	2.50	0.00	26.04	74.00	0.00	0.00	42.18
100000	2.36	2.66	7.25	4.58	51.21	0.29	2.60	0.21	2.39	0.00	26.04	74.00	0.00	0.00	35.90
110000	2.52	2.60	10.24	7.67	75.90	0.32	2.74	0.31	2.43	0.00	26.04	74.00	0.00	0.00	37.23
120000	2.65	2.65	13.48	10.82	86.19	0.27	2.73	0.30	2.43	0.00	26.04	74.00	0.00	0.00	51.99
130000	2.48	2.55	8.94	6.37	67.52	0.30	2.59	0.23	2.36	0.00	26.04	74.00	0.00	0.00	58.54
140000	2.42	2.51	8.86	6.32	63.85	0.35	2.59	0.27	2.32	0.00	26.04	74.00	0.00	0.00	39.11
150000	2.39	2.70	9.75	7.03	53.28	0.29	2.54	0.23	2.31	0.00	26.04	74.00	0.00	0.00	30.81
160000	2.37	2.54	9.78	7.24	52.98	0.28	2.52	0.22	2.30	0.00	26.04	74.00	0.00	0.00	31.82
170000	2.33	2.49	12.30	9.82	45.90	0.36	2.52	0.22	2.30	0.00	26.04	74.00	0.00	0.00	31.97
180000	2.33	2.57	16.72	14.15	34.99	0.00	2.58	0.28	2.30	0.00	26.04	74.00	0.00	0.00	32.02
190000	2.33	2.51	9.85	7.35	42.22	0.37	2.60	0.21	2.39	0.00	26.04	74.00	0.00	0.00	33.19
200000	2.28	2.62	10.11	7.50	29.62	0.31	2.68	0.20	2.48	0.00	26.04	74.00	0.00	0.00	31.74
210000	2.31	2.73	11.33	8.62	16.43	0.31	2.74	0.22	2.52	0.00	26.04	74.00	0.00	0.00	35.48
220000	2.27	2.84	11.92	9.05	12.59	0.28	2.82	0.24	2.58	0.00	26.04	74.00	0.00	0.00	39.90
230000	2.33	2.90	12.34	9.38	10.84	0.31	2.91	0.24	2.67	0.00	26.04	74.00	0.00	0.00	37.07
極大值	2.65	6.64	17.49	14.15	86.19	0.37	3.47	0.31	3.25	0.00	26.04	74.00	0.00	0.00	680.27
極小值	2.27	2.49	7.25	4.58	3.90	0.00	2.52	0.20	2.30	0.00	26.04	74.00	0.00	0.00	30.81
平均值	2.37	3.10	11.91	8.80	31.05	0.30	2.88	0.24	2.64	0.00	26.04	74.00	0.00	0.00	78.63
標準差	0.08	0.93	2.6	2.13	26.06	0.07	0.32	0.03	0.32	0	0	0	0	0	140.65

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.29	2.91	11.67	8.69	10.41	0.31	3.00	0.20	2.80	0.00	26.04	74.00	0.00	0.00	361.79
010000	2.33	2.87	10.21	7.31	12.64	0.28	2.92	0.18	2.74	0.00	26.04	74.00	0.00	0.00	662.75
020000	2.31	2.74	9.92	7.12	10.25	0.27	2.90	0.19	2.71	0.00	26.04	74.00	0.00	0.00	37.06
030000	2.28	2.91	11.36	8.39	6.95	0.29	3.02	0.19	2.83	0.00	26.04	74.00	0.00	0.00	34.01
040000	2.27	3.55	11.91	8.31	4.13	0.00	3.27	0.19	3.08	0.00	26.04	74.00	0.00	0.00	34.63
050000	2.33	3.20	11.72	8.47	4.83	0.35	3.06	0.21	2.85	0.00	26.04	74.00	0.00	0.00	31.54
060000	2.32	5.29	13.75	8.41	5.36	0.30	2.88	0.23	2.65	0.00	26.04	74.00	0.00	0.00	29.31
070000	2.40	5.00	12.16	7.15	7.67	0.30	2.93	0.25	2.68	0.00	26.04	74.00	0.00	0.00	31.83
080000	2.40	4.02	12.10	8.03	19.70	0.31	2.91	0.26	2.65	0.00	26.04	74.00	0.00	0.00	39.99
090000	2.50	4.04	17.00	12.90	39.01	0.32	2.77	0.30	2.47	0.00	26.04	74.00	0.00	0.00	48.40
100000	2.57	4.65	26.66	21.96	50.07	0.32	2.83	0.36	2.47	0.00	26.04	74.00	0.00	0.00	63.02
110000	2.66	3.47	20.39	16.86	64.90	0.28	2.80	0.34	2.46	0.00	26.04	74.00	0.00	0.00	74.90
120000	2.60	2.91	14.39	11.46	72.06	0.31	2.69	0.32	2.37	0.00	26.04	74.00	0.00	0.00	69.08
130000	2.55	2.79	13.18	10.38	64.42	0.25	2.66	0.32	2.34	0.00	26.04	74.00	0.00	0.00	45.92
140000	2.57	3.00	15.64	12.61	61.66	0.25	2.65	0.33	2.32	0.00	26.04	74.00	0.00	0.00	37.94
150000	2.58	3.01	16.78	13.70	46.72	0.32	2.64	0.35	2.29	0.00	26.04	74.00	0.00	0.00	39.52
160000	2.48	2.64	10.86	8.20	52.01	0.29	2.49	0.23	2.26	0.00	26.04	74.00	0.00	0.00	36.93
170000	2.47	2.43	8.38	5.92	53.06	0.00	2.47	0.20	2.27	0.00	26.04	74.00	0.00	0.00	34.28
180000	2.37	2.37	7.86	5.47	49.15	0.32	2.48	0.21	2.27	0.00	26.04	74.00	0.00	0.00	36.17
190000	2.38	2.46	8.16	5.68	44.19	0.33	2.50	0.20	2.30	0.00	26.04	74.00	0.00	0.00	36.14
200000	2.39	2.73	12.46	9.76	25.99	0.33	2.52	0.19	2.33	0.00	26.04	74.00	0.00	0.00	42.22
210000	2.45	2.85	14.91	12.06	17.61	0.00	2.71	0.20	2.51	0.00	26.04	74.00	0.00	0.00	39.60
220000	2.44	2.90	14.79	11.89	13.62	0.29	2.78	0.19	2.59	0.00	26.04	74.00	0.00	0.00	36.34
230000	2.35	3.01	15.09	12.08	11.86	0.00	2.87	0.20	2.67	0.00	26.04	74.00	0.00	0.00	35.40
極大值	2.66	5.29	26.66	21.96	72.06	0.35	3.27	0.36	3.08	0.00	26.04	74.00	0.00	0.00	662.75
極小值	2.27	2.37	7.86	5.47	4.13	0.00	2.47	0.18	2.26	0.00	26.04	74.00	0.00	0.00	29.31
平均值	2.43	3.24	13.39	10.12	31.18	0.25	2.78	0.24	2.54	0.00	26.04	74.00	0.00	0.00	80.78
標準差	0.11	0.8	4.12	3.8	23.2	0.12	0.21	0.06	0.23	0	0	0	0	0	140.59

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.35	3.04	13.84	10.78	9.11	0.30	2.88	0.25	2.63	0.00	26.04	74.00	0.00	0.00	364.83
010000	2.46	3.95	16.48	12.52	7.69	0.32	2.96	0.22	2.74	0.00	26.04	74.00	0.00	0.00	662.00
020000	2.37	3.42	13.86	10.40	5.61	0.30	3.28	0.20	3.08	0.00	26.04	74.00	0.00	0.00	36.46
030000	2.36	3.98	15.23	11.24	6.09	0.28	3.23	0.21	3.02	0.00	26.04	74.00	0.00	0.00	37.59
040000	2.34	6.99	19.06	12.05	5.82	0.00	3.30	0.21	3.09	0.00	26.04	74.00	0.00	0.00	41.53
050000	2.36	4.46	14.81	10.31	6.40	0.00	3.13	0.22	2.91	0.00	26.04	74.00	0.00	0.00	39.88
060000	2.40	8.01	19.22	11.20	6.27	0.38	3.48	0.22	3.26	0.00	26.04	74.00	0.00	0.00	33.09
070000	2.45	6.07	15.48	9.37	9.03	0.30	3.72	0.20	3.52	0.00	26.04	74.00	0.00	0.00	34.18
080000	2.45	3.64	11.16	7.49	24.78	0.24	3.00	0.22	2.78	0.00	26.04	74.00	0.00	0.00	40.83
090000	2.53	3.73	15.58	11.81	38.32	0.32	2.83	0.28	2.55	0.00	26.04	74.00	0.00	0.00	45.08
100000	2.57	3.52	17.55	13.94	48.15	0.33	2.82	0.34	2.48	0.00	26.04	74.00	0.00	0.00	54.45
110000	2.47	2.71	9.98	7.23	54.44	0.00	2.68	0.32	2.36	0.00	26.04	74.00	0.00	0.00	52.42
120000	2.50	2.63	8.40	5.72	51.72	0.28	2.53	0.23	2.30	0.00	26.04	74.00	0.00	0.00	40.17
130000	2.49	2.78	9.51	6.73	53.67	0.28	2.54	0.24	2.30	0.00	26.04	74.00	0.00	0.00	33.80
140000	2.52	2.88	10.98	8.10	51.12	0.28	2.57	0.28	2.29	0.00	26.04	74.00	0.00	0.00	33.31
150000	2.45	2.76	9.92	7.18	46.36	0.31	2.55	0.28	2.27	0.00	26.04	74.00	0.00	0.00	29.16
160000	2.42	2.65	12.59	9.98	42.30	0.30	2.49	0.23	2.26	0.00	26.04	74.00	0.00	0.00	28.38
170000	2.45	2.42	9.87	7.45	47.13	0.31	2.59	0.31	2.28	0.00	26.04	74.00	0.00	0.00	26.87
180000	2.47	2.40	8.06	5.66	46.50	0.33	2.48	0.22	2.26	0.00	26.04	74.00	0.00	0.00	26.42
190000	2.39	2.43	8.78	6.36	41.73	0.32	2.47	0.20	2.27	0.00	26.04	74.00	0.00	0.00	23.62
200000	2.44	3.85	19.85	15.97	16.73	0.29	2.66	0.39	2.27	0.00	26.04	74.00	0.00	0.00	24.09
210000	2.38	2.88	16.86	13.98	14.45	0.30	2.74	0.30	2.44	0.00	26.04	74.00	0.00	0.00	32.21
220000	2.36	3.48	16.04	12.56	9.21	0.35	2.82	0.24	2.58	0.00	26.04	74.00	0.00	0.00	36.31
230000	2.35	4.38	15.81	11.40	8.45	0.35	2.91	0.20	2.71	0.00	26.04	74.00	0.00	0.00	30.73
極大值	2.57	8.01	19.85	15.97	54.44	0.38	3.72	0.39	3.52	0.00	26.04	74.00	0.00	0.00	662.00
極小值	2.34	2.40	8.06	5.66	5.61	0.00	2.47	0.20	2.26	0.00	26.04	74.00	0.00	0.00	23.62
平均值	2.43	3.71	13.70	9.98	27.13	0.27	2.86	0.25	2.61	0.00	26.04	74.00	0.00	0.00	75.31
標準差	0.06	1.45	3.67	2.85	19.77	0.11	0.34	0.05	0.37	0	0	0	0	0	142.09

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.37	3.84	13.12	9.26	9.32	0.35	2.92	0.24	2.68	0.00	26.04	74.00	0.00	0.00	350.93
010000	2.42	3.06	13.04	9.90	8.77	0.34	2.85	0.19	2.66	0.00	26.04	74.00	0.00	0.00	683.29
020000	2.36	3.38	12.11	8.75	7.92	0.32	2.88	0.19	2.69	0.00	26.04	74.00	0.00	0.00	32.13
030000	2.36	3.52	11.01	7.48	8.29	0.00	3.01	0.18	2.83	0.00	26.04	74.00	0.00	0.00	29.72
040000	2.35	2.93	9.61	6.71	8.47	0.29	2.96	0.17	2.79	0.00	26.04	74.00	0.00	0.00	30.24
050000	2.35	2.75	9.85	7.12	8.36	0.37	2.89	0.19	2.70	0.00	26.04	74.00	0.00	0.00	31.50
060000	2.39	3.82	12.88	9.03	7.10	0.00	2.89	0.17	2.72	0.00	26.04	74.00	0.00	0.00	29.78
070000	2.39	4.42	13.17	8.74	10.42	0.31	2.74	0.23	2.51	0.00	26.04	74.00	0.00	0.00	25.42
080000	2.42	3.12	9.14	6.01	29.45	0.00	2.61	0.23	2.38	0.00	26.04	74.00	0.00	0.00	27.13
090000	2.44	2.67	7.52	4.85	44.62	0.00	2.53	0.23	2.30	0.00	26.04	74.00	0.00	0.00	33.68
100000	2.48	2.63	7.85	5.22	50.85	0.29	2.54	0.22	2.32	0.00	26.04	74.00	0.00	0.00	34.86
110000	2.49	2.63	8.29	5.67	58.76	0.30	2.58	0.26	2.32	0.00	26.04	74.00	0.00	0.00	42.96
120000	2.46	2.61	8.14	5.50	64.19	0.27	2.58	0.27	2.31	0.00	26.04	74.00	0.00	0.00	44.65
130000	2.54	2.62	9.62	6.97	67.99	0.32	2.59	0.26	2.33	0.00	26.04	74.00	0.00	0.00	44.75
140000	2.50	2.69	8.99	6.26	56.46	0.30	2.67	0.35	2.32	0.00	26.04	74.00	0.00	0.00	43.72
150000	2.49	2.65	11.10	8.46	56.82	0.31	2.84	0.52	2.32	0.00	26.04	74.00	0.00	0.00	42.66
160000	2.50	2.69	15.41	12.75	46.16	0.35	2.74	0.45	2.29	0.00	26.04	74.00	0.00	0.00	39.24
170000	2.55	2.78	23.58	20.83	37.97	0.32	2.61	0.30	2.31	0.00	26.04	74.00	0.00	0.00	43.30
180000	2.48	2.73	14.12	11.42	39.68	0.32	2.58	0.25	2.33	0.00	26.04	74.00	0.00	0.00	47.07
190000	2.37	2.59	12.55	10.00	32.08	0.00	2.61	0.22	2.39	0.00	26.04	74.00	0.00	0.00	43.28
200000	2.40	2.63	11.56	8.90	28.98	0.00	2.60	0.21	2.39	0.00	26.04	74.00	0.00	0.00	44.16
210000	2.44	2.60	12.13	9.56	26.58	0.28	2.60	0.23	2.37	0.00	26.04	74.00	0.00	0.00	41.34
220000	2.44	2.95	14.11	11.16	20.28	0.29	2.66	0.24	2.42	0.00	26.04	74.00	0.00	0.00	41.08
230000	2.40	2.66	11.40	8.77	21.95	0.29	2.72	0.25	2.47	0.00	26.04	74.00	0.00	0.00	39.32
極大值	2.55	4.42	23.58	20.83	67.99	0.37	3.01	0.52	2.83	0.00	26.04	74.00	0.00	0.00	683.29
極小值	2.35	2.59	7.52	4.85	7.10	0.00	2.53	0.17	2.29	0.00	26.04	74.00	0.00	0.00	25.42
平均值	2.43	2.96	11.68	8.72	31.31	0.23	2.72	0.25	2.46	0.00	26.04	74.00	0.00	0.00	77.76
標準差	0.06	0.49	3.35	3.31	20.58	0.14	0.15	0.08	0.18	0	0	0	0	0	144.06

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.34	2.90	13.11	10.21	13.92	0.32	2.71	0.24	2.47	0.00	26.04	74.00	0.00	0.00	370.17
010000	2.39	2.99	12.52	9.54	9.65	0.30	2.72	0.23	2.49	0.00	26.04	74.00	0.00	0.00	685.64
020000	2.40	2.77	10.32	7.56	11.37	0.27	2.68	0.23	2.45	0.00	26.04	74.00	0.00	0.00	41.34
030000	2.37	3.53	11.53	7.98	7.06	0.28	2.72	0.22	2.50	0.00	26.04	74.00	0.00	0.00	39.72
040000	2.34	4.33	13.37	9.04	4.90	0.39	2.92	0.20	2.72	0.00	26.04	74.00	0.00	0.00	31.49
050000	2.42	3.29	11.63	8.35	5.77	0.34	3.13	0.18	2.95	0.00	26.04	74.00	0.00	0.00	28.81
060000	2.39	4.65	12.85	8.22	5.87	0.34	2.96	0.21	2.75	0.00	26.04	74.00	0.00	0.00	28.65
070000	2.37	4.80	13.03	8.22	7.05	0.33	2.88	0.21	2.67	0.00	26.04	74.00	0.00	0.00	28.31
080000	2.37	3.42	11.26	7.77	11.89	0.30	2.95	0.22	2.73	0.00	26.04	74.00	0.00	0.00	32.24
090000	2.44	3.40	10.82	7.39	23.25	0.32	2.82	0.24	2.58	0.00	26.04	74.00	0.00	0.00	43.47
100000	2.44	3.66	14.77	11.09	34.36	0.28	2.70	0.31	2.39	0.00	26.04	74.00	0.00	0.00	45.74
110000	2.66	5.09	24.83	19.73	29.01	0.34	2.58	0.27	2.31	0.00	26.04	74.00	0.00	0.00	39.18
120000	2.50	2.80	9.16	6.32	48.26	0.29	2.59	0.31	2.28	0.00	26.04	74.00	0.00	0.00	43.54
130000	2.38	2.53	6.42	3.87	46.40	0.27	2.51	0.25	2.26	0.00	26.04	74.00	0.00	0.00	36.32
140000	2.42	2.53	5.61	3.06	48.06	0.24	2.50	0.24	2.26	0.00	26.04	74.00	0.00	0.00	27.76
150000	2.41	2.53	6.72	4.15	47.13	0.00	2.47	0.22	2.25	0.00	26.04	74.00	0.00	0.00	28.00
160000	2.42	2.55	8.42	5.84	41.23	0.00	2.46	0.21	2.25	0.00	26.04	74.00	0.00	0.00	29.80
170000	2.37	2.56	11.45	8.87	31.46	0.31	2.46	0.21	2.25	0.00	26.04	74.00	0.00	0.00	32.38
180000	2.43	2.48	10.05	7.53	27.16	0.33	2.53	0.26	2.27	0.00	26.04	74.00	0.00	0.00	30.23
190000	2.37	2.53	11.14	8.57	25.26	0.30	2.55	0.27	2.28	0.00	26.04	74.00	0.00	0.00	33.31
200000	2.38	2.43	8.90	6.45	27.40	0.29	2.51	0.24	2.27	0.00	26.04	74.00	0.00	0.00	32.90
210000	2.37	3.42	14.08	10.65	12.89	0.00	2.54	0.27	2.27	0.00	26.04	74.00	0.00	0.00	33.44
220000	2.36	3.02	14.60	11.54	8.87	0.34	2.79	0.28	2.51	0.00	26.04	74.00	0.00	0.00	34.89
230000	2.35	2.64	10.83	8.18	9.00	0.30	2.88	0.20	2.68	0.00	26.04	74.00	0.00	0.00	32.79
極大值	2.66	5.09	24.83	19.73	48.26	0.39	3.13	0.31	2.95	0.00	26.04	74.00	0.00	0.00	685.64
極小值	2.34	2.43	5.61	3.06	4.90	0.00	2.46	0.18	2.25	0.00	26.04	74.00	0.00	0.00	27.76
平均值	2.40	3.20	11.56	8.34	22.38	0.27	2.69	0.24	2.45	0.00	26.04	74.00	0.00	0.00	75.42
標準差	0.07	0.8	3.76	3.23	15.38	0.11	0.19	0.03	0.21	0	0	0	0	0	147.02

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.36	3.08	12.40	9.24	8.07	0.32	2.93	0.20	2.73	0.00	26.04	74.00	0.00	0.00	341.59
010000	2.35	3.21	13.72	10.43	5.56	0.26	3.02	0.20	2.82	0.00	26.04	74.00	0.00	0.00	672.18
020000	2.28	2.78	10.35	7.55	9.43	0.34	2.81	0.20	2.61	0.00	26.04	74.00	0.00	0.00	30.72
030000	2.33	2.73	8.65	5.91	8.78	0.33	2.75	0.19	2.56	0.00	26.04	74.00	0.00	0.00	26.28
040000	2.35	2.84	10.69	7.81	7.44	0.00	3.05	0.17	2.88	0.00	26.04	74.00	0.00	0.00	24.46
050000	2.33	2.63	9.43	6.78	9.22	0.00	2.97	0.19	2.78	0.00	26.04	74.00	0.00	0.00	30.98
060000	2.34	3.22	9.01	5.74	9.71	0.35	2.90	0.16	2.74	0.00	26.04	74.00	0.00	0.00	38.76
070000	2.39	3.69	9.97	6.20	11.28	0.31	2.98	0.17	2.81	0.00	26.04	74.00	0.00	0.00	23.83
080000	2.38	3.87	10.42	6.52	16.45	0.00	2.90	0.20	2.70	0.00	26.04	74.00	0.00	0.00	32.38
090000	2.39	3.58	11.97	8.32	25.24	0.26	3.09	0.25	2.84	0.00	26.04	74.00	0.00	0.00	45.62
100000	2.44	2.82	9.08	6.20	41.45	0.30	2.92	0.23	2.69	0.00	26.04	74.00	0.00	0.00	60.09
110000	2.50	2.63	7.52	4.87	53.16	0.00	2.77	0.23	2.54	0.00	26.04	74.00	0.00	0.00	55.72
120000	2.54	2.62	9.44	6.79	70.04	0.00	2.82	0.29	2.53	0.00	26.04	74.00	0.00	0.00	57.98
130000	2.47	2.64	9.06	6.42	67.94	0.00	2.68	0.28	2.40	0.00	26.04	74.00	0.00	0.00	63.59
140000	2.45	2.51	7.72	5.19	68.31	0.32	2.60	0.25	2.35	0.00	26.04	74.00	0.00	0.00	53.72
150000	2.47	2.56	7.16	4.58	59.57	0.24	2.53	0.20	2.33	0.00	26.04	74.00	0.00	0.00	48.85
160000	2.39	2.47	7.43	4.93	48.73	0.00	2.50	0.20	2.30	0.00	26.04	74.00	0.00	0.00	41.97
170000	2.41	2.44	9.86	7.39	36.17	0.35	2.55	0.24	2.31	0.00	26.04	74.00	0.00	0.00	33.60
180000	2.40	2.64	12.45	9.76	23.29	0.31	2.65	0.29	2.36	0.00	26.04	74.00	0.00	0.00	37.03
190000	2.36	2.84	15.26	12.39	15.67	0.29	2.68	0.30	2.38	0.00	26.04	74.00	0.00	0.00	36.38
200000	2.39	2.69	12.95	10.25	18.59	0.31	2.75	0.24	2.51	0.00	26.04	74.00	0.00	0.00	37.37
210000	2.44	2.77	14.06	11.28	15.99	0.31	2.88	0.23	2.65	0.00	26.04	74.00	0.00	0.00	39.59
220000	2.40	2.66	12.43	9.79	19.04	0.29	2.86	0.25	2.61	0.00	26.04	74.00	0.00	0.00	46.16
230000	2.44	3.14	14.44	11.28	13.40	0.00	2.86	0.23	2.63	0.00	26.04	74.00	0.00	0.00	46.57
極大值	2.54	3.87	15.26	12.39	70.04	0.35	3.09	0.30	2.88	0.00	26.04	74.00	0.00	0.00	672.18
極小值	2.28	2.44	7.16	4.58	5.56	0.00	2.50	0.16	2.30	0.00	26.04	74.00	0.00	0.00	23.83
平均值	2.40	2.88	10.64	7.73	27.61	0.20	2.81	0.22	2.59	0.00	26.04	74.00	0.00	0.00	80.23
標準差	0.06	0.39	2.38	2.29	22	0.15	0.17	0.04	0.19	0	0	0	0	0	140.6

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.36	2.90	12.29	9.41	11.79	0.31	2.95	0.22	2.73	0.00	26.04	74.00	0.00	0.00	375.41
010000	2.36	3.10	11.53	8.39	7.31	0.27	3.15	0.21	2.94	0.00	26.04	74.00	0.00	0.00	662.36
020000	2.39	3.39	11.73	8.32	7.19	0.31	3.09	0.18	2.91	0.00	26.04	74.00	0.00	0.00	53.94
030000	2.41	3.25	10.93	7.64	7.41	0.36	3.14	0.19	2.95	0.00	26.04	74.00	0.00	0.00	52.42
040000	2.35	3.06	10.58	7.51	7.91	0.30	2.85	0.22	2.63	0.00	26.04	74.00	0.00	0.00	52.04
050000	2.35	3.26	11.57	8.29	8.52	0.31	2.85	0.21	2.64	0.00	26.04	74.00	0.00	0.00	52.87
060000	2.34	4.25	14.08	9.80	7.95	0.00	2.91	0.24	2.67	0.00	26.04	74.00	0.00	0.00	53.16
070000	2.34	5.21	15.31	10.09	6.23	0.34	2.91	0.27	2.64	0.00	26.04	74.00	0.00	0.00	47.80
080000	2.39	4.98	15.43	10.44	7.06	0.31	2.82	0.26	2.56	0.00	26.04	74.00	0.00	0.00	42.80
090000	2.40	5.97	16.85	10.88	7.55	0.30	2.82	0.26	2.56	0.00	26.04	74.00	0.00	0.00	40.37
100000	2.35	8.41	23.78	15.35	8.84	0.29	2.83	0.28	2.55	0.00	26.04	74.00	0.00	0.00	40.75
110000	2.43	9.09	25.81	16.70	7.57	0.38	2.84	0.30	2.54	0.00	26.04	74.00	0.00	0.00	42.65
120000	2.42	9.61	26.72	17.07	7.14	0.43	2.84	0.32	2.52	0.00	26.04	74.00	0.00	0.00	43.55
130000	2.39	5.69	17.77	12.06	10.12	0.28	2.74	0.27	2.47	0.00	26.04	74.00	0.00	0.00	41.66
140000	2.36	4.43	15.71	11.23	8.97	0.35	2.72	0.24	2.48	0.00	26.04	74.00	0.00	0.00	33.84
150000	2.36	4.22	18.54	14.30	9.38	0.31	2.76	0.28	2.48	0.00	26.04	74.00	0.00	0.00	29.63
160000	2.41	3.67	18.69	14.99	8.94	0.34	2.79	0.28	2.51	0.00	26.04	74.00	0.00	0.00	32.98
170000	2.40	3.31	20.95	17.63	7.76	0.00	2.83	0.28	2.55	0.00	26.04	74.00	0.00	0.00	32.58
180000	2.42	4.43	23.99	19.54	7.83	0.40	2.97	0.29	2.68	0.00	26.04	74.00	0.00	0.00	34.31
190000	2.44	4.17	28.03	23.82	5.42	0.34	2.95	0.37	2.58	0.00	26.04	74.00	0.00	0.00	35.83
200000	2.47	4.29	25.69	21.37	7.18	0.34	2.94	0.36	2.58	0.00	26.04	74.00	0.00	0.00	35.50
210000	2.40	3.54	19.37	15.83	6.71	0.29	2.97	0.31	2.66	0.00	26.04	74.00	0.00	0.00	32.75
220000	2.36	3.32	18.27	14.94	6.30	0.28	2.92	0.29	2.63	0.00	26.04	74.00	0.00	0.00	31.07
230000	2.40	3.57	18.61	15.03	7.00	0.32	3.04	0.31	2.73	0.00	26.04	74.00	0.00	0.00	33.51
極大值	2.47	9.61	28.03	23.82	11.79	0.43	3.15	0.37	2.95	0.00	26.04	74.00	0.00	0.00	662.36
極小值	2.34	2.90	10.58	7.51	5.42	0.00	2.72	0.18	2.47	0.00	26.04	74.00	0.00	0.00	29.63
平均值	2.39	4.63	18.01	13.36	7.84	0.30	2.90	0.27	2.63	0.00	26.04	74.00	0.00	0.00	80.57
標準差	0.03	1.9	5.41	4.55	1.36	0.1	0.12	0.05	0.14	0	0	0	0	0	141.69

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.41	3.30	14.56	11.25	6.18	0.30	3.15	0.28	2.87	0.00	26.04	74.00	0.00	0.00	342.41
010000	2.37	2.97	10.65	7.65	8.03	0.00	2.99	0.21	2.78	0.00	26.04	74.00	0.00	0.00	659.51
020000	2.35	3.23	11.94	8.67	7.15	0.00	2.90	0.24	2.66	0.00	26.04	74.00	0.00	0.00	17.56
030000	2.34	3.63	11.48	7.81	7.83	0.27	2.90	0.25	2.65	0.00	26.04	74.00	0.00	0.00	26.92
040000	2.39	3.53	10.95	7.38	7.77	0.31	3.00	0.21	2.79	0.00	26.04	74.00	0.00	0.00	23.03
050000	2.34	3.90	11.43	7.50	7.39	0.33	3.07	0.21	2.86	0.00	26.04	74.00	0.00	0.00	22.26
060000	2.35	4.66	11.29	6.60	8.71	0.34	2.93	0.24	2.69	0.00	26.04	74.00	0.00	0.00	25.33
070000	2.37	4.46	10.54	6.06	7.53	0.32	2.84	0.21	2.63	0.00	26.04	74.00	0.00	0.00	20.95
080000	2.31	4.74	11.02	6.26	7.59	0.30	2.67	0.19	2.48	0.00	26.04	74.00	0.00	0.00	13.78
090000	2.37	5.70	12.19	6.47	6.86	0.32	2.76	0.20	2.56	0.00	26.04	74.00	0.00	0.00	12.02
100000	2.33	4.63	10.20	5.53	9.91	0.28	2.67	0.19	2.48	0.00	26.04	74.00	0.00	0.00	12.73
110000	2.37	3.60	8.19	4.55	16.09	0.30	2.55	0.18	2.37	0.00	26.04	74.00	0.00	0.00	14.26
120000	2.33	3.13	7.69	4.57	21.19	0.26	2.50	0.19	2.31	0.00	26.04	74.00	0.00	0.00	15.09
130000	2.32	2.87	6.59	3.72	24.71	0.30	2.47	0.18	2.29	0.00	26.04	74.00	0.00	0.00	15.01
140000	2.40	2.85	7.57	4.77	25.03	0.27	2.48	0.20	2.28	0.00	26.04	74.00	0.00	0.00	13.53
150000	2.32	2.54	4.57	2.00	23.70	0.27	2.36	0.17	2.19	0.00	26.04	74.00	0.00	0.00	328.65
160000	2.33	2.43	4.73	2.30	25.40	0.00	2.34	0.16	2.18	0.00	26.04	74.00	0.00	0.00	1000.00
170000	2.33	2.48	5.71	3.23	26.69	0.33	2.37	0.17	2.20	0.00	26.04	74.00	0.00	0.00	1000.00
180000	2.37	2.48	4.90	2.46	26.56	0.30	2.37	0.17	2.20	0.00	26.04	74.00	0.00	0.00	1000.00
190000	2.28	2.46	6.63	4.18	24.43	0.31	2.40	0.17	2.23	0.00	26.04	74.00	0.00	0.00	1000.00
200000	2.37	2.60	12.07	9.51	17.71	0.29	2.58	0.23	2.35	0.00	26.04	74.00	0.00	0.00	1000.00
210000	2.37	3.07	15.18	12.12	7.91	0.33	2.78	0.26	2.52	0.00	26.04	74.00	0.00	0.00	1000.00
220000	2.33	3.05	15.04	11.98	6.43	0.32	2.82	0.26	2.56	0.00	26.04	74.00	0.00	0.00	1000.00
230000	2.39	2.93	13.63	10.69	8.42	0.28	2.83	0.24	2.59	0.00	26.04	74.00	0.00	0.00	1000.00
極大值	2.41	5.70	15.18	12.12	26.69	0.34	3.15	0.28	2.87	0.00	26.04	74.00	0.00	0.00	1000.00
極小值	2.28	2.43	4.57	2.00	6.18	0.00	2.34	0.16	2.18	0.00	26.04	74.00	0.00	0.00	12.02
平均值	2.35	3.38	9.95	6.55	14.13	0.26	2.70	0.21	2.49	0.00	26.04	74.00	0.00	0.00	398.46
標準差	0.03	0.88	3.28	3.02	8.15	0.1	0.25	0.03	0.22	0	0	0	0	0	459.4

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.35	3.18	12.63	9.44	7.04	0.32	2.94	0.22	2.72	0.00	26.04	74.00	0.00	0.00	1000.00
010000	2.29	3.12	12.23	9.09	6.24	0.35	2.84	0.22	2.62	0.00	26.04	74.00	0.00	0.00	1000.00
020000	2.32	2.89	11.08	8.19	7.57	0.29	2.75	0.22	2.53	0.00	26.04	74.00	0.00	0.00	1000.00
030000	2.37	2.93	10.85	7.92	7.87	0.29	2.87	0.22	2.65	0.00	26.04	74.00	0.00	0.00	1000.00
040000	2.44	3.00	10.43	7.42	7.44	0.00	2.91	0.20	2.71	0.00	26.04	74.00	0.00	0.00	1000.00
050000	2.31	2.88	9.69	6.82	7.18	0.29	2.77	0.21	2.56	0.00	26.04	74.00	0.00	0.00	1000.00
060000	2.36	2.99	9.79	6.75	6.88	0.30	2.75	0.20	2.55	0.00	26.04	74.00	0.00	0.00	1000.00
070000	2.29	3.76	9.82	6.05	8.26	0.27	2.73	0.19	2.54	0.00	26.04	74.00	0.00	0.00	1000.00
080000	2.33	3.17	7.81	4.61	14.13	0.31	2.63	0.20	2.43	0.00	26.04	74.00	0.00	0.00	1000.00
090000	2.27	2.57	4.55	1.97	27.53	0.23	2.37	0.15	2.22	0.00	26.04	74.00	0.00	0.00	1000.00
100000	2.31	2.56	4.77	2.21	29.52	0.00	2.36	0.15	2.21	0.00	26.04	74.00	0.00	0.00	1000.00
110000	2.27	2.62	5.01	2.42	30.37	0.27	2.36	0.15	2.21	0.00	26.04	74.00	0.00	0.00	1000.00
120000	2.27	2.85	5.89	3.06	29.27	0.31	2.36	0.16	2.20	0.00	26.04	74.00	0.00	0.00	1000.00
130000	2.29	2.81	5.97	3.21	29.98	0.29	2.35	0.15	2.20	0.00	26.04	74.00	0.00	0.00	1000.00
140000	2.27	2.70	6.33	3.63	33.52	0.35	2.35	0.15	2.20	0.00	26.04	74.00	0.00	0.00	1000.00
150000	2.24	2.49	4.41	1.92	32.62	0.35	2.34	0.15	2.19	0.00	26.04	74.00	0.00	0.00	1000.00
160000	2.32	2.72	8.16	5.44	23.80	0.28	2.45	0.18	2.27	0.00	26.04	74.00	0.00	0.00	1000.00
170000	2.33	2.58	8.61	6.06	15.49	0.31	2.55	0.19	2.36	0.00	26.04	74.00	0.00	0.00	1000.00
180000	2.31	2.51	7.78	5.28	22.39	0.29	2.47	0.17	2.30	0.00	26.04	74.00	0.00	0.00	1000.00
190000	2.33	2.66	10.01	7.38	21.30	0.31	2.48	0.18	2.30	0.00	26.04	74.00	0.00	0.00	1000.00
200000	2.32	2.56	8.39	5.90	21.07	0.30	2.48	0.18	2.30	0.00	26.04	74.00	0.00	0.00	1000.00
210000	2.29	2.56	7.22	4.68	15.33	0.27	2.55	0.17	2.38	0.00	26.04	74.00	0.00	0.00	1000.00
220000	2.29	2.50	6.65	4.16	18.09	0.27	2.55	0.17	2.38	0.00	26.04	74.00	0.00	0.00	1000.00
230000	2.33	2.43	6.24	3.82	17.32	0.28	2.53	0.17	2.36	0.00	26.04	74.00	0.00	0.00	1000.00
極大值	2.44	3.76	12.63	9.44	33.52	0.35	2.94	0.22	2.72	0.00	26.04	74.00	0.00	0.00	1000.00
極小值	2.24	2.43	4.41	1.92	6.24	0.00	2.34	0.15	2.19	0.00	26.04	74.00	0.00	0.00	1000.00
平均值	2.31	2.79	8.10	5.31	18.34	0.27	2.57	0.18	2.39	0.00	26.04	74.00	0.00	0.00	1000.00
標準差	0.04	0.31	2.45	2.27	9.6	0.09	0.2	0.03	0.18	0	0	0	0	0	0

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A002 油車庄站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.30	2.51	6.41	3.91	13.43	0.26	2.57	0.18	2.39	0.00	26.04	74.00	0.00	0.00	1000.00
010000	2.28	2.46	6.17	3.66	15.47	0.27	2.52	0.19	2.33	0.00	26.04	74.00	0.00	0.00	1000.00
020000	2.31	2.50	7.51	5.01	10.64	0.00	2.51	0.20	2.31	0.00	26.04	74.00	0.00	0.00	1000.00
030000	2.34	2.60	7.88	5.27	8.52	0.25	2.57	0.19	2.38	0.00	26.04	74.00	0.00	0.00	1000.00
040000	2.26	2.45	6.27	3.81	9.24	0.31	2.74	0.16	2.58	0.00	26.04	74.00	0.00	0.00	1000.00
050000	2.31	2.54	6.48	3.93	10.52	0.26	2.70	0.18	2.52	0.00	26.04	74.00	0.00	0.00	1000.00
060000	2.35	2.79	8.33	5.55	12.35	0.30	2.63	0.17	2.46	0.00	26.04	74.00	0.00	0.00	1000.00
070000	2.29	3.21	8.96	5.75	14.37	0.34	2.50	0.18	2.32	0.00	26.04	74.00	0.00	0.00	1000.00
080000	2.39	3.34	8.79	5.44	15.65	0.33	2.53	0.22	2.31	0.00	26.04	74.00	0.00	0.00	1000.00
090000	2.31	4.10	10.55	6.39	17.69	0.00	2.46	0.19	2.27	0.00	26.04	74.00	0.00	0.00	676.45
100000	2.29	3.42	8.19	4.72	22.28	0.31	2.43	0.18	2.25	0.00	26.04	74.00	0.00	0.00	11.80
110000	2.31	2.98	7.58	4.60	22.83	0.28	2.43	0.18	2.25	0.00	26.04	74.00	0.00	0.00	11.35
120000	2.35	2.89	7.07	4.15	27.71	0.32	2.42	0.17	2.25	0.00	26.04	74.00	0.00	0.00	9.78
130000	2.35	2.58	6.43	3.83	34.40	0.34	2.43	0.18	2.25	0.00	26.04	74.00	0.00	0.00	11.34
140000	2.36	2.56	10.37	7.78	36.14	0.29	2.49	0.25	2.24	0.00	26.04	74.00	0.00	0.00	13.25
150000	2.41	2.58	11.78	9.20	40.42	0.29	2.47	0.22	2.25	0.00	26.04	74.00	0.00	0.00	20.17
160000	2.37	2.56	8.84	6.27	42.29	0.00	2.45	0.21	2.24	0.00	26.04	74.00	0.00	0.00	24.81
170000	2.38	2.39	7.04	4.66	40.11	0.00	2.45	0.22	2.23	0.00	26.04	74.00	0.00	0.00	28.21
180000	2.37	2.40	7.21	4.83	38.52	0.35	2.43	0.21	2.22	0.00	26.04	74.00	0.00	0.00	32.47
190000	2.36	2.49	10.38	7.91	28.72	0.33	2.51	0.21	2.30	0.00	26.04	74.00	0.00	0.00	32.56
200000	2.41	2.66	10.52	7.88	21.48	0.32	2.72	0.23	2.49	0.00	26.04	74.00	0.00	0.00	28.66
210000	2.38	2.81	10.86	8.09	14.02	0.00	2.77	0.23	2.54	0.00	26.04	74.00	0.00	0.00	30.17
220000	2.40	2.84	10.89	8.06	10.64	0.28	2.93	0.22	2.71	0.00	26.04	74.00	0.00	0.00	32.79
230000	2.38	2.71	10.37	7.70	12.05	0.31	2.96	0.21	2.75	0.00	26.04	74.00	0.00	0.00	31.85
極大值	2.41	4.10	11.78	9.20	42.29	0.35	2.96	0.25	2.75	0.00	26.04	74.00	0.00	0.00	1000.00
極小值	2.26	2.39	6.17	3.66	8.52	0.00	2.42	0.16	2.22	0.00	26.04	74.00	0.00	0.00	9.78
平均值	2.34	2.77	8.54	5.77	21.65	0.24	2.57	0.20	2.37	0.00	26.04	74.00	0.00	0.00	416.49
標準差	0.04	0.4	1.78	1.71	11.43	0.13	0.16	0.02	0.15	0	0	0	0	0	480.17

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.36	2.84	12.38	9.56	9.83	0.32	2.90	0.22	2.68	0.00	26.04	74.00	0.00	0.00	359.15
010000	2.36	2.86	11.13	8.28	7.66	0.00	2.96	0.23	2.73	0.00	26.04	74.00	0.00	0.00	689.63
020000	2.35	2.84	10.63	7.78	6.51	0.30	3.07	0.20	2.87	0.00	26.04	74.00	0.00	0.00	33.39
030000	2.40	3.48	11.67	8.18	5.99	0.33	3.81	0.18	3.63	0.00	26.04	74.00	0.00	0.00	30.86
040000	2.36	5.10	13.41	8.29	5.57	0.38	4.28	0.16	4.12	0.00	26.04	74.00	0.00	0.00	35.95
050000	2.42	4.90	13.34	8.39	5.78	0.00	3.93	0.18	3.75	0.00	26.04	74.00	0.00	0.00	33.06
060000	2.35	9.08	17.58	8.46	5.67	0.38	3.35	0.20	3.15	0.00	26.04	74.00	0.00	0.00	29.36
070000	2.38	7.12	14.19	7.04	5.77	0.36	2.93	0.21	2.72	0.00	26.04	74.00	0.00	0.00	28.67
080000	2.36	6.69	15.35	8.64	8.66	0.31	3.07	0.22	2.85	0.00	26.04	74.00	0.00	0.00	32.67
090000	2.38	4.00	9.24	5.21	21.59	0.31	2.81	0.21	2.60	0.00	26.04	74.00	0.00	0.00	36.50
100000	2.35	2.83	8.02	5.21	35.26	0.30	2.60	0.20	2.40	0.00	26.04	74.00	0.00	0.00	29.75
110000	2.47	3.29	16.32	13.01	52.02	0.26	2.70	0.29	2.41	0.00	26.04	74.00	0.00	0.00	34.26
120000	2.48	3.02	11.92	8.88	49.01	0.00	2.64	0.33	2.31	0.00	26.04	74.00	0.00	0.00	44.55
130000	2.42	2.74	9.23	6.49	47.91	0.25	2.48	0.24	2.24	0.00	26.04	74.00	0.00	0.00	29.73
140000	2.44	2.83	10.92	8.09	53.15	0.27	2.48	0.23	2.25	0.00	26.04	74.00	0.00	0.00	22.38
150000	2.40	2.73	9.19	6.48	47.13	0.31	2.46	0.24	2.22	0.00	26.04	74.00	0.00	0.00	23.30
160000	2.44	2.57	9.97	7.39	43.54	0.33	2.45	0.22	2.23	0.00	26.04	74.00	0.00	0.00	23.98
170000	2.38	2.58	12.42	9.89	43.91	0.33	2.48	0.22	2.26	0.00	26.04	74.00	0.00	0.00	35.10
180000	2.37	2.54	13.18	10.65	36.89	0.33	2.46	0.21	2.25	0.00	26.04	74.00	0.00	0.00	49.62
190000	2.37	2.61	13.47	10.88	31.14	0.34	2.46	0.19	2.27	0.00	26.04	74.00	0.00	0.00	46.66
200000	2.39	2.68	13.82	11.16	26.79	0.30	2.50	0.19	2.31	0.00	26.04	74.00	0.00	0.00	47.66
210000	2.38	2.61	11.03	8.44	28.38	0.29	2.48	0.19	2.29	0.00	26.04	74.00	0.00	0.00	48.42
220000	2.39	2.46	9.93	7.46	23.20	0.36	2.46	0.18	2.28	0.00	26.04	74.00	0.00	0.00	40.64
230000	2.37	2.50	9.57	7.08	18.49	0.28	2.48	0.19	2.29	0.00	26.04	74.00	0.00	0.00	23.99
極大值	2.48	9.08	17.58	13.01	53.15	0.38	4.28	0.33	4.12	0.00	26.04	74.00	0.00	0.00	689.63
極小值	2.35	2.46	8.02	5.21	5.57	0.00	2.45	0.16	2.22	0.00	26.04	74.00	0.00	0.00	22.38
平均值	2.39	3.62	12.00	8.37	25.83	0.28	2.84	0.21	2.63	0.00	26.04	74.00	0.00	0.00	75.39
標準差	0.04	1.74	2.42	1.84	17.63	0.11	0.52	0.04	0.53	0	0	0	0	0	146.85

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.39	2.65	10.58	7.94	11.89	0.27	2.61	0.18	2.43	0.00	26.04	74.00	0.00	0.00	358.13
010000	2.37	2.85	10.11	7.25	6.69	0.00	2.87	0.17	2.70	0.00	26.04	74.00	0.00	0.00	662.59
020000	2.40	3.20	10.56	7.33	5.00	0.28	2.92	0.18	2.74	0.00	26.04	74.00	0.00	0.00	22.54
030000	2.39	3.91	12.51	8.58	3.89	0.00	3.26	0.18	3.08	0.00	26.04	74.00	0.00	0.00	25.21
040000	2.37	3.82	12.61	8.76	4.17	0.36	3.94	0.19	3.75	0.00	26.04	74.00	0.00	0.00	30.23
050000	2.40	3.83	12.91	9.06	3.90	0.00	3.70	0.21	3.49	0.00	26.04	74.00	0.00	0.00	38.28
060000	2.41	8.39	16.88	8.47	4.39	0.37	3.67	0.23	3.44	0.00	26.04	74.00	0.00	0.00	38.79
070000	2.37	12.33	20.59	8.24	4.57	0.35	3.90	0.21	3.69	0.00	26.04	74.00	0.00	0.00	36.23
080000	2.39	4.09	9.36	5.25	9.70	0.36	2.92	0.22	2.70	0.00	26.04	74.00	0.00	0.00	28.32
090000	2.38	2.81	6.88	4.06	29.07	0.00	2.54	0.21	2.33	0.00	26.04	74.00	0.00	0.00	20.10
100000	2.42	2.86	7.78	4.92	39.36	0.33	2.52	0.22	2.30	0.00	26.04	74.00	0.00	0.00	23.04
110000	2.48	2.68	7.37	4.70	47.25	0.00	2.59	0.26	2.33	0.00	26.04	74.00	0.00	0.00	22.48
120000	2.52	2.99	13.11	10.12	67.34	0.30	2.70	0.31	2.39	0.00	26.04	74.00	0.00	0.00	34.51
130000	2.57	3.01	14.37	11.38	66.96	0.00	2.69	0.30	2.39	0.00	26.04	74.00	0.00	0.00	51.01
140000	2.60	3.33	19.87	16.50	58.06	0.29	2.70	0.33	2.37	0.00	26.04	74.00	0.00	0.00	51.52
150000	2.52	2.92	16.96	14.04	53.04	0.00	2.61	0.28	2.33	0.00	26.04	74.00	0.00	0.00	49.29
160000	2.55	2.71	15.91	13.24	48.87	0.29	2.62	0.30	2.32	0.00	26.04	74.00	0.00	0.00	46.62
170000	2.42	2.43	9.22	6.80	50.24	0.31	2.50	0.22	2.28	0.00	26.04	74.00	0.00	0.00	47.78
180000	2.45	2.33	7.91	5.58	47.99	0.29	2.46	0.20	2.26	0.00	26.04	74.00	0.00	0.00	43.92
190000	2.43	2.39	7.09	4.68	44.44	0.30	2.47	0.21	2.26	0.00	26.04	74.00	0.00	0.00	37.05
200000	2.39	2.51	11.19	8.66	31.33	0.33	2.54	0.23	2.31	0.00	26.04	74.00	0.00	0.00	34.78
210000	2.40	2.63	13.08	10.45	22.97	0.27	2.74	0.21	2.53	0.00	26.04	74.00	0.00	0.00	31.87
220000	2.44	2.57	9.55	7.00	23.04	0.32	2.80	0.19	2.61	0.00	26.04	74.00	0.00	0.00	36.74
230000	2.38	2.67	9.46	6.80	20.76	0.31	2.78	0.18	2.60	0.00	26.04	74.00	0.00	0.00	31.91
極大值	2.60	12.33	20.59	16.50	67.34	0.37	3.94	0.33	3.75	0.00	26.04	74.00	0.00	0.00	662.59
極小值	2.37	2.33	6.88	4.06	3.89	0.00	2.46	0.17	2.26	0.00	26.04	74.00	0.00	0.00	20.10
平均值	2.44	3.58	11.91	8.33	29.37	0.22	2.88	0.23	2.65	0.00	26.04	74.00	0.00	0.00	75.12
標準差	0.07	2.22	3.9	3.12	22.05	0.15	0.46	0.05	0.48	0	0	0	0	0	141.68

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.40	2.54	8.94	6.41	21.01	0.31	2.86	0.16	2.70	0.00	26.04	74.00	0.00	0.00	333.32
010000	2.38	2.88	11.14	8.28	10.69	0.33	3.24	0.16	3.08	0.00	26.04	74.00	0.00	0.00	683.88
020000	2.43	3.07	11.84	8.79	5.16	0.31	3.10	0.21	2.89	0.00	26.04	74.00	0.00	0.00	37.58
030000	2.42	3.03	11.77	8.72	5.21	0.33	3.42	0.19	3.23	0.00	26.04	74.00	0.00	0.00	42.31
040000	2.42	3.37	13.32	9.97	4.02	0.34	3.43	0.18	3.25	0.00	26.04	74.00	0.00	0.00	40.35
050000	2.41	3.45	13.30	9.83	4.03	0.31	3.39	0.19	3.20	0.00	26.04	74.00	0.00	0.00	39.00
060000	2.43	6.03	14.81	8.75	4.26	0.32	3.66	0.18	3.48	0.00	26.04	74.00	0.00	0.00	35.96
070000	2.45	5.89	12.96	7.06	5.68	0.00	3.88	0.18	3.70	0.00	26.04	74.00	0.00	0.00	31.19
080000	2.36	4.27	10.99	6.69	15.18	0.32	3.17	0.21	2.96	0.00	26.04	74.00	0.00	0.00	34.03
090000	2.39	2.99	7.91	4.91	31.98	0.33	2.69	0.20	2.49	0.00	26.04	74.00	0.00	0.00	40.44
100000	2.48	2.69	7.10	4.41	46.09	0.33	2.64	0.24	2.40	0.00	26.04	74.00	0.00	0.00	40.24
110000	2.49	2.67	7.49	4.83	55.77	0.33	2.57	0.23	2.34	0.00	26.04	74.00	0.00	0.00	45.77
120000	2.51	2.74	11.96	9.24	74.13	0.30	2.61	0.26	2.35	0.00	26.04	74.00	0.00	0.00	46.40
130000	2.52	2.70	10.21	7.53	74.74	0.29	2.58	0.24	2.34	0.00	26.04	74.00	0.00	0.00	54.90
140000	2.52	2.57	7.94	5.39	65.95	0.29	2.52	0.21	2.31	0.00	26.04	74.00	0.00	0.00	52.84
150000	2.53	2.53	8.59	6.05	64.41	0.32	2.50	0.20	2.30	0.00	26.04	74.00	0.00	0.00	42.89
160000	2.52	2.52	10.81	8.28	60.36	0.28	2.59	0.29	2.30	0.00	26.04	74.00	0.00	0.00	40.25
170000	2.44	2.49	12.45	10.00	49.47	0.33	2.52	0.23	2.29	0.00	26.04	74.00	0.00	0.00	42.41
180000	2.45	2.49	10.57	8.09	44.12	0.32	2.48	0.19	2.29	0.00	26.04	74.00	0.00	0.00	42.27
190000	2.49	2.56	12.23	9.69	33.25	0.31	2.51	0.21	2.30	0.00	26.04	74.00	0.00	0.00	40.11
200000	2.44	2.80	16.20	13.40	21.16	0.00	2.57	0.22	2.35	0.00	26.04	74.00	0.00	0.00	48.98
210000	2.41	2.66	12.21	9.57	25.17	0.00	2.66	0.20	2.46	0.00	26.04	74.00	0.00	0.00	57.95
220000	2.44	2.80	12.14	9.35	18.78	0.00	2.67	0.19	2.48	0.00	26.04	74.00	0.00	0.00	46.46
230000	2.44	2.70	12.39	9.72	14.33	0.00	2.89	0.18	2.71	0.00	26.04	74.00	0.00	0.00	41.23
極大值	2.53	6.03	16.20	13.40	74.74	0.34	3.88	0.29	3.70	0.00	26.04	74.00	0.00	0.00	683.88
極小值	2.36	2.49	7.10	4.41	4.02	0.00	2.48	0.16	2.29	0.00	26.04	74.00	0.00	0.00	31.19
平均值	2.45	3.10	11.22	8.12	31.46	0.25	2.88	0.21	2.68	0.00	26.04	74.00	0.00	0.00	81.70
標準差	0.05	0.97	2.31	2.11	24.49	0.13	0.42	0.03	0.44	0	0	0	0	0	141.41

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.48	2.83	11.25	8.42	12.84	0.30	3.32	0.15	3.17	0.00	26.04	74.00	0.00	0.00	353.93
010000	2.41	2.88	11.49	8.61	10.54	0.33	3.41	0.16	3.25	0.00	26.04	74.00	0.00	0.00	661.40
020000	2.41	3.54	11.98	8.42	4.78	0.30	3.54	0.16	3.38	0.00	26.04	74.00	0.00	0.00	35.58
030000	2.43	3.57	11.91	8.30	4.46	0.35	3.92	0.15	3.77	0.00	26.04	74.00	0.00	0.00	34.94
040000	2.39	4.76	13.25	8.48	4.08	0.32	4.22	0.14	4.08	0.00	26.04	74.00	0.00	0.00	29.70
050000	2.41	4.72	13.83	9.07	4.56	0.32	4.18	0.14	4.04	0.00	26.04	74.00	0.00	0.00	28.33
060000	2.39	4.73	13.96	9.20	4.15	0.33	3.89	0.17	3.72	0.00	26.04	74.00	0.00	0.00	31.86
070000	2.46	7.11	15.74	8.60	4.77	0.35	3.40	0.18	3.22	0.00	26.04	74.00	0.00	0.00	31.38
080000	2.45	6.40	14.81	8.39	6.44	0.35	3.26	0.21	3.05	0.00	26.04	74.00	0.00	0.00	37.32
090000	2.48	4.18	11.74	7.52	19.58	0.32	2.94	0.22	2.72	0.00	26.04	74.00	0.00	0.00	41.26
100000	2.50	3.03	9.43	6.40	38.61	0.00	2.76	0.22	2.54	0.00	26.04	74.00	0.00	0.00	45.27
110000	2.55	2.86	11.14	8.32	59.40	0.26	2.69	0.26	2.43	0.00	26.04	74.00	0.00	0.00	49.51
120000	2.60	2.99	13.77	10.78	67.93	0.30	2.66	0.29	2.37	0.00	26.04	74.00	0.00	0.00	51.92
130000	2.67	3.01	14.01	11.02	71.65	0.28	2.67	0.29	2.38	0.00	26.04	74.00	0.00	0.00	59.46
140000	2.66	2.71	11.30	8.61	77.52	0.30	2.68	0.29	2.39	0.00	26.04	74.00	0.00	0.00	60.68
150000	2.58	2.57	11.12	8.57	73.64	0.29	2.64	0.27	2.37	0.00	26.04	74.00	0.00	0.00	62.17
160000	2.53	2.47	9.88	7.41	65.77	0.31	2.56	0.20	2.36	0.00	26.04	74.00	0.00	0.00	64.96
170000	2.49	2.49	12.56	10.07	52.88	0.00	2.54	0.21	2.33	0.00	26.04	74.00	0.00	0.00	67.14
180000	2.47	2.44	10.25	7.80	49.02	0.31	2.53	0.21	2.32	0.00	26.04	74.00	0.00	0.00	67.24
190000	2.47	2.63	10.49	7.86	29.84	0.32	2.55	0.20	2.35	0.00	26.04	74.00	0.00	0.00	57.60
200000	2.41	2.82	11.71	8.90	17.69	0.00	2.60	0.20	2.40	0.00	26.04	74.00	0.00	0.00	56.50
210000	2.45	3.11	13.01	9.89	9.41	0.31	2.70	0.22	2.48	0.00	26.04	74.00	0.00	0.00	62.06
220000	2.47	3.07	11.97	8.88	7.44	0.00	2.84	0.26	2.58	0.00	26.04	74.00	0.00	0.00	57.37
230000	2.44	3.06	11.92	8.84	5.59	0.37	2.75	0.26	2.49	0.00	26.04	74.00	0.00	0.00	71.88
極大值	2.67	7.11	15.74	11.02	77.52	0.37	4.22	0.29	4.08	0.00	26.04	74.00	0.00	0.00	661.40
極小值	2.39	2.44	9.43	6.40	4.08	0.00	2.53	0.14	2.32	0.00	26.04	74.00	0.00	0.00	28.33
平均值	2.48	3.50	12.19	8.68	29.27	0.26	3.05	0.21	2.84	0.00	26.04	74.00	0.00	0.00	88.31
標準差	0.08	1.23	1.58	1.02	27.47	0.12	0.55	0.05	0.59	0	0	0	0	0	137.55

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.47	3.36	12.77	9.37	5.00	0.27	2.82	0.26	2.56	0.00	26.04	74.00	0.00	0.00	440.49
010000	2.41	3.31	12.82	9.50	5.05	0.29	2.74	0.25	2.49	0.00	26.04	74.00	0.00	0.00	674.59
020000	2.48	3.16	13.16	10.03	6.36	0.29	2.75	0.27	2.48	0.00	26.04	74.00	0.00	0.00	37.69
030000	2.47	2.89	11.01	8.11	8.26	0.00	2.66	0.24	2.42	0.00	26.04	74.00	0.00	0.00	31.73
040000	2.41	3.18	10.79	7.56	6.74	0.00	2.70	0.22	2.48	0.00	26.04	74.00	0.00	0.00	35.68
050000	2.40	3.17	10.27	7.10	8.31	0.00	2.69	0.21	2.48	0.00	26.04	74.00	0.00	0.00	35.69
060000	2.42	3.36	11.30	7.94	9.94	0.29	2.63	0.21	2.42	0.00	26.04	74.00	0.00	0.00	33.37
070000	2.42	4.80	13.66	8.86	8.85	0.27	2.68	0.21	2.47	0.00	26.04	74.00	0.00	0.00	35.28
080000	2.44	5.17	13.62	8.47	12.44	0.30	2.65	0.22	2.43	0.00	26.04	74.00	0.00	0.00	40.30
090000	2.44	5.56	15.78	10.21	18.46	0.28	2.64	0.24	2.40	0.00	26.04	74.00	0.00	0.00	43.89
100000	2.46	4.11	15.26	11.15	35.47	0.30	2.69	0.32	2.37	0.00	26.04	74.00	0.00	0.00	49.80
110000	2.60	3.20	16.25	13.02	52.08	0.27	2.71	0.33	2.38	0.00	26.04	74.00	0.00	0.00	56.73
120000	2.54	2.64	10.61	7.98	53.78	0.00	2.61	0.26	2.35	0.00	26.04	74.00	0.00	0.00	53.78
130000	2.44	2.66	9.30	6.63	55.29	0.00	2.55	0.23	2.32	0.00	26.04	74.00	0.00	0.00	48.71
140000	2.44	2.49	8.89	6.42	54.75	0.28	2.58	0.27	2.31	0.00	26.04	74.00	0.00	0.00	40.84
150000	2.47	2.38	8.12	5.71	53.02	0.31	2.56	0.26	2.30	0.00	26.04	74.00	0.00	0.00	36.27
160000	2.45	2.56	12.12	9.54	42.68	0.36	2.58	0.26	2.32	0.00	26.04	74.00	0.00	0.00	40.16
170000	2.45	3.16	18.50	15.31	19.88	0.00	2.65	0.26	2.39	0.00	26.04	74.00	0.00	0.00	45.74
180000	2.39	2.75	15.16	12.42	18.90	0.29	2.59	0.24	2.35	0.00	26.04	74.00	0.00	0.00	54.64
190000	2.43	2.74	14.55	11.80	16.77	0.28	2.60	0.24	2.36	0.00	26.04	74.00	0.00	0.00	51.03
200000	2.39	2.78	13.86	11.09	14.74	0.27	2.61	0.24	2.37	0.00	26.04	74.00	0.00	0.00	41.50
210000	2.43	2.81	13.14	10.35	14.88	0.31	2.59	0.23	2.36	0.00	26.04	74.00	0.00	0.00	39.49
220000	2.44	2.76	12.83	10.09	13.58	0.28	2.59	0.23	2.36	0.00	26.04	74.00	0.00	0.00	34.25
230000	2.43	2.68	12.24	9.56	13.11	0.00	2.58	0.22	2.36	0.00	26.04	74.00	0.00	0.00	33.60
極大值	2.60	5.56	18.50	15.31	55.29	0.36	2.82	0.33	2.56	0.00	26.04	74.00	0.00	0.00	674.59
極小值	2.39	2.38	8.12	5.71	5.00	0.00	2.55	0.21	2.30	0.00	26.04	74.00	0.00	0.00	31.73
平均值	2.45	3.24	12.75	9.51	22.85	0.21	2.64	0.25	2.40	0.00	26.04	74.00	0.00	0.00	84.80
標準差	0.05	0.84	2.48	2.25	18.41	0.14	0.07	0.03	0.07	0	0	0	0	0	149.81

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.42	2.93	12.11	9.22	10.83	0.27	2.61	0.22	2.39	0.00	26.04	74.00	0.00	0.00	360.27
010000	2.42	2.96	11.94	8.99	8.75	0.27	2.69	0.23	2.46	0.00	26.04	74.00	0.00	0.00	659.66
020000	2.43	2.96	11.83	8.87	8.16	0.31	2.67	0.24	2.43	0.00	26.04	74.00	0.00	0.00	25.78
030000	2.40	2.83	11.57	8.75	6.85	0.35	2.69	0.23	2.46	0.00	26.04	74.00	0.00	0.00	24.92
040000	2.51	2.95	13.58	10.62	6.50	0.32	2.70	0.27	2.43	0.00	26.04	74.00	0.00	0.00	27.54
050000	2.44	3.09	11.77	8.66	7.75	0.31	2.62	0.22	2.40	0.00	26.04	74.00	0.00	0.00	25.00
060000	2.47	3.26	11.56	8.32	8.01	0.00	2.64	0.22	2.42	0.00	26.04	74.00	0.00	0.00	23.52
070000	2.49	6.00	16.28	10.23	7.24	0.38	2.65	0.22	2.43	0.00	26.04	74.00	0.00	0.00	18.97
080000	2.46	6.24	16.22	9.96	7.50	0.30	2.73	0.24	2.49	0.00	26.04	74.00	0.00	0.00	25.56
090000	2.46	6.22	15.73	9.47	12.65	0.36	2.73	0.25	2.48	0.00	26.04	74.00	0.00	0.00	28.46
100000	2.40	4.72	14.34	9.59	20.10	0.33	2.70	0.25	2.45	0.00	26.04	74.00	0.00	0.00	35.93
110000	2.50	4.80	15.25	10.42	30.46	0.00	2.70	0.26	2.44	0.00	26.04	74.00	0.00	0.00	36.96
120000	2.55	3.38	17.44	14.04	43.12	0.00	2.72	0.33	2.39	0.00	26.04	74.00	0.00	0.00	41.97
130000	2.53	3.24	23.29	20.01	46.23	0.26	2.73	0.34	2.39	0.00	26.04	74.00	0.00	0.00	55.67
140000	2.48	2.65	11.59	8.95	49.71	0.29	2.60	0.26	2.34	0.00	26.04	74.00	0.00	0.00	54.27
150000	2.45	2.58	12.22	9.64	48.38	0.26	2.55	0.23	2.32	0.00	26.04	74.00	0.00	0.00	37.00
160000	2.54	2.79	15.16	12.38	40.60	0.30	2.61	0.25	2.36	0.00	26.04	74.00	0.00	0.00	36.55
170000	2.47	2.86	16.16	13.33	33.08	0.32	2.71	0.25	2.46	0.00	26.04	74.00	0.00	0.00	43.06
180000	2.50	2.69	18.96	16.31	26.16	0.00	2.71	0.29	2.42	0.00	26.04	74.00	0.00	0.00	46.15
190000	2.45	2.79	18.71	15.96	18.49	0.35	2.75	0.30	2.45	0.00	26.04	74.00	0.00	0.00	45.26
200000	2.46	2.96	19.21	16.24	11.98	0.34	2.72	0.28	2.44	0.00	26.04	74.00	0.00	0.00	44.53
210000	2.44	2.93	16.27	13.34	9.71	0.27	2.72	0.26	2.46	0.00	26.04	74.00	0.00	0.00	41.32
220000	2.44	3.05	15.76	12.71	5.94	0.00	2.86	0.26	2.60	0.00	26.04	74.00	0.00	0.00	35.66
230000	2.50	3.15	17.02	13.86	5.62	0.00	2.85	0.28	2.57	0.00	26.04	74.00	0.00	0.00	33.42
極大值	2.55	6.24	23.29	20.01	49.71	0.38	2.86	0.34	2.60	0.00	26.04	74.00	0.00	0.00	659.66
極小值	2.40	2.58	11.56	8.32	5.62	0.00	2.55	0.22	2.32	0.00	26.04	74.00	0.00	0.00	18.97
平均值	2.47	3.50	15.17	11.66	19.74	0.23	2.69	0.26	2.44	0.00	26.04	74.00	0.00	0.00	75.31
標準差	0.04	1.16	3.07	3.14	15.61	0.14	0.07	0.03	0.06	0	0	0	0	0	141.29

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.51	3.23	16.87	13.63	4.41	0.35	2.81	0.26	2.55	0.00	26.04	74.00	0.00	0.00	370.87
010000	2.52	3.27	17.70	14.38	3.93	0.00	2.86	0.27	2.59	0.00	26.04	74.00	0.00	0.00	666.46
020000	2.50	3.16	17.16	13.97	3.74	0.33	2.82	0.28	2.54	0.00	26.04	74.00	0.00	0.00	34.21
030000	2.49	3.95	17.27	13.30	2.70	0.33	2.84	0.26	2.58	0.00	26.04	74.00	0.00	0.00	35.68
040000	2.49	3.50	15.06	11.56	2.36	0.31	2.93	0.25	2.68	0.00	26.04	74.00	0.00	0.00	32.77
050000	2.51	4.57	15.64	11.04	2.13	0.32	2.98	0.25	2.73	0.00	26.04	74.00	0.00	0.00	32.35
060000	2.55	7.68	19.95	12.24	1.97	0.36	3.10	0.27	2.83	0.00	26.04	74.00	0.00	0.00	32.45
070000	2.56	9.20	22.32	13.08	2.58	0.36	2.96	0.31	2.65	0.00	26.04	74.00	0.00	0.00	34.64
080000	2.54	9.53	22.51	12.95	3.63	0.37	3.02	0.28	2.74	0.00	26.04	74.00	0.00	0.00	42.59
090000	2.55	7.88	19.67	11.76	8.82	0.33	2.97	0.27	2.70	0.00	26.04	74.00	0.00	0.00	45.78
100000	2.49	5.78	16.91	11.13	21.26	0.32	2.92	0.26	2.66	0.00	26.04	74.00	0.00	0.00	46.37
110000	2.52	3.57	12.80	9.22	36.52	0.35	2.81	0.25	2.56	0.00	26.04	74.00	0.00	0.00	49.45
120000	2.52	2.82	9.87	7.03	46.37	0.00	2.70	0.24	2.46	0.00	26.04	74.00	0.00	0.00	44.76
130000	2.52	2.84	11.32	8.49	54.23	0.00	2.68	0.24	2.44	0.00	26.04	74.00	0.00	0.00	40.15
140000	2.51	2.72	11.56	8.86	57.78	0.00	2.69	0.25	2.44	0.00	26.04	74.00	0.00	0.00	48.99
150000	2.49	2.73	13.07	10.37	50.94	0.28	2.68	0.25	2.43	0.00	26.04	74.00	0.00	0.00	51.98
160000	2.54	2.69	21.20	18.55	40.39	0.30	2.68	0.28	2.40	0.00	26.04	74.00	0.00	0.00	47.54
170000	2.55	3.03	21.70	18.69	28.43	0.31	2.70	0.30	2.40	0.00	26.04	74.00	0.00	0.00	49.06
180000	2.58	3.06	21.50	18.45	21.36	0.33	2.74	0.30	2.44	0.00	26.04	74.00	0.00	0.00	48.42
190000	2.50	2.88	18.13	15.24	21.20	0.28	2.73	0.28	2.45	0.00	26.04	74.00	0.00	0.00	49.37
200000	2.50	2.89	18.70	15.82	15.75	0.34	2.80	0.27	2.53	0.00	26.04	74.00	0.00	0.00	51.38
210000	2.45	3.09	19.10	15.99	11.35	0.33	2.84	0.26	2.58	0.00	26.04	74.00	0.00	0.00	52.06
220000	2.47	3.11	18.62	15.51	9.56	0.00	2.86	0.27	2.59	0.00	26.04	74.00	0.00	0.00	51.04
230000	2.52	3.40	19.37	15.94	7.18	0.35	2.86	0.27	2.59	0.00	26.04	74.00	0.00	0.00	49.83
極大值	2.58	9.53	22.51	18.69	57.78	0.37	3.10	0.31	2.83	0.00	26.04	74.00	0.00	0.00	666.46
極小值	2.45	2.69	9.87	7.03	1.97	0.00	2.68	0.24	2.40	0.00	26.04	74.00	0.00	0.00	32.35
平均值	2.52	4.19	17.42	13.22	19.11	0.26	2.83	0.27	2.56	0.00	26.04	74.00	0.00	0.00	83.68
標準差	0.03	2.14	3.61	3.22	18.74	0.14	0.12	0.02	0.12	0	0	0	0	0	141.05

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.55	3.14	16.98	13.84	6.47	0.27	2.89	0.28	2.61	0.00	26.04	74.00	0.00	0.00	392.23
010000	2.43	3.27	15.98	12.70	4.37	0.30	2.96	0.26	2.70	0.00	26.04	74.00	0.00	0.00	653.43
020000	2.43	3.41	15.08	11.65	3.04	0.30	3.15	0.27	2.88	0.00	26.04	74.00	0.00	0.00	41.02
030000	2.47	3.94	15.72	11.79	2.23	0.28	3.50	0.26	3.24	0.00	26.04	74.00	0.00	0.00	39.42
040000	2.54	3.78	17.47	13.65	2.33	0.27	3.61	0.26	3.35	0.00	26.04	74.00	0.00	0.00	43.57
050000	2.49	5.52	19.47	13.94	2.24	0.30	3.66	0.27	3.39	0.00	26.04	74.00	0.00	0.00	44.86
060000	2.55	8.73	22.21	13.44	2.28	0.37	3.59	0.29	3.30	0.00	26.04	74.00	0.00	0.00	43.16
070000	2.58	10.15	23.24	13.06	2.53	0.32	3.49	0.30	3.19	0.00	26.04	74.00	0.00	0.00	44.45
080000	2.55	7.79	20.14	12.31	6.09	0.36	3.26	0.31	2.95	0.00	26.04	74.00	0.00	0.00	49.95
090000	2.53	5.35	16.25	10.85	19.02	0.31	3.06	0.29	2.77	0.00	26.04	74.00	0.00	0.00	54.34
100000	2.54	2.88	10.35	7.45	40.23	0.25	2.79	0.26	2.53	0.00	26.04	74.00	0.00	0.00	57.83
110000	2.58	2.73	11.56	8.85	59.11	0.28	2.79	0.31	2.48	0.00	26.04	74.00	0.00	0.00	51.51
120000	2.68	3.03	19.19	16.17	76.96	0.28	2.86	0.37	2.49	0.00	26.04	74.00	0.00	0.00	55.88
130000	2.60	2.89	13.98	11.11	66.65	0.29	2.74	0.31	2.43	0.00	26.04	74.00	0.00	0.00	65.95
140000	2.61	2.66	11.35	8.68	62.53	0.28	2.72	0.36	2.36	0.00	26.04	74.00	0.00	0.00	44.26
150000	2.58	2.57	10.18	7.62	59.68	0.28	2.60	0.27	2.33	0.00	26.04	74.00	0.00	0.00	34.49
160000	2.55	2.64	10.21	7.59	53.63	0.26	2.55	0.23	2.32	0.00	26.04	74.00	0.00	0.00	32.39
170000	2.58	2.69	16.17	13.51	42.74	0.00	2.59	0.25	2.34	0.00	26.04	74.00	0.00	0.00	33.68
180000	2.51	2.68	18.74	16.10	31.05	0.00	2.68	0.30	2.38	0.00	26.04	74.00	0.00	0.00	34.77
190000	2.55	3.16	23.40	20.26	17.46	0.00	2.79	0.35	2.44	0.00	26.04	74.00	0.00	0.00	38.79
200000	2.56	2.95	18.82	15.85	15.71	0.23	2.89	0.31	2.58	0.00	26.04	74.00	0.00	0.00	45.37
210000	2.46	3.10	18.28	15.16	10.98	0.29	2.86	0.29	2.57	0.00	26.04	74.00	0.00	0.00	59.57
220000	2.47	3.22	18.04	14.79	7.51	0.31	3.04	0.26	2.78	0.00	26.04	74.00	0.00	0.00	56.81
230000	2.46	3.32	18.76	15.38	4.28	0.00	3.12	0.25	2.87	0.00	26.04	74.00	0.00	0.00	52.73
極大值	2.68	10.15	23.40	20.26	76.96	0.37	3.66	0.37	3.39	0.00	26.04	74.00	0.00	0.00	653.43
極小值	2.43	2.57	10.18	7.45	2.23	0.00	2.55	0.23	2.32	0.00	26.04	74.00	0.00	0.00	32.39
平均值	2.54	3.98	16.73	12.74	24.96	0.24	3.01	0.29	2.72	0.00	26.04	74.00	0.00	0.00	86.27
標準差	0.06	2.07	3.92	3.17	25.46	0.11	0.34	0.04	0.35	0	0	0	0	0	140.15

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.46	3.67	18.62	14.90	3.03	0.27	2.98	0.28	2.70	0.00	26.04	74.00	0.00	0.00	384.19
010000	2.54	3.36	16.62	13.23	2.81	0.31	3.14	0.28	2.86	0.00	26.04	74.00	0.00	0.00	666.11
020000	2.48	3.46	16.06	12.58	2.43	0.33	3.50	0.26	3.24	0.00	26.04	74.00	0.00	0.00	48.78
030000	2.53	4.27	16.28	11.98	2.30	0.32	3.56	0.26	3.30	0.00	26.04	74.00	0.00	0.00	48.95
040000	2.47	4.18	15.58	11.37	2.19	0.35	3.78	0.26	3.52	0.00	26.04	74.00	0.00	0.00	46.92
050000	2.46	4.29	16.10	11.77	2.25	0.29	3.34	0.28	3.06	0.00	26.04	74.00	0.00	0.00	46.21
060000	2.57	7.80	19.69	11.87	2.60	0.32	3.69	0.28	3.41	0.00	26.04	74.00	0.00	0.00	45.95
070000	2.52	10.80	20.97	10.14	2.86	0.35	3.88	0.28	3.60	0.00	26.04	74.00	0.00	0.00	44.76
080000	2.46	5.90	15.73	9.80	8.56	0.35	3.35	0.25	3.10	0.00	26.04	74.00	0.00	0.00	54.09
090000	2.53	3.23	10.47	7.19	28.96	0.26	2.87	0.25	2.62	0.00	26.04	74.00	0.00	0.00	57.11
100000	2.56	2.86	9.24	6.34	42.44	0.27	2.65	0.24	2.41	0.00	26.04	74.00	0.00	0.00	50.62
110000	2.65	2.95	15.71	12.73	68.09	0.28	2.70	0.30	2.40	0.00	26.04	74.00	0.00	0.00	45.09
120000	2.63	2.83	12.91	10.06	62.89	0.29	2.65	0.29	2.36	0.00	26.04	74.00	0.00	0.00	57.31
130000	2.64	2.75	12.20	9.45	59.88	0.24	2.57	0.25	2.32	0.00	26.04	74.00	0.00	0.00	57.96
140000	2.62	2.58	10.92	8.33	59.52	0.26	2.55	0.25	2.30	0.00	26.04	74.00	0.00	0.00	42.38
150000	2.57	2.54	8.85	6.29	54.45	0.30	2.51	0.22	2.29	0.00	26.04	74.00	0.00	0.00	38.00
160000	2.56	2.58	11.18	8.61	50.87	0.27	2.50	0.21	2.29	0.00	26.04	74.00	0.00	0.00	30.99
170000	2.54	2.83	18.81	16.01	35.90	0.30	2.54	0.24	2.30	0.00	26.04	74.00	0.00	0.00	31.27
180000	2.57	2.84	19.81	17.00	24.35	0.31	2.59	0.26	2.33	0.00	26.04	74.00	0.00	0.00	56.43
190000	2.50	2.72	17.28	14.59	21.28	0.28	2.70	0.26	2.44	0.00	26.04	74.00	0.00	0.00	75.42
200000	2.52	3.02	18.85	15.82	10.03	0.28	2.97	0.22	2.75	0.00	26.04	74.00	0.00	0.00	50.22
210000	2.50	2.95	19.45	16.51	11.75	0.00	3.12	0.21	2.91	0.00	26.04	74.00	0.00	0.00	43.55
220000	2.46	3.08	17.74	14.66	11.57	0.33	3.21	0.21	3.00	0.00	26.04	74.00	0.00	0.00	41.13
230000	2.52	3.18	16.91	13.72	7.92	0.27	3.26	0.22	3.04	0.00	26.04	74.00	0.00	0.00	52.68
極大值	2.65	10.80	20.97	17.00	68.09	0.35	3.88	0.30	3.60	0.00	26.04	74.00	0.00	0.00	666.11
極小值	2.46	2.54	8.85	6.29	2.19	0.00	2.50	0.21	2.29	0.00	26.04	74.00	0.00	0.00	30.99
平均值	2.54	3.78	15.67	11.87	24.12	0.28	3.03	0.25	2.77	0.00	26.04	74.00	0.00	0.00	88.17
標準差	0.06	1.91	3.56	3.2	23.63	0.07	0.44	0.03	0.44	0	0	0	0	0	141.16

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.52	3.21	14.94	11.70	4.88	0.28	3.29	0.22	3.07	0.00	26.04	74.00	0.00	0.00	389.05
010000	2.51	3.24	15.98	12.70	4.52	0.00	3.53	0.21	3.32	0.00	26.04	74.00	0.00	0.00	672.79
020000	2.54	3.81	15.29	11.45	3.67	0.26	3.84	0.20	3.64	0.00	26.04	74.00	0.00	0.00	52.10
030000	2.45	3.66	12.77	9.09	2.28	0.27	3.70	0.19	3.51	0.00	26.04	74.00	0.00	0.00	50.72
040000	2.52	3.43	12.88	9.43	2.63	0.27	3.76	0.20	3.56	0.00	26.04	74.00	0.00	0.00	47.72
050000	2.51	4.72	14.07	9.30	2.35	0.29	3.95	0.18	3.77	0.00	26.04	74.00	0.00	0.00	43.96
060000	2.49	5.24	14.12	8.86	2.47	0.29	4.07	0.19	3.88	0.00	26.04	74.00	0.00	0.00	45.95
070000	2.51	6.90	15.11	8.16	2.62	0.25	3.96	0.20	3.76	0.00	26.04	74.00	0.00	0.00	45.77
080000	2.51	4.35	11.86	7.48	12.23	0.32	3.19	0.22	2.97	0.00	26.04	74.00	0.00	0.00	43.91
090000	2.52	3.19	10.38	7.17	35.13	0.27	2.81	0.25	2.56	0.00	26.04	74.00	0.00	0.00	46.24
100000	2.61	2.72	8.57	5.88	49.79	0.28	2.72	0.25	2.47	0.00	26.04	74.00	0.00	0.00	56.03
110000	2.66	2.59	10.61	8.02	70.64	0.24	2.70	0.27	2.43	0.00	26.04	74.00	0.00	0.00	60.14
120000	2.70	2.58	11.77	9.17	85.41	0.30	2.73	0.30	2.43	0.00	26.04	74.00	0.00	0.00	61.87
130000	2.71	2.46	11.16	8.66	81.78	0.00	2.66	0.27	2.39	0.00	26.04	74.00	0.00	0.00	66.49
140000	2.73	2.47	10.72	8.22	77.63	0.27	2.63	0.27	2.36	0.00	26.04	74.00	0.00	0.00	62.02
150000	2.61	2.41	8.49	6.03	71.51	0.28	2.55	0.22	2.33	0.00	26.04	74.00	0.00	0.00	53.82
160000	2.65	2.61	9.96	7.36	62.21	0.31	2.64	0.31	2.33	0.00	26.04	74.00	0.00	0.00	46.10
170000	2.58	2.66	15.35	12.70	48.00	0.25	2.75	0.40	2.35	0.00	26.04	74.00	0.00	0.00	43.20
180000	2.57	2.76	18.80	16.08	30.81	0.28	2.82	0.39	2.43	0.00	26.04	74.00	0.00	0.00	50.26
190000	2.54	2.76	18.75	16.03	21.65	0.31	2.83	0.38	2.45	0.00	26.04	74.00	0.00	0.00	58.11
200000	2.53	2.70	16.20	13.54	28.27	0.29	2.94	0.30	2.64	0.00	26.04	74.00	0.00	0.00	68.02
210000	2.51	2.64	13.31	10.70	23.05	0.00	2.90	0.25	2.65	0.00	26.04	74.00	0.00	0.00	63.50
220000	2.53	2.74	13.76	11.03	18.61	0.24	2.88	0.22	2.66	0.00	26.04	74.00	0.00	0.00	52.48
230000	2.58	2.86	13.83	10.96	12.19	0.00	2.90	0.21	2.69	0.00	26.04	74.00	0.00	0.00	49.22
極大值	2.73	6.90	18.80	16.08	85.41	0.32	4.07	0.40	3.88	0.00	26.04	74.00	0.00	0.00	672.79
極小值	2.45	2.41	8.49	5.88	2.28	0.00	2.55	0.18	2.33	0.00	26.04	74.00	0.00	0.00	43.20
平均值	2.57	3.28	13.28	9.99	31.43	0.23	3.11	0.25	2.86	0.00	26.04	74.00	0.00	0.00	92.89
標準差	0.08	1.08	2.8	2.78	29.32	0.11	0.5	0.06	0.55	0	0	0	0	0	141.44

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.58	2.78	13.20	10.44	13.12	0.31	3.10	0.21	2.89	0.00	26.04	74.00	0.00	0.00	380.09
010000	2.54	2.98	14.15	11.17	6.42	0.31	3.69	0.21	3.48	0.00	26.04	74.00	0.00	0.00	666.96
020000	2.50	3.64	14.28	10.60	2.98	0.28	4.10	0.20	3.90	0.00	26.04	74.00	0.00	0.00	52.25
030000	2.50	3.82	12.91	9.05	2.42	0.26	4.29	0.18	4.11	0.00	26.04	74.00	0.00	0.00	56.44
040000	2.51	3.22	10.71	7.45	2.68	0.30	3.48	0.19	3.29	0.00	26.04	74.00	0.00	0.00	47.37
050000	2.51	3.06	10.61	7.53	3.76	0.27	3.21	0.20	3.01	0.00	26.04	74.00	0.00	0.00	42.85
060000	2.50	6.45	16.58	10.13	2.79	0.33	3.21	0.20	3.01	0.00	26.04	74.00	0.00	0.00	42.12
070000	2.51	10.06	20.10	10.01	3.90	0.38	3.47	0.21	3.26	0.00	26.04	74.00	0.00	0.00	41.56
080000	2.48	3.86	10.48	6.59	19.41	0.26	2.93	0.22	2.71	0.00	26.04	74.00	0.00	0.00	42.54
090000	2.58	3.70	11.82	8.08	30.59	0.31	2.83	0.23	2.60	0.00	26.04	74.00	0.00	0.00	42.25
100000	2.67	3.90	18.05	14.12	43.26	0.27	2.80	0.33	2.47	0.00	26.04	74.00	0.00	0.00	52.59
110000	2.66	3.54	18.01	14.42	52.82	0.26	2.70	0.33	2.37	0.00	26.04	74.00	0.00	0.00	62.57
120000	2.66	3.08	13.11	9.98	51.37	0.28	2.56	0.28	2.28	0.00	26.04	74.00	0.00	0.00	60.36
130000	2.71	3.06	14.25	11.15	58.69	0.30	2.54	0.26	2.28	0.00	26.04	74.00	0.00	0.00	47.60
140000	2.70	2.99	13.63	10.60	53.13	0.27	2.53	0.24	2.29	0.00	26.04	74.00	0.00	0.00	52.84
150000	2.67	2.80	12.87	10.04	48.07	0.00	2.54	0.28	2.26	0.00	26.04	74.00	0.00	0.00	47.69
160000	2.59	2.84	16.53	13.65	40.18	0.28	2.57	0.29	2.28	0.00	26.04	74.00	0.00	0.00	40.46
170000	2.54	3.14	19.66	16.47	30.44	0.00	2.58	0.28	2.30	0.00	26.04	74.00	0.00	0.00	42.54
180000	2.57	2.83	19.30	16.41	27.20	0.27	2.61	0.28	2.33	0.00	26.04	74.00	0.00	0.00	52.62
190000	2.56	2.72	18.07	15.35	22.83	0.32	2.63	0.27	2.36	0.00	26.04	74.00	0.00	0.00	59.73
200000	2.54	2.78	14.98	12.20	23.59	0.28	2.77	0.24	2.53	0.00	26.04	74.00	0.00	0.00	47.19
210000	2.56	2.83	15.49	12.66	16.89	0.35	2.76	0.21	2.55	0.00	26.04	74.00	0.00	0.00	49.78
220000	2.53	2.73	14.02	11.25	10.81	0.00	2.89	0.21	2.68	0.00	26.04	74.00	0.00	0.00	45.63
230000	2.50	3.34	14.21	10.83	6.69	0.34	3.22	0.21	3.01	0.00	26.04	74.00	0.00	0.00	44.44
極大值	2.71	10.06	20.10	16.47	58.69	0.38	4.29	0.33	4.11	0.00	26.04	74.00	0.00	0.00	666.96
極小值	2.48	2.72	10.48	6.59	2.42	0.00	2.53	0.18	2.26	0.00	26.04	74.00	0.00	0.00	40.46
平均值	2.57	3.59	14.88	11.26	23.92	0.26	3.00	0.24	2.76	0.00	26.04	74.00	0.00	0.00	88.35
標準差	0.07	1.58	2.86	2.72	19.27	0.1	0.5	0.04	0.53	0	0	0	0	0	140.69

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.52	3.17	11.76	8.53	3.75	0.00	3.00	0.25	2.75	0.00	26.04	74.00	0.00	0.00	385.61
010000	2.53	2.88	9.52	6.60	7.87	0.00	2.77	0.23	2.54	0.00	26.04	74.00	0.00	0.00	670.28
020000	2.53	2.92	8.78	5.85	7.46	0.30	2.69	0.22	2.47	0.00	26.04	74.00	0.00	0.00	44.36
030000	2.48	2.76	8.32	5.54	6.34	0.00	2.75	0.22	2.53	0.00	26.04	74.00	0.00	0.00	44.66
040000	2.50	2.87	8.90	5.97	6.37	0.27	2.84	0.21	2.63	0.00	26.04	74.00	0.00	0.00	42.26
050000	2.48	2.93	9.80	6.86	7.45	0.31	2.83	0.22	2.61	0.00	26.04	74.00	0.00	0.00	42.32
060000	2.50	3.21	10.21	6.98	4.47	0.29	3.04	0.20	2.84	0.00	26.04	74.00	0.00	0.00	44.61
070000	2.52	4.65	12.61	7.91	5.02	0.30	3.03	0.21	2.82	0.00	26.04	74.00	0.00	0.00	44.03
080000	2.55	4.67	12.76	8.10	11.07	0.27	2.86	0.22	2.64	0.00	26.04	74.00	0.00	0.00	49.29
090000	2.49	3.93	10.85	6.87	19.19	0.25	2.67	0.23	2.44	0.00	26.04	74.00	0.00	0.00	54.71
100000	2.60	3.37	10.40	7.00	32.38	0.26	2.67	0.24	2.43	0.00	26.04	74.00	0.00	0.00	48.04
110000	2.59	3.09	12.57	9.48	46.94	0.30	2.67	0.27	2.40	0.00	26.04	74.00	0.00	0.00	53.89
120000	2.65	2.99	14.72	11.69	64.44	0.24	2.66	0.30	2.36	0.00	26.04	74.00	0.00	0.00	61.58
130000	2.68	2.59	9.57	6.96	63.35	0.28	2.57	0.26	2.31	0.00	26.04	74.00	0.00	0.00	61.51
140000	2.65	2.52	9.43	6.89	66.46	0.26	2.52	0.23	2.29	0.00	26.04	74.00	0.00	0.00	51.92
150000	2.64	2.50	9.87	7.35	69.49	0.28	2.56	0.27	2.29	0.00	26.04	74.00	0.00	0.00	53.03
160000	2.66	2.43	9.54	7.10	69.04	0.26	2.51	0.21	2.30	0.00	26.04	74.00	0.00	0.00	55.81
170000	2.64	2.45	8.59	6.07	45.50	0.32	2.48	0.20	2.28	0.00	26.04	74.00	0.00	0.00	51.09
180000	2.64	2.56	8.15	5.56	35.30	0.24	2.46	0.20	2.26	0.00	26.04	74.00	0.00	0.00	41.34
190000	2.59	2.55	11.36	8.78	30.27	0.30	2.52	0.22	2.30	0.00	26.04	74.00	0.00	0.00	33.39
200000	2.66	2.82	20.90	18.12	26.04	0.00	2.81	0.35	2.46	0.00	26.04	74.00	0.00	0.00	52.77
210000	2.64	2.74	18.51	15.80	22.46	0.23	2.87	0.31	2.56	0.00	26.04	74.00	0.00	0.00	91.61
220000	2.65	3.23	19.14	15.90	15.32	0.27	2.88	0.30	2.58	0.00	26.04	74.00	0.00	0.00	99.21
230000	2.60	2.97	17.40	14.44	10.49	0.27	2.99	0.28	2.71	0.00	26.04	74.00	0.00	0.00	93.33
極大值	2.68	4.67	20.90	18.12	69.49	0.32	3.04	0.35	2.84	0.00	26.04	74.00	0.00	0.00	670.28
極小值	2.48	2.43	8.15	5.54	3.75	0.00	2.46	0.20	2.26	0.00	26.04	74.00	0.00	0.00	33.39
平均值	2.58	3.03	11.82	8.76	28.19	0.23	2.74	0.24	2.49	0.00	26.04	74.00	0.00	0.00	94.61
標準差	0.07	0.61	3.68	3.64	23.71	0.11	0.18	0.04	0.18	0	0	0	0	0	140.9

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.61	2.79	14.35	11.59	13.75	0.32	2.88	0.26	2.62	0.00	26.04	74.00	0.00	0.00	392.13
010000	2.62	2.79	14.80	12.02	11.76	0.27	2.93	0.25	2.68	0.00	26.04	74.00	0.00	0.00	660.15
020000	2.55	2.93	13.95	11.05	8.27	0.00	2.99	0.25	2.74	0.00	26.04	74.00	0.00	0.00	76.93
030000	2.65	3.07	14.11	11.02	6.86	0.29	3.03	0.25	2.78	0.00	26.04	74.00	0.00	0.00	75.36
040000	2.61	3.03	14.86	11.81	4.87	0.29	3.08	0.29	2.79	0.00	26.04	74.00	0.00	0.00	75.40
050000	2.61	3.44	16.45	12.99	3.95	0.31	3.12	0.33	2.79	0.00	26.04	74.00	0.00	0.00	78.38
060000	2.62	4.56	17.72	13.12	2.89	0.31	3.26	0.28	2.98	0.00	26.04	74.00	0.00	0.00	82.86
070000	2.59	6.20	17.61	11.41	4.23	0.32	3.45	0.27	3.18	0.00	26.04	74.00	0.00	0.00	81.66
080000	2.64	6.33	18.93	12.60	6.56	0.30	3.35	0.27	3.08	0.00	26.04	74.00	0.00	0.00	78.44
090000	2.67	5.14	17.17	12.02	13.88	0.28	3.22	0.27	2.95	0.00	26.04	74.00	0.00	0.00	76.94
100000	2.73	3.41	14.12	10.67	39.07	0.32	2.85	0.24	2.61	0.00	26.04	74.00	0.00	0.00	80.27
110000	2.80	2.90	12.95	10.07	52.94	0.00	2.68	0.25	2.43	0.00	26.04	74.00	0.00	0.00	84.00
120000	2.71	2.91	15.02	12.14	62.67	0.29	2.64	0.27	2.37	0.00	26.04	74.00	0.00	0.00	72.94
130000	2.74	2.75	14.05	11.32	68.99	0.25	2.61	0.24	2.37	0.00	26.04	74.00	0.00	0.00	76.37
140000	2.77	2.58	10.54	8.00	70.61	0.00	2.62	0.24	2.38	0.00	26.04	74.00	0.00	0.00	78.70
150000	2.73	2.55	10.43	7.87	66.04	0.00	2.61	0.23	2.38	0.00	26.04	74.00	0.00	0.00	78.27
160000	2.69	2.51	12.59	10.10	57.04	0.25	2.60	0.22	2.38	0.00	26.04	74.00	0.00	0.00	76.71
170000	2.69	2.51	13.39	10.89	48.78	0.31	2.67	0.29	2.38	0.00	26.04	74.00	0.00	0.00	73.98
180000	2.70	2.46	11.19	8.73	46.81	0.30	2.62	0.25	2.37	0.00	26.04	74.00	0.00	0.00	69.38
190000	2.70	2.43	10.95	8.48	32.78	0.31	2.62	0.23	2.39	0.00	26.04	74.00	0.00	0.00	61.00
200000	2.74	2.57	16.41	13.86	18.01	0.29	2.72	0.24	2.48	0.00	26.04	74.00	0.00	0.00	57.98
210000	2.68	2.91	15.74	12.84	13.51	0.28	2.89	0.23	2.66	0.00	26.04	74.00	0.00	0.00	64.64
220000	2.69	2.69	12.59	9.92	16.39	0.27	3.02	0.22	2.80	0.00	26.04	74.00	0.00	0.00	63.53
230000	2.68	2.68	10.91	8.23	16.77	0.29	2.90	0.20	2.70	0.00	26.04	74.00	0.00	0.00	58.68
極大值	2.80	6.33	18.93	13.86	70.61	0.32	3.45	0.33	3.18	0.00	26.04	74.00	0.00	0.00	660.15
極小值	2.55	2.43	10.43	7.87	2.89	0.00	2.60	0.20	2.37	0.00	26.04	74.00	0.00	0.00	57.98
平均值	2.68	3.26	14.20	10.95	28.64	0.24	2.89	0.25	2.64	0.00	26.04	74.00	0.00	0.00	111.45
標準差	0.06	1.13	2.42	1.72	24.11	0.11	0.26	0.03	0.25	0	0	0	0	0	133.9

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.70	2.65	11.84	9.20	17.78	0.26	2.93	0.21	2.72	0.00	26.04	74.00	0.00	0.00	367.89
010000	2.72	2.72	11.76	9.05	14.78	0.31	3.01	0.23	2.78	0.00	26.04	74.00	0.00	0.00	681.11
020000	2.65	2.91	11.74	8.83	11.30	0.27	3.13	0.23	2.90	0.00	26.04	74.00	0.00	0.00	57.87
030000	2.66	2.87	11.00	8.10	11.32	0.00	2.88	0.26	2.62	0.00	26.04	74.00	0.00	0.00	55.41
040000	2.67	3.04	11.72	8.67	6.32	0.29	2.95	0.24	2.71	0.00	26.04	74.00	0.00	0.00	58.21
050000	2.71	3.99	14.92	10.89	3.76	0.33	2.98	0.24	2.74	0.00	26.04	74.00	0.00	0.00	53.95
060000	2.69	3.49	13.32	9.79	5.39	0.31	2.96	0.25	2.71	0.00	26.04	74.00	0.00	0.00	48.13
070000	2.77	5.18	21.18	15.97	5.03	0.28	3.00	0.34	2.66	0.00	26.04	74.00	0.00	0.00	50.02
080000	2.71	6.93	24.63	17.67	6.36	0.31	2.98	0.39	2.59	0.00	26.04	74.00	0.00	0.00	57.21
090000	2.81	7.91	28.24	20.30	9.91	0.35	3.04	0.48	2.56	0.00	26.04	74.00	0.00	0.00	69.95
100000	2.76	8.23	32.83	24.57	12.72	0.34	2.96	0.40	2.56	0.00	26.04	74.00	0.00	0.00	72.47
110000	2.79	6.62	26.05	19.37	17.88	0.00	2.82	0.36	2.46	0.00	26.04	74.00	0.00	0.00	70.59
120000	2.74	3.65	17.45	13.77	24.47	0.32	2.72	0.30	2.42	0.00	26.04	74.00	0.00	0.00	61.87
130000	2.77	3.54	18.82	15.24	32.77	0.31	2.71	0.29	2.42	0.00	26.04	74.00	0.00	0.00	53.59
140000	2.72	3.24	20.39	17.12	32.82	0.29	2.80	0.31	2.49	0.00	26.04	74.00	0.00	0.00	68.46
150000	2.81	3.03	19.00	15.97	29.61	0.28	2.86	0.30	2.56	0.00	26.04	74.00	0.00	0.00	77.87
160000	2.78	2.93	20.36	17.42	26.41	0.00	2.87	0.31	2.56	0.00	26.04	74.00	0.00	0.00	76.85
170000	2.74	2.78	11.65	8.90	18.60	0.00	2.62	0.23	2.39	0.00	26.04	74.00	0.00	0.00	61.50
180000	2.74	2.50	8.67	6.14	18.04	0.30	2.47	0.20	2.27	0.00	26.04	74.00	0.00	0.00	32.22
190000	2.78	2.57	8.16	5.59	18.30	0.00	2.48	0.20	2.28	0.00	26.04	74.00	0.00	0.00	18.31
200000	2.65	2.81	13.18	10.39	9.29	0.27	2.56	0.22	2.34	0.00	26.04	74.00	0.00	0.00	18.59
210000	2.68	2.69	12.23	9.54	11.78	0.00	2.68	0.23	2.45	0.00	26.04	74.00	0.00	0.00	26.06
220000	2.66	2.66	10.86	8.19	10.86	0.00	2.64	0.23	2.41	0.00	26.04	74.00	0.00	0.00	35.62
230000	2.63	2.52	9.03	6.52	11.86	0.30	2.67	0.20	2.47	0.00	26.04	74.00	0.00	0.00	27.54
極大值	2.81	8.23	32.83	24.57	32.82	0.35	3.13	0.48	2.90	0.00	26.04	74.00	0.00	0.00	681.11
極小值	2.63	2.50	8.16	5.59	3.76	0.00	2.47	0.20	2.27	0.00	26.04	74.00	0.00	0.00	18.31
平均值	2.72	3.81	16.21	12.38	15.31	0.21	2.82	0.28	2.54	0.00	26.04	74.00	0.00	0.00	91.72
標準差	0.05	1.77	6.69	5.14	8.62	0.14	0.18	0.07	0.16	0	0	0	0	0	142.17

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.57	2.53	8.78	6.26	13.30	0.29	2.63	0.20	2.43	0.00	26.04	74.00	0.00	0.00	370.55
010000	2.66	2.41	8.07	5.65	8.95	0.31	2.60	0.19	2.41	0.00	26.04	74.00	0.00	0.00	655.64
020000	2.64	2.66	8.57	5.94	7.78	0.29	2.54	0.19	2.35	0.00	26.04	74.00	0.00	0.00	19.15
030000	2.62	2.68	8.42	5.76	6.76	0.31	2.51	0.19	2.32	0.00	26.04	74.00	0.00	0.00	18.96
040000	2.62	2.69	9.13	6.46	7.80	0.00	2.64	0.18	2.46	0.00	26.04	74.00	0.00	0.00	16.24
050000	2.69	2.90	10.63	7.75	5.64	0.00	2.84	0.18	2.66	0.00	26.04	74.00	0.00	0.00	15.85
060000	2.61	3.73	12.20	8.44	4.21	0.00	2.87	0.18	2.69	0.00	26.04	74.00	0.00	0.00	15.61
070000	2.66	5.38	14.61	9.24	3.76	0.33	2.83	0.20	2.63	0.00	26.04	74.00	0.00	0.00	17.25
080000	2.64	5.16	15.06	9.89	7.40	0.30	2.72	0.21	2.51	0.00	26.04	74.00	0.00	0.00	26.08
090000	2.61	4.28	12.69	8.36	15.44	0.29	2.61	0.21	2.40	0.00	26.04	74.00	0.00	0.00	29.99
100000	2.66	3.47	11.78	8.27	20.11	0.28	2.59	0.21	2.38	0.00	26.04	74.00	0.00	0.00	31.01
110000	2.63	3.13	11.01	7.87	24.94	0.26	2.55	0.21	2.34	0.00	26.04	74.00	0.00	0.00	35.25
120000	2.70	2.97	10.11	7.14	28.23	0.26	2.56	0.21	2.35	0.00	26.04	74.00	0.00	0.00	34.53
130000	2.70	2.80	8.76	5.99	31.25	0.24	2.52	0.21	2.31	0.00	26.04	74.00	0.00	0.00	35.13
140000	2.73	2.62	8.18	5.57	32.73	0.26	2.47	0.20	2.27	0.00	26.04	74.00	0.00	0.00	30.43
150000	2.71	2.71	10.36	7.68	31.49	0.25	2.50	0.20	2.30	0.00	26.04	74.00	0.00	0.00	28.36
160000	2.75	2.63	11.44	8.83	31.24	0.29	2.55	0.22	2.33	0.00	26.04	74.00	0.00	0.00	36.61
170000	2.72	2.86	15.76	12.93	22.32	0.30	2.58	0.21	2.37	0.00	26.04	74.00	0.00	0.00	36.51
180000	2.71	3.21	18.82	15.62	12.57	0.36	2.68	0.23	2.45	0.00	26.04	74.00	0.00	0.00	42.26
190000	2.80	3.74	22.07	18.29	5.64	0.31	2.74	0.25	2.49	0.00	26.04	74.00	0.00	0.00	48.15
200000	2.75	3.63	17.35	13.72	4.57	0.29	2.70	0.23	2.47	0.00	26.04	74.00	0.00	0.00	41.64
210000	2.70	2.96	14.10	11.17	4.78	0.35	2.81	0.21	2.60	0.00	26.04	74.00	0.00	0.00	25.34
220000	2.71	3.63	14.64	11.01	2.68	0.00	3.02	0.20	2.82	0.00	26.04	74.00	0.00	0.00	23.59
230000	2.65	3.76	13.74	9.95	2.44	0.00	2.93	0.20	2.73	0.00	26.04	74.00	0.00	0.00	28.64
極大值	2.80	5.38	22.07	18.29	32.73	0.36	3.02	0.25	2.82	0.00	26.04	74.00	0.00	0.00	655.64
極小值	2.57	2.41	8.07	5.57	2.44	0.00	2.47	0.18	2.27	0.00	26.04	74.00	0.00	0.00	15.61
平均值	2.68	3.27	12.34	9.07	14.00	0.23	2.67	0.20	2.46	0.00	26.04	74.00	0.00	0.00	69.28
標準差	0.05	0.79	3.68	3.32	10.75	0.12	0.15	0.02	0.15	0	0	0	0	0	143.29

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.70	3.09	10.49	7.40	2.43	0.33	2.86	0.19	2.67	0.00	26.04	74.00	0.00	0.00	372.59
010000	2.72	2.81	11.20	8.36	3.73	0.00	2.91	0.21	2.70	0.00	26.04	74.00	0.00	0.00	652.27
020000	2.67	3.10	12.20	9.04	2.67	0.28	3.03	0.21	2.82	0.00	26.04	74.00	0.00	0.00	40.41
030000	2.70	3.58	14.33	10.69	2.14	0.00	3.54	0.21	3.33	0.00	26.04	74.00	0.00	0.00	44.60
040000	2.75	4.04	13.65	9.58	2.10	0.30	3.65	0.19	3.46	0.00	26.04	74.00	0.00	0.00	47.07
050000	2.74	4.19	13.09	8.87	1.86	0.33	3.53	0.19	3.34	0.00	26.04	74.00	0.00	0.00	42.94
060000	2.72	5.63	13.87	8.21	2.03	0.33	3.31	0.20	3.11	0.00	26.04	74.00	0.00	0.00	40.45
070000	2.81	7.15	15.01	7.81	2.26	0.32	3.55	0.22	3.33	0.00	26.04	74.00	0.00	0.00	33.80
080000	2.76	7.89	16.68	8.76	2.52	0.37	3.20	0.22	2.98	0.00	26.04	74.00	0.00	0.00	35.45
090000	2.78	6.38	15.26	8.87	6.09	0.33	2.95	0.22	2.73	0.00	26.04	74.00	0.00	0.00	39.95
100000	2.78	3.51	10.83	7.30	25.54	0.00	2.73	0.23	2.50	0.00	26.04	74.00	0.00	0.00	45.21
110000	2.76	2.89	11.18	8.25	45.08	0.23	2.73	0.27	2.46	0.00	26.04	74.00	0.00	0.00	54.28
120000	2.81	2.77	11.86	9.05	56.73	0.00	2.69	0.31	2.38	0.00	26.04	74.00	0.00	0.00	66.44
130000	2.83	2.94	13.06	10.06	53.04	0.27	2.61	0.27	2.34	0.00	26.04	74.00	0.00	0.00	66.80
140000	2.93	2.87	18.55	15.65	65.19	0.26	2.71	0.29	2.42	0.00	26.04	74.00	0.00	0.00	71.39
150000	2.89	2.68	15.24	12.55	71.16	0.31	2.67	0.27	2.40	0.00	26.04	74.00	0.00	0.00	103.27
160000	2.88	2.54	13.74	11.21	67.30	0.28	2.63	0.26	2.37	0.00	26.04	74.00	0.00	0.00	105.70
170000	2.85	2.47	14.72	12.24	58.64	0.00	2.62	0.25	2.37	0.00	26.04	74.00	0.00	0.00	94.79
180000	2.86	2.59	15.69	13.11	44.18	0.26	2.64	0.25	2.39	0.00	26.04	74.00	0.00	0.00	88.76
190000	2.92	2.68	17.50	14.81	30.71	0.31	2.67	0.27	2.40	0.00	26.04	74.00	0.00	0.00	87.15
200000	2.87	2.75	15.69	12.95	32.61	0.33	2.82	0.29	2.53	0.00	26.04	74.00	0.00	0.00	92.07
210000	2.78	2.75	13.86	11.09	28.30	0.30	3.05	0.26	2.79	0.00	26.04	74.00	0.00	0.00	95.77
220000	2.78	3.04	15.34	12.24	19.60	0.00	3.16	0.24	2.92	0.00	26.04	74.00	0.00	0.00	88.04
230000	2.84	3.07	14.01	10.91	15.45	0.31	3.44	0.21	3.23	0.00	26.04	74.00	0.00	0.00	86.95
極大值	2.93	7.89	18.55	15.65	71.16	0.37	3.65	0.31	3.46	0.00	26.04	74.00	0.00	0.00	652.27
極小值	2.67	2.47	10.49	7.30	1.86	0.00	2.61	0.19	2.34	0.00	26.04	74.00	0.00	0.00	33.80
平均值	2.80	3.64	14.04	10.38	26.72	0.23	2.99	0.24	2.75	0.00	26.04	74.00	0.00	0.00	104.01
標準差	0.07	1.53	2.09	2.33	24.96	0.14	0.35	0.04	0.38	0	0	0	0	0	134.52

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.86	4.46	18.51	14.02	2.94	0.31	3.93	0.23	3.70	0.00	26.04	74.00	0.00	0.00	417.31
010000	2.85	4.99	16.80	11.79	3.07	0.29	3.92	0.25	3.67	0.00	26.04	74.00	0.00	0.00	682.58
020000	2.82	4.39	15.83	11.40	3.38	0.30	4.14	0.23	3.91	0.00	26.04	74.00	0.00	0.00	66.04
030000	2.77	3.09	10.40	7.27	2.86	0.00	3.57	0.20	3.37	0.00	26.04	74.00	0.00	0.00	66.75
040000	2.83	2.95	10.11	7.15	3.00	0.30	3.24	0.19	3.05	0.00	26.04	74.00	0.00	0.00	55.94
050000	2.70	3.30	10.98	7.66	3.27	0.30	3.28	0.19	3.09	0.00	26.04	74.00	0.00	0.00	47.21
060000	2.85	3.47	10.45	6.96	3.37	0.29	3.18	0.20	2.98	0.00	26.04	74.00	0.00	0.00	41.87
070000	2.82	4.27	11.41	7.10	5.05	0.33	3.12	0.20	2.92	0.00	26.04	74.00	0.00	0.00	37.98
080000	2.82	4.81	12.30	7.44	4.17	0.31	3.40	0.21	3.19	0.00	26.04	74.00	0.00	0.00	44.85
090000	2.84	4.13	10.87	6.70	9.67	0.36	3.27	0.21	3.06	0.00	26.04	74.00	0.00	0.00	51.00
100000	2.82	3.33	9.24	5.83	17.74	0.27	3.03	0.21	2.82	0.00	26.04	74.00	0.00	0.00	50.00
110000	2.86	2.86	7.66	4.75	25.55	0.27	2.80	0.21	2.59	0.00	26.04	74.00	0.00	0.00	47.75
120000	2.83	2.77	7.40	4.59	30.54	0.00	2.60	0.19	2.41	0.00	26.04	74.00	0.00	0.00	37.71
130000	2.85	2.56	7.08	4.50	36.29	0.28	2.58	0.20	2.38	0.00	26.04	74.00	0.00	0.00	27.57
140000	2.85	2.59	9.71	7.09	45.33	0.00	2.58	0.22	2.36	0.00	26.04	74.00	0.00	0.00	28.24
150000	2.88	2.69	16.12	13.38	55.08	0.33	2.65	0.26	2.39	0.00	26.04	74.00	0.00	0.00	40.64
160000	2.94	2.62	15.91	13.27	49.51	0.29	2.68	0.28	2.40	0.00	26.04	74.00	0.00	0.00	59.81
170000	2.93	2.64	16.02	13.33	35.05	0.30	2.68	0.27	2.41	0.00	26.04	74.00	0.00	0.00	62.78
180000	2.84	2.69	13.23	10.52	26.77	0.00	2.76	0.25	2.51	0.00	26.04	74.00	0.00	0.00	59.25
190000	2.86	2.78	12.81	9.99	19.01	0.29	2.78	0.23	2.55	0.00	26.04	74.00	0.00	0.00	57.34
200000	2.85	2.99	13.43	10.40	12.11	0.24	2.80	0.22	2.58	0.00	26.04	74.00	0.00	0.00	61.52
210000	2.90	3.13	12.29	9.10	7.81	0.29	2.86	0.21	2.65	0.00	26.04	74.00	0.00	0.00	64.66
220000	2.85	3.53	13.95	10.38	3.09	0.30	3.29	0.19	3.10	0.00	26.04	74.00	0.00	0.00	66.20
230000	2.90	3.06	13.91	10.81	5.77	0.27	3.30	0.18	3.12	0.00	26.04	74.00	0.00	0.00	60.72
極大值	2.94	4.99	18.51	14.02	55.08	0.36	4.14	0.28	3.91	0.00	26.04	74.00	0.00	0.00	682.58
極小值	2.70	2.56	7.08	4.50	2.86	0.00	2.58	0.18	2.36	0.00	26.04	74.00	0.00	0.00	27.57
平均值	2.85	3.34	12.35	8.98	17.10	0.25	3.10	0.22	2.88	0.00	26.04	74.00	0.00	0.00	93.16
標準差	0.05	0.76	3.13	2.95	16.81	0.12	0.45	0.03	0.46	0	0	0	0	0	146.49

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	7.36	2.78	10.47	7.85	16.11	0.65	2.32	0.11	2.21	0.00	18.84	69.61	0.00	0.00	35.61
010000	7.19	2.78	10.35	7.73	15.49	0.65	2.30	0.12	2.18	0.00	18.85	69.61	0.00	0.00	33.25
020000	7.27	2.92	10.29	7.54	14.78	0.65	2.35	0.12	2.23	0.00	18.83	69.61	0.00	0.00	34.95
030000	7.24	2.86	10.38	7.70	13.68	0.66	2.45	0.12	2.33	0.00	18.76	69.61	0.00	0.00	33.04
040000	7.26	2.98	10.69	7.90	13.75	0.66	2.47	0.12	2.35	0.00	18.81	69.61	0.00	0.00	37.29
050000	7.27	3.01	11.19	8.36	13.42	0.67	2.48	0.13	2.35	0.00	18.88	69.61	0.00	0.00	34.21
060000	7.33	4.15	12.19	8.26	13.22	0.67	2.48	0.14	2.34	0.00	18.83	69.61	0.00	0.00	30.91
070000	7.41	4.83	12.38	7.80	12.92	0.71	2.70	0.14	2.56	0.00	18.82	69.61	0.00	0.00	38.34
080000	7.64	4.60	14.55	10.26	18.39	0.77	2.44	0.22	2.22	0.00	18.81	69.61	0.00	0.00	46.11
090000	7.90	4.48	17.31	13.15	26.00	0.85	2.29	0.23	2.06	0.00	18.78	69.62	0.00	0.00	53.43
100000	7.52	3.09	10.33	7.39	36.02	0.76	2.21	0.11	2.10	0.00	18.79	69.70	0.00	0.00	58.93
110000	7.22	2.87	7.97	5.19	40.98	0.70	2.16	0.08	2.08	0.00	18.84	69.72	0.00	0.00	46.70
120000	7.21	2.74	6.65	4.01	40.91	0.68	2.14	0.07	2.07	0.00	18.85	69.70	0.00	0.00	30.19
130000	7.11	2.80	7.18	4.46	41.87	0.67	2.14	0.07	2.07	0.00	18.88	69.68	0.00	0.00	31.40
140000	7.22	2.75	7.19	4.52	43.63	0.66	2.13	0.06	2.07	0.00	18.90	69.67	0.00	0.00	31.52
150000	7.37	2.81	8.74	6.04	40.36	0.67	2.12	0.06	2.06	0.00	18.89	69.61	0.00	0.00	32.84
160000	7.40	2.80	8.04	5.34	38.52	0.69	2.11	0.07	2.04	0.00	18.88	69.61	0.00	0.00	29.44
170000	7.55	2.70	10.76	8.23	33.42	0.73	2.13	0.12	2.01	0.00	18.88	69.61	0.00	0.00	31.12
180000	7.57	2.69	11.43	8.92	28.63	0.71	2.22	0.12	2.10	0.00	18.88	69.61	0.00	0.00	45.50
190000	7.87	2.77	11.93	9.34	25.31	0.73	2.28	0.11	2.17	0.00	18.92	69.61	0.00	0.00	49.32
200000	7.64	2.83	12.55	9.92	21.55	0.74	2.40	0.10	2.30	0.00	18.88	69.61	0.00	0.00	45.62
210000	7.72	2.76	8.78	6.16	20.98	0.69	2.44	0.08	2.36	0.00	18.84	69.61	0.00	0.00	45.83
220000	7.47	2.75	9.05	6.42	20.74	0.70	2.51	0.08	2.43	0.00	18.83	69.61	0.00	0.00	44.30
230000	7.55	2.80	9.97	7.32	16.82	0.68	2.63	0.08	2.55	0.00	18.75	69.48	0.00	0.00	37.29
極大值	7.90	4.83	17.31	13.15	43.63	0.85	2.70	0.23	2.56	0.00	18.92	69.72	0.00	0.00	58.93
極小值	7.11	2.69	6.65	4.01	12.92	0.65	2.11	0.06	2.01	0.00	18.75	69.48	0.00	0.00	29.44
平均值	7.43	3.11	10.43	7.49	25.31	0.70	2.33	0.11	2.22	0.00	18.84	69.62	0.00	0.00	39.05
標準差	0.22	0.66	2.42	2.07	11.17	0.05	0.17	0.04	0.16	0	0.04	0.05	0	0	8.23

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	7.52	2.82	10.34	7.68	16.09	0.65	2.56	0.09	2.47	0.00	18.71	69.33	0.00	0.00	45.17
010000	7.55	2.82	8.81	6.11	15.05	0.64	2.48	0.09	2.39	0.00	18.68	69.33	0.00	0.00	39.15
020000	7.40	2.91	10.02	7.27	14.99	0.63	2.60	0.10	2.50	0.00	18.68	69.33	0.00	0.00	38.41
030000	7.43	2.84	9.35	6.63	15.23	0.60	2.78	0.09	2.69	0.00	18.70	69.33	0.00	0.00	40.95
040000	7.39	2.97	9.51	6.69	14.82	0.61	2.83	0.08	2.75	0.00	18.70	69.33	0.00	0.00	37.15
050000	7.46	3.06	10.98	8.06	14.85	0.65	2.72	0.10	2.62	0.00	18.69	69.33	0.00	0.00	32.96
060000	7.50	3.84	11.62	7.97	13.85	0.67	2.66	0.11	2.55	0.00	18.69	69.33	0.00	0.00	39.40
070000	7.69	3.77	9.31	5.66	15.09	0.65	2.57	0.12	2.45	0.00	18.68	69.33	0.00	0.00	42.53
080000	7.73	3.04	7.39	4.43	20.25	0.63	2.34	0.11	2.23	0.00	18.64	69.33	0.00	0.00	46.93
090000	7.58	2.74	6.29	3.63	30.38	0.62	2.23	0.09	2.14	0.00	18.61	69.33	0.00	0.00	47.03
100000	7.81	2.79	6.67	3.95	36.57	0.62	2.22	0.10	2.12	0.00	18.62	69.33	0.00	0.00	43.16
110000	8.06	2.88	10.21	7.49	49.24	0.78	2.23	0.15	2.08	0.00	18.68	69.47	0.00	0.00	44.32
120000	9.40	3.04	13.82	11.00	53.35	0.99	2.24	0.15	2.09	0.00	18.74	69.66	0.00	0.00	68.30
130000	9.47	3.13	13.38	10.49	48.11	0.94	2.19	0.14	2.05	0.00	18.78	69.68	0.00	0.00	73.74
140000	8.41	2.76	9.25	6.62	52.18	0.80	2.20	0.10	2.10	0.00	18.77	69.66	0.00	0.00	53.93
150000	8.53	2.81	8.06	5.35	51.12	0.80	2.15	0.07	2.08	0.00	18.78	69.68	0.00	0.00	46.69
160000	8.16	2.77	7.32	4.65	45.76	0.74	2.14	0.06	2.08	0.00	18.81	69.62	0.00	0.00	39.03
170000	7.94	2.71	7.71	5.12	43.69	0.70	2.13	0.06	2.07	0.00	18.80	69.61	0.00	0.00	47.60
180000	7.90	2.64	6.36	3.81	40.55	0.68	2.12	0.05	2.07	0.00	18.80	69.61	0.00	0.00	37.97
190000	7.63	2.65	5.90	3.30	36.10	0.66	2.12	0.05	2.07	0.00	18.74	69.61	0.00	0.00	30.65
200000	7.86	2.63	7.07	4.54	31.74	0.69	2.14	0.06	2.08	0.00	18.73	69.61	0.00	0.00	29.63
210000	7.76	2.70	7.02	4.42	28.22	0.68	2.16	0.06	2.10	0.00	18.73	69.61	0.00	0.00	36.37
220000	7.79	2.76	8.65	6.01	22.31	0.69	2.23	0.11	2.12	0.00	18.74	69.61	0.00	0.00	30.61
230000	7.81	2.75	8.15	5.51	18.71	0.65	2.29	0.09	2.20	0.00	18.65	69.48	0.00	0.00	28.36
極大值	9.47	3.84	13.82	11.00	53.35	0.99	2.83	0.15	2.75	0.00	18.81	69.68	0.00	0.00	73.74
極小值	7.39	2.63	5.90	3.30	13.85	0.60	2.12	0.05	2.05	0.00	18.61	69.33	0.00	0.00	28.36
平均值	7.91	2.91	8.88	6.10	30.34	0.70	2.35	0.09	2.25	0.00	18.71	69.48	0.00	0.00	42.50
標準差	0.56	0.31	2.12	2.01	14.59	0.1	0.23	0.03	0.23	0	0.06	0.15	0	0	10.92

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	8.00	2.85	9.57	6.85	18.31	0.66	2.40	0.09	2.31	0.00	18.64	69.42	0.00	0.00	28.42
010000	8.39	2.94	13.01	10.28	14.36	0.73	2.52	0.14	2.38	0.00	18.61	69.43	0.00	0.00	40.12
020000	8.44	2.95	12.86	10.14	13.49	0.72	2.59	0.14	2.45	0.00	18.58	69.41	0.00	0.00	66.71
030000	8.07	2.88	11.60	8.89	14.08	0.70	2.57	0.13	2.44	0.00	18.58	69.40	0.00	0.00	69.00
040000	7.89	3.47	12.95	9.71	13.54	0.68	2.65	0.13	2.52	0.00	18.59	69.42	0.00	0.00	61.33
050000	7.68	2.98	9.03	6.17	13.54	0.59	2.41	0.07	2.34	0.00	18.57	69.37	0.00	0.00	43.84
060000	7.59	4.81	13.59	9.04	13.18	0.64	2.46	0.08	2.38	0.00	18.55	69.37	0.00	0.00	25.82
070000	7.79	5.12	13.34	8.47	13.44	0.63	2.43	0.09	2.34	0.00	18.55	69.39	0.00	0.00	27.37
080000	8.08	3.45	10.27	6.99	21.83	0.71	2.27	0.12	2.15	0.00	18.51	69.33	0.00	0.00	35.46
090000	8.06	2.92	8.97	6.15	31.94	0.70	2.29	0.12	2.17	0.00	18.54	69.32	0.00	0.00	46.41
100000	8.04	2.96	9.61	6.77	38.54	0.71	2.23	0.16	2.07	0.00	18.58	69.29	0.00	0.00	48.07
110000	8.26	2.87	9.26	6.50	38.79	0.73	2.19	0.12	2.07	0.00	18.62	69.52	0.00	0.00	49.38
120000	8.18	2.82	7.92	5.18	43.07	0.74	2.17	0.09	2.08	0.00	18.68	69.69	0.00	0.00	36.28
130000	7.87	2.79	7.45	4.74	48.71	0.73	2.21	0.06	2.15	0.00	18.68	69.64	0.00	0.00	33.29
140000	7.85	2.77	7.23	4.56	44.22	0.71	2.20	0.06	2.14	0.00	18.68	69.61	0.00	0.00	43.32
150000	7.81	2.70	7.82	5.21	37.55	0.74	2.17	0.08	2.09	0.00	18.67	69.61	0.00	0.00	35.11
160000	7.86	2.61	7.82	5.34	37.73	0.71	2.16	0.07	2.09	0.00	18.64	69.61	0.00	0.00	30.21
170000	7.98	2.77	9.55	6.92	35.90	0.76	2.16	0.09	2.07	0.00	18.58	69.61	0.00	0.00	36.24
180000	8.16	2.67	9.78	7.27	32.58	0.76	2.19	0.10	2.09	0.00	18.60	69.61	0.00	0.00	42.21
190000	8.16	2.79	12.19	9.60	26.06	0.75	2.24	0.09	2.15	0.00	18.70	69.61	0.00	0.00	47.94
200000	8.18	2.67	8.78	6.28	23.67	0.72	2.38	0.07	2.31	0.00	18.69	69.61	0.00	0.00	52.04
210000	8.16	2.69	8.64	6.06	21.85	0.70	2.40	0.06	2.34	0.00	18.71	69.61	0.00	0.00	41.11
220000	8.16	2.71	9.22	6.65	18.54	0.70	2.36	0.07	2.29	0.00	18.71	69.61	0.00	0.00	34.09
230000	8.26	2.82	9.80	7.13	16.44	0.70	2.45	0.09	2.36	0.00	18.67	69.50	0.00	0.00	29.14
極大值	8.44	5.12	13.59	10.28	48.71	0.76	2.65	0.16	2.52	0.00	18.71	69.69	0.00	0.00	69.00
極小值	7.59	2.61	7.23	4.56	13.18	0.59	2.16	0.06	2.07	0.00	18.51	69.29	0.00	0.00	25.82
平均值	8.04	3.04	10.01	7.12	26.31	0.70	2.34	0.10	2.24	0.00	18.62	69.50	0.00	0.00	41.79
標準差	0.21	0.63	2.01	1.72	11.83	0.04	0.15	0.03	0.14	0	0.06	0.12	0	0	11.85

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	8.38	2.89	9.97	7.23	14.50	0.70	2.74	0.11	2.63	0.00	18.68	69.34	0.00	0.00	39.63
010000	8.31	3.12	13.52	10.62	12.72	0.73	2.79	0.13	2.66	0.00	18.80	69.33	0.00	0.00	45.86
020000	8.47	3.20	12.75	9.75	12.48	0.73	3.00	0.14	2.86	0.00	18.83	69.33	0.00	0.00	54.28
030000	8.78	3.11	12.11	9.20	12.05	0.72	2.91	0.16	2.75	0.00	18.76	69.33	0.00	0.00	54.48
040000	8.66	3.05	11.92	9.06	11.99	0.71	2.72	0.16	2.56	0.00	18.73	69.33	0.00	0.00	63.19
050000	8.59	3.33	12.81	9.72	11.97	0.72	2.80	0.17	2.63	0.00	18.70	69.33	0.00	0.00	64.31
060000	8.83	4.89	14.63	10.04	11.11	0.77	2.93	0.20	2.73	0.00	18.73	69.33	0.00	0.00	63.30
070000	8.72	6.54	15.74	9.54	11.87	0.79	2.93	0.18	2.75	0.00	18.74	69.33	0.00	0.00	65.61
080000	8.60	3.92	10.52	6.79	18.05	0.72	2.43	0.12	2.31	0.00	18.72	69.33	0.00	0.00	62.41
090000	7.60	2.99	8.32	5.44	30.14	0.69	2.29	0.10	2.19	0.00	18.72	69.33	0.00	0.00	49.66
100000	5.42	2.80	6.90	4.16	34.64	0.70	2.24	0.09	2.15	0.00	18.73	69.27	0.00	0.00	45.60
110000	5.39	2.81	8.88	6.18	48.20	0.85	2.28	0.15	2.13	0.00	18.78	69.42	0.00	0.00	43.19
120000	5.67	2.82	11.75	9.15	60.49	1.02	2.27	0.16	2.11	0.00	18.92	69.74	0.00	0.00	64.21
130000	5.61	2.76	8.57	5.94	54.98	0.79	2.20	0.10	2.10	0.00	18.93	69.74	0.00	0.00	82.05
140000	5.75	2.72	8.82	6.23	48.60	0.77	2.18	0.11	2.07	0.00	18.89	69.68	0.00	0.00	48.17
150000	6.28	2.81	8.63	5.91	43.36	0.75	2.17	0.10	2.07	0.00	18.91	69.63	0.00	0.00	37.99
160000	7.07	2.77	9.67	7.04	40.76	0.77	2.15	0.12	2.03	0.00	18.89	69.61	0.00	0.00	35.33
170000	8.29	2.70	11.56	9.06	34.24	0.75	2.14	0.13	2.01	0.00	18.93	69.61	0.00	0.00	39.67
180000	9.36	2.74	10.37	7.82	30.20	0.75	2.19	0.09	2.10	0.00	18.95	69.61	0.00	0.00	46.04
190000	10.77	2.62	8.64	6.16	32.70	0.77	2.26	0.10	2.16	0.00	18.96	69.61	0.00	0.00	48.39
200000	12.11	2.79	9.66	7.04	26.64	0.74	2.33	0.09	2.24	0.00	18.98	69.61	0.00	0.00	45.88
210000	13.34	2.77	10.75	8.17	20.08	0.71	2.45	0.09	2.36	0.00	18.98	69.61	0.00	0.00	49.79
220000	14.90	2.77	10.33	7.72	15.84	0.70	2.45	0.13	2.32	0.00	19.02	69.61	0.00	0.00	52.01
230000	16.58	2.89	10.65	7.93	16.24	0.69	2.45	0.12	2.33	0.00	18.99	69.50	0.00	0.00	48.20
極大值	16.58	6.54	15.74	10.62	60.49	1.02	3.00	0.20	2.86	0.00	19.02	69.74	0.00	0.00	82.05
極小值	5.39	2.62	6.90	4.16	11.11	0.69	2.14	0.09	2.01	0.00	18.68	69.27	0.00	0.00	35.33
平均值	8.81	3.16	10.73	7.75	27.24	0.75	2.47	0.13	2.34	0.00	18.84	69.48	0.00	0.00	52.05
標準差	2.93	0.87	2.14	1.7	15.51	0.07	0.3	0.03	0.28	0	0.11	0.16	0	0	11.08

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.82	2.90	10.34	7.57	16.60	0.66	2.52	0.09	2.43	0.00	18.95	69.33	0.00	0.00	52.81
010000	3.45	2.77	9.19	6.56	15.46	0.65	2.48	0.09	2.39	0.00	18.95	69.33	0.00	0.00	54.96
020000	3.23	2.85	9.82	7.12	14.92	0.65	2.55	0.10	2.45	0.00	18.99	69.33	0.00	0.00	50.21
030000	3.77	2.87	9.76	7.03	13.26	0.65	2.71	0.11	2.60	0.00	18.97	69.33	0.00	0.00	49.00
040000	4.27	2.89	9.60	6.85	12.52	0.65	2.74	0.11	2.63	0.00	19.00	69.33	0.00	0.00	49.60
050000	4.73	3.82	11.87	8.29	12.47	0.64	2.45	0.13	2.32	0.00	19.02	69.33	0.00	0.00	44.80
060000	5.00	4.40	11.88	7.69	12.27	0.65	2.44	0.13	2.31	0.00	19.03	69.33	0.00	0.00	43.08
070000	5.00	5.01	11.82	7.06	12.25	0.68	2.53	0.14	2.39	0.00	19.02	69.33	0.00	0.00	46.08
080000	4.93	3.79	10.47	6.84	18.19	0.69	2.43	0.14	2.29	0.00	19.04	69.33	0.00	0.00	54.83
090000	5.00	3.32	11.41	8.31	29.04	0.77	2.30	0.16	2.14	0.00	19.03	69.33	0.00	0.00	63.11
100000	4.68	3.91	20.31	16.84	36.10	1.03	2.31	0.25	2.06	0.00	18.98	69.32	0.00	0.00	79.57
110000	3.17	3.35	18.02	15.04	45.46	1.06	2.29	0.22	2.07	0.00	19.03	69.47	0.00	0.00	111.35
120000	3.06	2.93	13.02	10.29	51.98	0.93	2.23	0.18	2.05	0.00	19.07	69.74	0.00	0.00	97.73
130000	3.71	2.99	12.10	9.29	49.36	0.87	2.19	0.15	2.04	0.00	19.04	69.75	0.00	0.00	64.77
140000	3.23	3.07	14.09	11.27	45.13	0.88	2.17	0.17	2.00	0.00	19.06	69.75	0.00	0.00	49.93
150000	3.64	2.85	12.33	9.70	39.19	0.80	2.14	0.14	2.00	0.00	19.05	69.71	0.00	0.00	42.70
160000	3.68	3.00	10.34	7.51	38.27	0.73	2.12	0.07	2.05	0.00	19.06	69.68	0.00	0.00	37.39
170000	3.29	2.76	8.34	5.71	39.31	0.74	2.12	0.07	2.05	0.00	19.10	69.62	0.00	0.00	57.68
180000	3.40	2.65	7.87	5.34	35.11	0.71	2.12	0.08	2.04	0.00	18.98	69.61	0.00	0.00	52.89
190000	2.79	2.69	8.73	6.21	29.43	0.70	2.14	0.08	2.06	0.00	18.95	69.61	0.00	0.00	48.01
200000	2.73	2.80	11.25	8.65	21.85	0.74	2.31	0.09	2.22	0.00	18.99	69.61	0.00	0.00	56.95
210000	2.60	2.81	10.79	8.18	18.00	0.74	2.53	0.08	2.45	0.00	19.03	69.61	0.00	0.00	50.30
220000	3.54	2.84	10.18	7.46	19.12	0.72	2.42	0.07	2.35	0.00	19.03	69.61	0.00	0.00	40.27
230000	4.72	2.77	11.98	9.43	16.09	0.70	2.44	0.11	2.33	0.00	18.99	69.49	0.00	0.00	47.71
極大值	5.00	5.01	20.31	16.84	51.98	1.06	2.74	0.25	2.63	0.00	19.10	69.75	0.00	0.00	111.35
極小值	2.60	2.65	7.87	5.34	12.25	0.64	2.12	0.07	2.00	0.00	18.95	69.32	0.00	0.00	37.39
平均值	3.85	3.17	11.48	8.51	26.72	0.75	2.36	0.12	2.24	0.00	19.02	69.50	0.00	0.00	56.07
標準差	0.81	0.6	2.82	2.71	13.47	0.12	0.19	0.05	0.2	0	0.04	0.17	0	0	17.45

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.86	2.92	11.38	8.66	13.74	0.66	2.46	0.12	2.34	0.00	18.93	69.33	0.00	0.00	52.95
010000	5.83	3.91	15.50	11.89	13.07	0.66	2.54	0.12	2.42	0.00	18.93	69.33	0.00	0.00	53.48
020000	5.74	3.06	13.19	10.36	13.40	0.66	2.70	0.12	2.58	0.00	18.94	69.33	0.00	0.00	67.86
030000	5.80	3.13	12.62	9.72	11.96	0.67	2.85	0.14	2.71	0.00	18.93	69.33	0.00	0.00	50.53
040000	5.76	3.10	12.00	9.11	12.28	0.67	2.84	0.12	2.72	0.00	18.92	69.33	0.00	0.00	43.68
050000	5.87	3.03	9.78	6.90	13.59	0.66	2.59	0.10	2.49	0.00	18.93	69.33	0.00	0.00	36.57
060000	6.08	6.34	15.54	9.52	12.68	0.73	2.93	0.14	2.79	0.00	18.93	69.33	0.00	0.00	38.42
070000	6.20	6.64	16.02	9.72	12.50	0.78	2.67	0.15	2.52	0.00	18.90	69.33	0.00	0.00	46.20
080000	6.38	4.03	11.66	7.82	26.98	0.73	2.56	0.12	2.44	0.00	18.90	69.33	0.00	0.00	50.91
090000	6.37	3.40	12.51	9.32	30.46	0.90	2.33	0.15	2.18	0.00	18.87	69.33	0.00	0.00	58.96
100000	6.16	3.20	14.48	11.51	35.64	0.82	2.27	0.21	2.06	0.00	18.91	69.33	0.00	0.00	65.15
110000	6.40	2.93	9.78	6.99	40.65	0.71	2.18	0.16	2.02	0.00	19.01	69.47	0.00	0.00	82.26
120000	6.95	2.81	7.69	4.96	38.63	0.71	2.15	0.10	2.05	0.00	19.07	69.65	0.00	0.00	50.07
130000	6.36	2.85	8.90	6.15	40.76	0.74	2.15	0.11	2.04	0.00	19.11	69.65	0.00	0.00	41.15
140000	6.16	2.96	9.63	6.82	39.88	0.76	2.14	0.14	2.00	0.00	19.12	69.67	0.00	0.00	40.32
150000	6.44	2.83	8.59	5.86	37.67	0.72	2.11	0.09	2.02	0.00	19.11	69.61	0.00	0.00	37.17
160000	6.55	2.76	11.56	9.02	33.42	0.75	2.11	0.14	1.97	0.00	19.14	69.61	0.00	0.00	31.22
170000	6.71	2.73	9.71	7.15	33.28	0.76	2.12	0.10	2.02	0.00	19.17	69.61	0.00	0.00	61.92
180000	6.89	2.62	8.29	5.80	31.29	0.71	2.10	0.08	2.02	0.00	19.14	69.61	0.00	0.00	29.02
190000	6.89	2.63	8.21	5.70	28.66	0.70	2.11	0.10	2.01	0.00	19.15	69.61	0.00	0.00	39.85
200000	6.52	2.85	13.93	11.32	19.19	0.74	2.28	0.10	2.18	0.00	19.13	69.61	0.00	0.00	39.82
210000	6.64	2.81	12.32	9.73	17.59	0.75	2.49	0.13	2.36	0.00	19.08	69.61	0.00	0.00	44.31
220000	6.01	2.75	10.15	7.56	14.59	0.71	2.56	0.09	2.47	0.00	19.06	69.61	0.00	0.00	51.74
230000	5.95	2.76	8.07	5.38	15.55	0.73	2.42	0.07	2.35	0.00	19.07	69.61	0.00	0.00	39.83
極大值	6.95	6.64	16.02	11.89	40.76	0.90	2.93	0.21	2.79	0.00	19.17	69.67	0.00	0.00	82.26
極小值	5.74	2.62	7.69	4.96	11.96	0.66	2.10	0.07	1.97	0.00	18.87	69.33	0.00	0.00	29.02
平均值	6.27	3.29	11.31	8.21	24.48	0.73	2.40	0.12	2.28	0.00	19.02	69.48	0.00	0.00	48.06
標準差	0.38	1.05	2.55	2.06	11.14	0.06	0.27	0.03	0.27	0	0.1	0.15	0	0	12.49

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	6.27	2.89	9.37	6.62	15.53	0.75	2.42	0.08	2.34	0.00	19.05	69.61	0.00	0.00	34.59
010000	6.23	3.17	11.34	8.38	13.06	0.75	2.41	0.09	2.32	0.00	18.98	69.61	0.00	0.00	32.19
020000	6.08	2.87	9.06	6.30	12.54	0.75	2.63	0.09	2.54	0.00	18.96	69.61	0.00	0.00	37.39
030000	6.13	2.90	9.46	6.67	13.58	0.74	2.59	0.08	2.51	0.00	18.96	69.61	0.00	0.00	35.46
040000	6.11	3.09	9.71	6.77	13.26	0.74	2.69	0.09	2.60	0.00	18.96	69.61	0.00	0.00	34.54
050000	6.18	3.00	9.28	6.40	13.16	0.74	2.60	0.11	2.49	0.00	19.00	69.61	0.00	0.00	31.33
060000	6.23	3.94	11.98	8.28	12.67	0.81	2.40	0.12	2.28	0.00	18.99	69.61	0.00	0.00	34.61
070000	6.31	3.66	9.95	6.45	15.54	0.79	2.25	0.12	2.13	0.00	19.05	69.61	0.00	0.00	36.91
080000	6.09	3.71	9.40	5.82	23.15	0.78	2.18	0.10	2.08	0.00	19.08	69.65	0.00	0.00	47.16
090000	6.12	2.84	7.04	4.25	30.41	0.79	2.15	0.09	2.06	0.00	19.07	69.75	0.00	0.00	45.32
100000	6.07	2.83	7.67	4.94	33.15	0.80	2.15	0.10	2.05	0.00	19.09	69.74	0.00	0.00	45.29
110000	6.49	2.96	8.21	5.34	37.98	0.81	2.15	0.16	1.99	0.00	19.10	69.75	0.00	0.00	41.61
120000	6.59	2.84	7.53	4.77	44.37	0.83	2.14	0.12	2.02	0.00	19.11	69.74	0.00	0.00	48.94
130000	6.52	2.84	8.75	6.01	47.84	0.88	2.16	0.15	2.01	0.00	19.10	69.73	0.00	0.00	53.75
140000	6.98	2.84	8.28	5.55	46.58	0.83	2.13	0.18	1.95	0.00	19.13	69.74	0.00	0.00	59.31
150000	7.07	2.92	10.06	7.29	42.53	0.82	2.13	0.41	1.72	0.00	19.14	69.67	0.00	0.00	53.23
160000	7.01	2.90	15.03	12.40	35.02	0.90	2.14	0.24	1.90	0.00	19.11	69.62	0.00	0.00	43.43
170000	7.19	2.86	18.53	16.02	29.29	0.88	2.16	0.16	2.00	0.00	19.14	69.62	0.00	0.00	51.58
180000	6.81	2.81	12.06	9.47	29.13	0.82	2.19	0.11	2.08	0.00	19.16	69.61	0.00	0.00	60.36
190000	6.80	2.77	10.31	7.71	25.92	0.78	2.18	0.09	2.09	0.00	19.13	69.61	0.00	0.00	59.14
200000	6.47	2.73	10.52	7.98	23.04	0.79	2.20	0.10	2.10	0.00	19.12	69.61	0.00	0.00	49.68
210000	6.74	2.80	10.23	7.59	23.82	0.81	2.23	0.12	2.11	0.00	19.13	69.61	0.00	0.00	60.22
220000	6.41	2.80	10.83	8.20	20.24	0.82	2.27	0.13	2.14	0.00	19.15	69.61	0.00	0.00	66.93
230000	6.45	2.79	10.32	7.66	19.55	0.81	2.35	0.16	2.19	0.00	19.16	69.61	0.00	0.00	73.73
極大值	7.19	3.94	18.53	16.02	47.84	0.90	2.69	0.41	2.60	0.00	19.16	69.75	0.00	0.00	73.73
極小值	6.07	2.73	7.04	4.25	12.54	0.74	2.13	0.08	1.72	0.00	18.96	69.61	0.00	0.00	31.33
平均值	6.47	2.99	10.20	7.37	25.89	0.80	2.29	0.13	2.15	0.00	19.08	69.65	0.00	0.00	47.36
標準差	0.35	0.32	2.46	2.52	11.7	0.04	0.18	0.07	0.22	0	0.07	0.06	0	0	11.76

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.45	2.81	9.79	7.13	16.99	0.82	2.31	0.13	2.18	0.00	19.17	69.61	0.00	0.00	71.92
010000	3.38	2.77	9.80	7.18	14.96	0.80	2.25	0.11	2.14	0.00	19.18	69.70	0.00	0.00	60.23
020000	3.39	2.73	8.39	5.76	14.05	0.79	2.28	0.10	2.18	0.00	19.19	69.61	0.00	0.00	53.02
030000	3.35	2.79	8.75	6.06	14.76	0.77	2.60	0.09	2.51	0.00	19.19	69.61	0.00	0.00	45.69
040000	3.39	2.95	10.11	7.32	13.36	0.76	2.78	0.09	2.69	0.00	19.21	69.61	0.00	0.00	46.21
050000	3.31	2.81	9.25	6.56	14.23	0.78	2.54	0.09	2.45	0.00	19.19	69.61	0.00	0.00	37.67
060000	3.44	3.61	11.71	8.28	13.93	0.80	2.49	0.10	2.39	0.00	19.20	69.61	0.00	0.00	43.37
070000	3.40	3.47	10.24	6.91	14.81	0.81	2.78	0.10	2.68	0.00	19.22	69.61	0.00	0.00	41.07
080000	3.36	3.48	10.81	7.49	15.77	0.83	2.60	0.12	2.48	0.00	19.25	69.61	0.00	0.00	48.92
090000	3.43	3.28	9.70	6.55	21.05	0.83	2.32	0.14	2.18	0.00	19.26	69.61	0.00	0.00	58.83
100000	3.36	3.43	13.25	10.05	28.46	0.89	2.15	0.19	1.96	0.00	19.24	69.62	0.00	0.00	76.88
110000	4.63	4.68	21.62	17.38	23.55	1.22	2.13	0.15	1.98	0.00	19.22	69.62	0.00	0.00	51.38
120000	3.49	2.89	8.30	5.52	31.47	0.80	2.11	0.11	2.00	0.00	19.20	69.61	0.00	0.00	64.41
130000	3.27	2.76	6.57	3.88	32.14	0.74	2.10	0.07	2.03	0.00	19.23	69.70	0.00	0.00	44.62
140000	3.26	2.72	5.80	3.12	35.67	0.73	2.09	0.06	2.03	0.00	19.24	69.68	0.00	0.00	32.54
150000	3.31	2.74	6.30	3.63	34.61	0.72	2.09	0.07	2.02	0.00	19.20	69.66	0.00	0.00	37.72
160000	3.28	2.70	7.72	5.12	32.13	0.70	2.08	0.06	2.02	0.00	19.17	69.62	0.00	0.00	31.95
170000	3.33	2.69	10.94	8.44	25.85	0.81	2.07	0.12	1.95	0.00	19.17	69.62	0.00	0.00	43.96
180000	3.30	2.78	9.22	6.58	22.90	1.04	2.08	0.14	1.94	0.00	19.19	69.62	0.00	0.00	54.00
190000	3.39	2.69	9.18	6.64	22.07	0.87	2.09	0.09	2.00	0.00	19.18	69.61	0.00	0.00	54.71
200000	3.32	2.76	10.36	7.77	20.93	0.73	2.10	0.09	2.01	0.00	19.16	69.61	0.00	0.00	62.71
210000	3.34	2.79	10.88	8.26	16.35	0.72	2.31	0.12	2.19	0.00	19.15	69.61	0.00	0.00	49.00
220000	3.26	2.84	10.32	7.63	14.19	0.72	2.48	0.07	2.41	0.00	19.15	69.61	0.00	0.00	44.40
230000	3.28	3.27	12.12	9.04	12.40	0.70	2.50	0.08	2.42	0.00	19.09	69.48	0.00	0.00	37.72
極大值	4.63	4.68	21.62	17.38	35.67	1.22	2.78	0.19	2.69	0.00	19.26	69.70	0.00	0.00	76.88
極小值	3.26	2.69	5.80	3.12	12.40	0.70	2.07	0.06	1.94	0.00	19.09	69.48	0.00	0.00	31.95
平均值	3.40	3.02	10.05	7.18	21.11	0.81	2.31	0.10	2.20	0.00	19.19	69.62	0.00	0.00	49.71
標準差	0.27	0.46	3.04	2.74	7.66	0.11	0.23	0.03	0.24	0	0.04	0.04	0	0	11.69

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.27	2.99	10.54	7.71	12.50	0.72	2.48	0.10	2.38	0.00	19.02	69.33	0.00	0.00	36.87
010000	3.40	2.85	8.53	5.77	13.23	0.68	2.42	0.08	2.34	0.00	19.04	69.33	0.00	0.00	49.52
020000	3.34	2.74	7.33	4.69	13.87	0.64	2.37	0.07	2.30	0.00	19.08	69.33	0.00	0.00	42.45
030000	3.19	2.75	6.96	4.29	13.82	0.62	2.72	0.06	2.66	0.00	19.09	69.33	0.00	0.00	32.31
040000	3.41	2.74	7.56	4.91	14.21	0.60	2.79	0.05	2.74	0.00	19.07	69.33	0.00	0.00	34.60
050000	3.19	2.69	7.02	4.43	15.16	0.59	2.50	0.05	2.45	0.00	19.09	69.33	0.00	0.00	31.92
060000	3.23	3.04	8.36	5.43	13.77	0.61	2.70	0.06	2.64	0.00	19.10	69.33	0.00	0.00	33.57
070000	3.00	3.89	10.67	6.94	14.18	0.70	2.35	0.09	2.26	0.00	19.16	69.33	0.00	0.00	35.49
080000	2.71	3.69	10.03	6.49	18.34	0.70	2.39	0.12	2.27	0.00	19.13	69.33	0.00	0.00	53.52
090000	2.46	3.32	10.33	7.17	24.44	0.76	2.55	0.14	2.41	0.00	19.13	69.33	0.00	0.00	62.16
100000	2.22	2.89	8.17	5.33	31.39	0.72	2.39	0.11	2.28	0.00	19.09	69.33	0.00	0.00	84.23
110000	2.21	2.74	6.60	3.93	35.91	0.72	2.31	0.09	2.22	0.00	19.16	69.49	0.00	0.00	76.36
120000	2.21	2.77	8.48	5.80	46.38	0.90	2.31	0.15	2.16	0.00	19.26	69.75	0.00	0.00	57.70
130000	2.21	2.73	8.24	5.62	50.74	0.94	2.21	0.13	2.08	0.00	19.25	69.75	0.00	0.00	75.45
140000	2.22	2.79	7.87	5.19	52.00	0.83	2.18	0.08	2.10	0.00	19.28	69.75	0.00	0.00	74.11
150000	2.23	2.68	6.54	3.93	45.36	0.79	2.14	0.07	2.07	0.00	19.28	69.73	0.00	0.00	64.22
160000	2.24	2.67	6.88	4.29	37.66	0.86	2.11	0.07	2.04	0.00	19.29	69.67	0.00	0.00	52.59
170000	2.23	2.67	9.47	6.94	28.17	1.03	2.11	0.11	2.00	0.00	19.28	69.64	0.00	0.00	47.33
180000	2.25	3.60	13.33	9.99	21.34	1.01	2.16	0.17	1.99	0.00	19.28	69.62	0.00	0.00	48.41
190000	2.39	2.79	13.08	10.48	18.04	0.87	2.30	0.11	2.19	0.00	19.28	69.62	0.00	0.00	54.14
200000	2.46	2.82	12.15	9.54	17.61	0.83	2.42	0.10	2.32	0.00	19.29	69.62	0.00	0.00	52.14
210000	2.35	2.78	10.48	7.86	19.99	0.85	2.41	0.12	2.29	0.00	19.27	69.61	0.00	0.00	53.93
220000	2.49	2.73	9.93	7.38	19.41	0.84	2.42	0.13	2.29	0.00	19.26	69.61	0.00	0.00	53.48
230000	2.83	2.77	12.20	9.62	18.17	0.82	2.38	0.11	2.27	0.00	19.20	69.50	0.00	0.00	60.44
極大值	3.41	3.89	13.33	10.48	52.00	1.03	2.79	0.17	2.74	0.00	19.29	69.75	0.00	0.00	84.23
極小值	2.21	2.67	6.54	3.93	12.50	0.59	2.11	0.05	1.99	0.00	19.02	69.33	0.00	0.00	31.92
平均值	2.66	2.92	9.20	6.41	24.82	0.78	2.38	0.10	2.28	0.00	19.18	69.50	0.00	0.00	52.79
標準差	0.46	0.34	2.07	1.99	12.95	0.13	0.18	0.03	0.2	0	0.09	0.17	0	0	14.88

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	6.30	2.79	10.63	8.01	16.19	0.79	2.44	0.12	2.32	0.00	19.16	69.33	0.00	0.00	66.69
010000	6.23	3.03	10.60	7.74	14.47	0.73	2.79	0.12	2.67	0.00	19.15	69.33	0.00	0.00	70.74
020000	6.22	3.07	10.59	7.69	13.48	0.72	2.79	0.11	2.68	0.00	19.13	69.33	0.00	0.00	78.67
030000	6.02	3.03	10.09	7.23	13.68	0.70	2.74	0.11	2.63	0.00	19.15	69.33	0.00	0.00	73.84
040000	6.05	2.93	9.19	6.39	13.62	0.70	2.41	0.10	2.31	0.00	19.15	69.33	0.00	0.00	77.43
050000	6.10	3.10	10.21	7.27	13.70	0.73	2.43	0.11	2.32	0.00	19.13	69.33	0.00	0.00	77.00
060000	6.20	3.80	11.85	8.25	13.80	0.75	2.44	0.13	2.31	0.00	19.12	69.33	0.00	0.00	83.79
070000	6.13	4.87	13.58	8.98	13.44	0.75	2.41	0.13	2.28	0.00	19.13	69.33	0.00	0.00	81.00
080000	6.78	5.19	14.95	10.05	13.87	0.75	2.37	0.14	2.23	0.00	19.12	69.33	0.00	0.00	63.62
090000	6.65	6.15	16.47	10.67	14.23	0.79	2.46	0.16	2.30	0.00	19.11	69.33	0.00	0.00	53.96
100000	6.99	6.70	19.36	13.07	13.78	0.77	2.33	0.17	2.16	0.00	19.10	69.33	0.00	0.00	57.09
110000	6.52	6.82	19.73	13.31	12.81	0.79	2.34	0.17	2.17	0.00	19.18	69.47	0.00	0.00	53.09
120000	6.43	7.51	20.27	13.16	14.46	0.81	2.32	0.19	2.13	0.00	19.23	69.61	0.00	0.00	50.39
130000	6.32	6.14	16.67	10.86	12.87	0.81	2.33	0.15	2.18	0.00	19.24	69.61	0.00	0.00	44.86
140000	6.19	4.89	15.60	11.02	13.69	0.80	2.34	0.13	2.21	0.00	19.24	69.62	0.00	0.00	40.92
150000	6.16	5.05	17.79	13.12	14.87	0.83	2.33	0.16	2.17	0.00	19.23	69.61	0.00	0.00	38.23
160000	6.00	3.77	17.71	14.27	13.62	0.85	2.32	0.16	2.16	0.00	19.20	69.61	0.00	0.00	38.48
170000	6.31	3.86	19.44	15.97	14.16	0.89	2.40	0.17	2.23	0.00	19.21	69.61	0.00	0.00	38.30
180000	6.63	4.21	22.69	18.95	14.52	0.93	2.50	0.22	2.28	0.00	19.22	69.61	0.00	0.00	40.00
190000	6.94	4.91	25.37	21.02	13.91	0.96	2.43	0.27	2.16	0.00	19.23	69.61	0.00	0.00	47.64
200000	7.15	4.20	19.18	15.36	13.98	0.88	2.49	0.19	2.30	0.00	19.24	69.61	0.00	0.00	37.41
210000	6.26	3.75	16.29	12.82	14.20	0.84	2.43	0.16	2.27	0.00	19.23	69.61	0.00	0.00	35.99
220000	6.30	3.61	15.99	12.68	13.36	0.85	2.54	0.17	2.37	0.00	19.24	69.61	0.00	0.00	27.81
230000	6.09	3.65	16.44	13.08	12.74	0.87	2.65	0.20	2.45	0.00	19.17	69.49	0.00	0.00	34.92
極大值	7.15	7.51	25.37	21.02	16.19	0.96	2.79	0.27	2.68	0.00	19.24	69.62	0.00	0.00	83.79
極小值	6.00	2.79	9.19	6.39	12.74	0.70	2.32	0.10	2.13	0.00	19.10	69.33	0.00	0.00	27.81
平均值	6.37	4.46	15.86	11.71	13.89	0.80	2.46	0.16	2.30	0.00	19.18	69.47	0.00	0.00	54.66
標準差	0.32	1.37	4.33	3.78	0.72	0.07	0.14	0.04	0.16	0	0.05	0.14	0	0	17.59

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	6.02	3.09	10.17	7.22	13.45	0.71	2.42	0.12	2.30	0.00	19.13	69.34	0.00	0.00	41.92
010000	6.19	2.99	9.44	6.57	13.12	0.66	2.63	0.09	2.54	0.00	19.09	69.34	0.00	0.00	21.23
020000	6.24	3.36	10.83	7.65	13.58	0.72	2.51	0.13	2.38	0.00	19.07	69.33	0.00	0.00	21.44
030000	6.06	3.60	10.53	7.10	13.11	0.70	2.61	0.12	2.49	0.00	19.07	69.34	0.00	0.00	39.09
040000	5.97	3.41	9.36	6.11	13.54	0.66	2.59	0.09	2.50	0.00	19.06	69.33	0.00	0.00	31.04
050000	6.06	4.46	11.38	7.14	13.30	0.70	2.74	0.14	2.60	0.00	19.07	69.33	0.00	0.00	23.67
060000	6.21	4.78	10.62	6.05	13.20	0.68	2.58	0.11	2.47	0.00	19.08	69.33	0.00	0.00	29.26
070000	6.70	5.05	11.38	6.56	13.73	0.66	2.38	0.08	2.30	0.00	19.10	69.33	0.00	0.00	22.92
080000	6.70	5.05	10.89	6.03	13.43	0.65	2.35	0.07	2.28	0.00	19.08	69.33	0.00	0.00	12.45
090000	6.68	5.49	11.03	5.70	12.40	0.65	2.40	0.08	2.32	0.00	19.07	69.33	0.00	0.00	11.11
100000	6.72	4.73	10.00	5.45	13.47	0.63	2.30	0.08	2.22	0.00	19.05	69.33	0.00	0.00	13.27
110000	6.36	3.54	7.35	3.89	15.65	0.61	2.18	0.06	2.12	0.00	19.11	69.55	0.00	0.00	12.65
120000	6.43	3.07	6.60	3.58	19.75	0.68	2.15	0.06	2.09	0.00	19.18	69.73	0.00	0.00	8.77
130000	6.81	3.22	6.90	3.75	20.40	0.68	2.13	0.06	2.07	0.00	19.19	69.71	0.00	0.00	6.84
140000	6.35	3.15	7.48	4.44	21.52	0.69	2.11	0.07	2.04	0.00	19.18	69.74	0.00	0.00	7.34
150000	6.35	2.66	4.52	1.91	25.81	0.65	2.05	0.04	2.01	0.00	19.17	69.67	0.00	0.00	20.31
160000	6.23	2.63	5.09	2.53	26.36	0.65	2.06	0.04	2.02	0.00	19.17	69.65	0.00	0.00	26.12
170000	6.16	2.67	5.33	2.73	24.97	0.65	2.06	0.04	2.02	0.00	19.16	69.63	0.00	0.00	19.05
180000	6.25	2.86	5.53	2.73	25.65	0.65	2.06	0.04	2.02	0.00	19.13	69.63	0.00	0.00	8.96
190000	6.23	2.59	7.13	4.64	22.01	0.67	2.13	0.08	2.05	0.00	19.15	69.61	0.00	0.00	13.31
200000	6.70	2.92	11.88	9.19	16.93	0.77	2.25	0.16	2.09	0.00	19.16	69.61	0.00	0.00	20.92
210000	6.30	2.89	12.63	9.94	14.53	0.79	2.33	0.16	2.17	0.00	19.17	69.61	0.00	0.00	50.58
220000	6.10	2.93	12.47	9.75	13.44	0.77	2.30	0.15	2.15	0.00	19.14	69.61	0.00	0.00	53.15
230000	6.18	3.09	12.19	9.31	13.22	0.75	2.42	0.14	2.28	0.00	19.10	69.50	0.00	0.00	48.50
極大值	6.81	5.49	12.63	9.94	26.36	0.79	2.74	0.16	2.60	0.00	19.19	69.74	0.00	0.00	53.15
極小值	5.97	2.59	4.52	1.91	12.40	0.61	2.05	0.04	2.01	0.00	19.05	69.33	0.00	0.00	6.84
平均值	6.33	3.51	9.20	5.83	16.94	0.68	2.32	0.09	2.23	0.00	19.12	69.50	0.00	0.00	23.50
標準差	0.25	0.89	2.57	2.36	4.91	0.05	0.21	0.04	0.19	0	0.05	0.16	0	0	14.04

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	6.20	3.18	11.58	8.59	13.30	0.69	2.56	0.13	2.43	0.00	19.00	69.33	0.00	0.00	54.48
010000	6.31	3.21	11.02	7.99	13.37	0.68	2.44	0.12	2.32	0.00	19.01	69.33	0.00	0.00	51.74
020000	6.12	3.09	10.31	7.38	13.23	0.66	2.39	0.12	2.27	0.00	18.97	69.33	0.00	0.00	45.00
030000	6.37	3.27	10.69	7.59	12.96	0.67	2.54	0.12	2.42	0.00	18.97	69.33	0.00	0.00	35.61
040000	6.45	3.13	9.19	6.19	12.79	0.66	2.41	0.11	2.30	0.00	18.96	69.33	0.00	0.00	41.72
050000	6.32	2.99	8.56	5.67	12.89	0.65	2.34	0.11	2.23	0.00	18.93	69.33	0.00	0.00	46.53
060000	6.61	3.16	9.04	5.99	12.98	0.64	2.36	0.11	2.25	0.00	18.92	69.33	0.00	0.00	38.16
070000	6.63	3.65	8.95	5.40	13.47	0.64	2.33	0.10	2.23	0.00	18.96	69.33	0.00	0.00	34.04
080000	6.82	3.15	6.58	3.51	17.66	0.60	2.18	0.07	2.11	0.00	18.87	69.33	0.00	0.00	28.69
090000	6.67	2.61	4.36	1.79	19.31	0.55	2.08	0.04	2.04	0.00	18.82	69.47	0.00	0.00	18.10
100000	6.41	2.71	4.53	1.83	30.19	0.55	2.07	0.04	2.03	0.00	18.85	69.47	0.00	0.00	15.46
110000	6.21	2.71	4.61	1.93	29.73	0.57	2.07	0.04	2.03	0.00	18.93	69.59	0.00	0.00	19.67
120000	6.16	2.71	4.55	1.86	31.52	0.62	2.07	0.03	2.04	0.00	18.96	69.74	0.00	0.00	10.33
130000	5.99	2.68	4.20	1.55	31.62	0.63	2.07	0.03	2.04	0.00	18.96	69.75	0.00	0.00	9.89
140000	5.99	2.75	4.62	1.90	32.92	0.63	2.07	0.03	2.04	0.00	18.99	69.73	0.00	0.00	30.33
150000	6.18	2.62	4.16	1.58	31.47	0.63	2.08	0.03	2.05	0.00	19.01	69.63	0.00	0.00	18.00
160000	6.11	2.76	7.49	4.84	20.98	0.71	2.20	0.07	2.13	0.00	19.02	69.61	0.00	0.00	8.34
170000	6.27	2.70	7.35	4.77	18.23	0.68	2.17	0.08	2.09	0.00	18.99	69.61	0.00	0.00	18.25
180000	6.39	2.66	7.13	4.56	21.91	0.67	2.16	0.06	2.10	0.00	19.01	69.61	0.00	0.00	38.79
190000	6.36	2.65	8.57	6.05	20.67	0.69	2.15	0.08	2.07	0.00	18.96	69.61	0.00	0.00	28.29
200000	6.58	2.61	7.82	5.33	19.85	0.67	2.19	0.07	2.12	0.00	18.96	69.61	0.00	0.00	24.18
210000	6.25	2.57	6.77	4.30	18.53	0.67	2.21	0.06	2.15	0.00	18.97	69.61	0.00	0.00	28.74
220000	6.04	2.59	6.15	3.64	17.18	0.67	2.18	0.06	2.12	0.00	18.93	69.61	0.00	0.00	14.21
230000	6.02	2.57	5.89	3.38	17.47	0.63	2.20	0.06	2.14	0.00	18.83	69.49	0.00	0.00	13.39
極大值	6.82	3.65	11.58	8.59	32.92	0.71	2.56	0.13	2.43	0.00	19.02	69.75	0.00	0.00	54.48
極小值	5.99	2.57	4.16	1.55	12.79	0.55	2.07	0.03	2.03	0.00	18.82	69.33	0.00	0.00	8.34
平均值	6.31	2.86	7.26	4.48	20.18	0.64	2.23	0.07	2.16	0.00	18.95	69.50	0.00	0.00	28.00
標準差	0.23	0.29	2.35	2.21	7.14	0.04	0.15	0.03	0.12	0	0.06	0.15	0	0	13.78

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	6.34	2.60	5.95	3.39	15.76	0.60	2.23	0.06	2.17	0.00	18.80	69.34	0.00	0.00	14.94
010000	6.34	2.64	6.37	3.82	15.37	0.60	2.21	0.07	2.14	0.00	18.80	69.33	0.00	0.00	19.50
020000	6.28	2.69	7.06	4.49	14.73	0.60	2.24	0.06	2.18	0.00	18.85	69.33	0.00	0.00	21.55
030000	6.21	2.69	6.57	3.95	14.39	0.59	2.35	0.06	2.29	0.00	18.83	69.33	0.00	0.00	17.81
040000	6.20	2.74	6.15	3.45	14.68	0.59	2.45	0.06	2.39	0.00	18.84	69.33	0.00	0.00	22.91
050000	6.51	2.82	6.89	4.13	14.89	0.60	2.26	0.07	2.19	0.00	18.82	69.33	0.00	0.00	21.28
060000	6.54	2.92	7.43	4.60	15.35	0.60	2.26	0.06	2.20	0.00	18.81	69.46	0.00	0.00	21.17
070000	6.54	3.09	8.13	5.14	17.04	0.61	2.19	0.07	2.12	0.00	18.78	69.47	0.00	0.00	25.71
080000	6.53	3.30	8.11	4.92	17.42	0.60	2.14	0.06	2.08	0.00	18.79	69.45	0.00	0.00	11.78
090000	6.96	3.85	9.40	5.70	18.68	0.59	2.12	0.06	2.06	0.00	18.77	69.43	0.00	0.00	17.71
100000	7.36	3.41	7.81	4.49	19.60	0.59	2.12	0.06	2.06	0.00	18.79	69.39	0.00	0.00	14.11
110000	7.41	3.08	7.34	4.34	19.35	0.61	2.11	0.06	2.05	0.00	18.85	69.53	0.00	0.00	17.79
120000	6.80	3.04	6.71	3.73	23.04	0.65	2.11	0.05	2.06	0.00	18.88	69.61	0.00	0.00	12.16
130000	6.68	2.79	6.66	3.96	25.01	0.67	2.11	0.06	2.05	0.00	18.85	69.61	0.00	0.00	17.38
140000	6.52	2.72	9.85	7.27	27.96	0.74	2.10	0.09	2.01	0.00	18.91	69.61	0.00	0.00	15.64
150000	7.17	2.73	10.95	8.40	29.87	0.74	2.10	0.09	2.01	0.00	18.94	69.61	0.00	0.00	33.14
160000	7.60	2.69	8.24	5.69	32.05	0.70	2.09	0.07	2.02	0.00	18.95	69.61	0.00	0.00	39.68
170000	7.42	2.70	7.13	4.53	30.78	0.68	2.07	0.06	2.01	0.00	18.93	69.61	0.00	0.00	38.13
180000	6.71	2.61	7.19	4.67	27.89	0.71	2.08	0.07	2.01	0.00	18.93	69.61	0.00	0.00	37.63
190000	6.39	2.71	10.06	7.50	21.88	0.79	2.17	0.10	2.07	0.00	18.98	69.61	0.00	0.00	41.99
200000	6.37	2.73	10.06	7.50	18.81	0.75	2.32	0.11	2.21	0.00	18.87	69.61	0.00	0.00	42.47
210000	6.13	2.74	10.02	7.44	16.97	0.75	2.35	0.12	2.23	0.00	18.90	69.61	0.00	0.00	38.01
220000	6.11	2.78	10.15	7.54	15.12	0.77	2.41	0.12	2.29	0.00	18.91	69.61	0.00	0.00	40.14
230000	6.26	2.78	11.14	8.53	14.90	0.78	2.47	0.11	2.36	0.00	18.93	69.61	0.00	0.00	39.44
極大值	7.60	3.85	11.14	8.53	32.05	0.79	2.47	0.12	2.39	0.00	18.98	69.61	0.00	0.00	42.47
極小值	6.11	2.60	5.95	3.39	14.39	0.59	2.07	0.05	2.01	0.00	18.77	69.33	0.00	0.00	11.78
平均值	6.64	2.87	8.14	5.38	20.06	0.66	2.21	0.08	2.14	0.00	18.86	69.50	0.00	0.00	25.92
標準差	0.45	0.3	1.63	1.67	5.81	0.07	0.12	0.02	0.11	0	0.06	0.12	0	0	10.9

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.34	2.79	11.02	8.42	14.82	0.79	2.57	0.12	2.45	0.00	18.93	69.61	0.00	0.00	25.78
010000	4.32	2.88	9.76	7.06	14.04	0.72	2.52	0.09	2.43	0.00	18.92	69.61	0.00	0.00	24.76
020000	4.25	2.85	9.11	6.39	13.96	0.73	2.56	0.09	2.47	0.00	18.88	69.61	0.00	0.00	22.02
030000	4.40	3.21	10.81	7.77	14.04	0.77	3.21	0.12	3.09	0.00	18.86	69.61	0.00	0.00	20.38
040000	4.25	3.07	10.66	7.72	14.00	0.78	3.12	0.12	3.00	0.00	18.85	69.61	0.00	0.00	18.59
050000	4.12	4.27	12.35	8.32	13.35	0.76	2.69	0.10	2.59	0.00	18.83	69.61	0.00	0.00	18.71
060000	4.08	5.08	11.83	6.97	12.65	0.77	2.49	0.09	2.40	0.00	18.79	69.61	0.00	0.00	17.14
070000	4.08	8.02	15.86	8.18	11.99	0.83	2.39	0.10	2.29	0.00	18.84	69.61	0.00	0.00	19.40
080000	4.15	5.20	13.31	8.36	14.86	0.84	2.41	0.12	2.29	0.00	18.83	69.61	0.00	0.00	23.62
090000	4.00	2.99	6.92	3.99	23.00	0.72	2.24	0.07	2.17	0.00	18.83	69.63	0.00	0.00	32.93
100000	4.03	2.83	6.93	4.15	28.10	0.74	2.20	0.07	2.13	0.00	18.84	69.66	0.00	0.00	41.76
110000	4.17	3.24	14.42	11.43	40.11	0.87	2.23	0.23	2.00	0.00	18.85	69.67	0.00	0.00	55.50
120000	4.15	3.11	10.39	7.44	41.52	0.78	2.13	0.11	2.02	0.00	18.84	69.66	0.00	0.00	62.30
130000	4.13	2.84	7.81	5.08	39.19	0.70	2.09	0.05	2.04	0.00	18.83	69.64	0.00	0.00	58.12
140000	4.04	2.92	9.00	6.20	39.85	0.71	2.09	0.06	2.03	0.00	18.84	69.61	0.00	0.00	49.92
150000	4.10	2.95	9.30	6.48	37.05	0.70	2.09	0.06	2.03	0.00	18.81	69.61	0.00	0.00	50.46
160000	4.06	2.70	10.51	7.98	32.00	0.74	2.10	0.07	2.03	0.00	18.79	69.61	0.00	0.00	47.18
170000	4.13	2.65	10.38	7.90	31.84	0.77	2.11	0.08	2.03	0.00	18.78	69.61	0.00	0.00	41.84
180000	4.09	2.70	10.71	8.21	30.74	0.75	2.11	0.07	2.04	0.00	18.79	69.61	0.00	0.00	41.78
190000	4.14	2.66	10.74	8.25	27.14	0.73	2.16	0.08	2.08	0.00	18.83	69.61	0.00	0.00	38.83
200000	4.13	2.66	8.89	6.37	27.94	0.73	2.14	0.07	2.07	0.00	18.83	69.61	0.00	0.00	37.71
210000	3.94	2.61	8.17	5.72	24.10	0.69	2.14	0.07	2.07	0.00	18.82	69.61	0.00	0.00	31.18
220000	3.87	2.64	8.26	5.73	20.81	0.67	2.13	0.07	2.06	0.00	18.80	69.61	0.00	0.00	20.22
230000	3.87	2.64	8.90	6.42	19.28	0.66	2.20	0.05	2.15	0.00	18.79	69.61	0.00	0.00	16.24
極大值	4.40	8.02	15.86	11.43	41.52	0.87	3.21	0.23	3.09	0.00	18.93	69.67	0.00	0.00	62.30
極小值	3.87	2.61	6.92	3.99	11.99	0.66	2.09	0.05	2.00	0.00	18.78	69.61	0.00	0.00	16.24
平均值	4.12	3.31	10.25	7.11	24.43	0.75	2.34	0.09	2.25	0.00	18.83	69.62	0.00	0.00	34.02
標準差	0.13	1.23	2.19	1.6	10.25	0.05	0.31	0.04	0.3	0	0.04	0.02	0	0	14.5

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.90	3.25	12.02	8.96	14.22	0.71	2.39	0.06	2.33	0.00	18.79	69.61	0.00	0.00	29.23
010000	3.91	3.08	10.66	7.73	13.74	0.71	2.48	0.07	2.41	0.00	18.78	69.68	0.00	0.00	27.31
020000	3.95	2.93	9.61	6.80	12.61	0.72	2.64	0.08	2.56	0.00	18.79	69.69	0.00	0.00	24.61
030000	4.17	3.04	11.07	8.18	13.45	0.78	3.02	0.11	2.91	0.00	18.76	69.61	0.00	0.00	23.07
040000	4.16	3.56	13.52	10.23	13.18	0.82	3.84	0.15	3.69	0.00	18.70	69.61	0.00	0.00	21.61
050000	4.16	4.13	13.71	9.86	13.02	0.83	3.84	0.14	3.70	0.00	18.71	69.61	0.00	0.00	20.92
060000	3.93	8.55	15.94	7.71	13.41	0.83	3.62	0.14	3.48	0.00	18.71	69.61	0.00	0.00	19.17
070000	3.93	7.95	14.19	6.52	12.38	0.78	2.65	0.10	2.55	0.00	18.77	69.61	0.00	0.00	20.92
080000	3.93	3.33	7.23	3.99	14.26	0.71	2.23	0.07	2.16	0.00	18.77	69.62	0.00	0.00	24.07
090000	3.90	2.75	6.23	3.53	23.46	0.73	2.14	0.06	2.08	0.00	18.73	69.64	0.00	0.00	28.90
100000	3.90	2.79	6.66	3.94	29.31	0.75	2.14	0.07	2.07	0.00	18.66	69.70	0.00	0.00	36.32
110000	3.92	2.74	6.35	3.66	34.09	0.78	2.17	0.14	2.03	0.00	18.67	69.72	0.00	0.00	42.67
120000	4.02	2.87	11.17	8.47	49.86	0.89	2.25	0.15	2.10	0.00	18.69	69.72	0.00	0.00	47.31
130000	4.15	2.88	12.20	9.52	50.80	0.91	2.22	0.17	2.05	0.00	18.72	69.66	0.00	0.00	43.77
140000	4.36	3.14	15.71	12.82	45.05	0.91	2.19	0.16	2.03	0.00	18.70	69.63	0.00	0.00	41.66
150000	4.45	2.88	13.72	11.09	42.74	0.85	2.16	0.12	2.04	0.00	18.73	69.62	0.00	0.00	41.64
160000	4.48	2.69	12.65	10.18	38.51	0.85	2.14	0.10	2.04	0.00	18.74	69.61	0.00	0.00	41.14
170000	4.24	2.62	8.68	6.21	35.49	0.77	2.11	0.07	2.04	0.00	18.78	69.61	0.00	0.00	40.62
180000	4.10	2.60	8.34	5.85	32.61	0.75	2.11	0.07	2.04	0.00	18.76	69.61	0.00	0.00	36.83
190000	3.96	2.61	7.01	4.47	31.40	0.71	2.11	0.10	2.01	0.00	18.75	69.61	0.00	0.00	34.46
200000	4.00	2.70	9.96	7.43	24.34	0.78	2.50	0.07	2.43	0.00	18.72	69.61	0.00	0.00	33.20
210000	4.13	2.66	8.70	6.18	23.14	0.78	2.52	0.06	2.46	0.00	18.71	69.61	0.00	0.00	30.32
220000	4.02	2.58	7.06	4.57	21.74	0.72	2.74	0.05	2.69	0.00	18.68	69.61	0.00	0.00	24.74
230000	3.91	2.59	6.68	4.19	21.74	0.68	2.60	0.05	2.55	0.00	18.63	69.47	0.00	0.00	21.47
極大值	4.48	8.55	15.94	12.82	50.80	0.91	3.84	0.17	3.70	0.00	18.79	69.72	0.00	0.00	47.31
極小值	3.90	2.58	6.23	3.53	12.38	0.68	2.11	0.05	2.01	0.00	18.63	69.47	0.00	0.00	19.17
平均值	4.07	3.37	10.38	7.17	26.02	0.78	2.53	0.10	2.44	0.00	18.73	69.63	0.00	0.00	31.50
標準差	0.18	1.55	3.11	2.62	12.71	0.07	0.54	0.04	0.53	0	0.04	0.05	0	0	8.84

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.89	2.73	8.75	6.15	17.28	0.67	2.91	0.06	2.85	0.00	18.58	69.35	0.00	0.00	46.75
010000	4.32	2.83	10.56	7.90	13.94	0.72	2.66	0.11	2.55	0.00	18.56	69.39	0.00	0.00	46.14
020000	4.33	3.08	12.32	9.45	12.17	0.77	2.82	0.13	2.69	0.00	18.59	69.38	0.00	0.00	25.88
030000	4.19	3.03	11.09	8.22	12.15	0.73	2.96	0.11	2.85	0.00	18.56	69.38	0.00	0.00	28.99
040000	4.08	3.44	12.20	8.97	10.93	0.74	2.92	0.11	2.81	0.00	18.60	69.40	0.00	0.00	24.13
050000	4.02	3.51	11.13	7.77	11.59	0.73	2.76	0.10	2.66	0.00	18.60	69.38	0.00	0.00	25.80
060000	4.01	5.74	13.62	8.13	11.35	0.76	3.20	0.11	3.09	0.00	18.61	69.39	0.00	0.00	23.72
070000	4.17	5.47	12.16	6.92	12.12	0.75	3.02	0.11	2.91	0.00	18.58	69.40	0.00	0.00	23.59
080000	4.15	3.67	8.86	5.30	16.22	0.71	2.56	0.10	2.46	0.00	18.51	69.36	0.00	0.00	32.31
090000	4.22	2.80	6.76	4.03	25.66	0.72	2.24	0.08	2.16	0.00	18.52	69.33	0.00	0.00	50.60
100000	4.25	2.71	6.27	3.64	32.27	0.71	2.23	0.08	2.15	0.00	18.56	69.33	0.00	0.00	64.53
110000	4.23	2.62	5.93	3.37	35.41	0.71	2.19	0.07	2.12	0.00	18.63	69.53	0.00	0.00	71.23
120000	4.24	2.77	9.73	7.10	47.09	0.87	2.21	0.11	2.10	0.00	18.71	69.70	0.00	0.00	68.94
130000	4.20	2.72	9.52	6.93	57.06	0.85	2.19	0.09	2.10	0.00	18.64	69.71	0.00	0.00	76.21
140000	4.29	2.69	7.77	5.15	51.51	0.80	2.16	0.07	2.09	0.00	18.67	69.68	0.00	0.00	79.05
150000	4.29	2.64	7.16	4.61	48.01	0.80	2.16	0.06	2.10	0.00	18.73	69.62	0.00	0.00	73.23
160000	4.36	2.72	8.56	5.97	42.51	0.81	2.15	0.42	1.73	0.00	18.75	69.61	0.00	0.00	73.92
170000	4.35	2.62	10.14	7.70	39.13	0.79	2.13	0.09	2.04	0.00	18.77	69.61	0.00	0.00	63.09
180000	4.28	2.65	9.77	7.28	31.24	0.78	2.14	0.07	2.07	0.00	18.79	69.67	0.00	0.00	57.21
190000	4.38	2.69	11.35	8.82	26.64	0.80	2.16	0.08	2.08	0.00	18.75	69.75	0.00	0.00	58.38
200000	4.54	2.73	10.52	7.97	23.93	0.80	2.35	0.07	2.28	0.00	18.78	69.75	0.00	0.00	43.46
210000	4.56	2.61	8.30	5.78	25.25	0.79	2.30	0.06	2.24	0.00	18.75	69.73	0.00	0.00	41.26
220000	4.39	2.69	9.47	6.92	19.85	0.79	2.63	0.06	2.57	0.00	18.74	69.73	0.00	0.00	28.10
230000	4.47	2.71	9.23	6.64	18.32	0.75	2.67	0.08	2.59	0.00	18.69	69.59	0.00	0.00	29.74
極大值	4.56	5.74	13.62	9.45	57.06	0.87	3.20	0.42	3.09	0.00	18.79	69.75	0.00	0.00	79.05
極小值	3.89	2.61	5.93	3.37	10.93	0.67	2.13	0.06	1.73	0.00	18.51	69.33	0.00	0.00	23.59
平均值	4.26	3.08	9.63	6.70	26.73	0.76	2.49	0.10	2.39	0.00	18.65	69.53	0.00	0.00	48.18
標準差	0.16	0.83	2.01	1.69	14.41	0.05	0.35	0.07	0.36	0	0.09	0.16	0	0	19.66

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.45	2.76	9.42	6.79	16.75	0.73	2.59	0.08	2.51	0.00	18.64	69.42	0.00	0.00	45.88
010000	4.65	2.88	10.56	7.85	14.71	0.75	2.90	0.09	2.81	0.00	18.64	69.41	0.00	0.00	44.15
020000	4.78	3.12	11.56	8.62	12.49	0.75	3.26	0.11	3.15	0.00	18.65	69.41	0.00	0.00	44.51
030000	4.80	3.18	11.93	8.97	12.09	0.74	3.46	0.12	3.34	0.00	18.65	69.41	0.00	0.00	47.70
040000	4.68	3.34	12.47	9.36	11.63	0.72	3.67	0.14	3.53	0.00	18.66	69.40	0.00	0.00	45.18
050000	4.65	3.26	11.82	8.75	11.30	0.72	3.25	0.12	3.13	0.00	18.67	69.41	0.00	0.00	49.89
060000	4.53	5.17	14.35	9.47	11.58	0.75	3.07	0.11	2.96	0.00	18.67	69.40	0.00	0.00	46.19
070000	4.47	7.45	15.91	8.79	12.58	0.76	2.89	0.11	2.78	0.00	18.67	69.39	0.00	0.00	41.74
080000	4.55	5.24	12.61	7.61	13.20	0.74	2.72	0.11	2.61	0.00	18.66	69.33	0.00	0.00	42.95
090000	4.69	3.80	10.47	6.86	19.58	0.76	2.51	0.10	2.41	0.00	18.65	69.33	0.00	0.00	43.74
100000	4.54	2.84	7.91	5.17	30.11	0.75	2.32	0.09	2.23	0.00	18.65	69.33	0.00	0.00	41.06
110000	4.47	2.84	8.95	6.25	40.60	0.80	2.25	0.11	2.14	0.00	18.73	69.53	0.00	0.00	44.19
120000	4.39	2.98	11.70	8.90	52.30	0.91	2.21	0.12	2.09	0.00	18.79	69.75	0.00	0.00	43.47
130000	4.57	3.04	13.77	10.97	56.66	1.02	2.23	0.11	2.12	0.00	18.80	69.75	0.00	0.00	42.01
140000	4.65	2.85	10.53	7.85	58.97	0.94	2.23	0.14	2.09	0.00	18.78	69.67	0.00	0.00	44.11
150000	4.65	2.74	9.91	7.32	56.41	0.87	2.22	0.08	2.14	0.00	18.76	69.61	0.00	0.00	41.34
160000	4.54	2.71	9.20	6.64	46.21	0.83	2.19	0.08	2.11	0.00	18.75	69.61	0.00	0.00	41.89
170000	4.56	2.64	9.91	7.43	37.79	0.82	2.15	0.08	2.07	0.00	18.73	69.61	0.00	0.00	41.54
180000	4.47	2.63	9.39	6.92	34.91	0.80	2.15	0.08	2.07	0.00	18.74	69.61	0.00	0.00	42.78
190000	4.65	2.79	10.35	7.73	25.56	0.77	2.21	0.11	2.10	0.00	18.72	69.61	0.00	0.00	44.17
200000	5.02	2.93	11.54	8.79	17.11	0.76	2.30	0.10	2.20	0.00	18.72	69.61	0.00	0.00	41.83
210000	5.06	2.85	11.96	9.31	14.75	0.79	2.51	0.10	2.41	0.00	18.75	69.61	0.00	0.00	44.12
220000	5.03	2.96	11.22	8.43	14.68	0.80	2.41	0.21	2.20	0.00	18.74	69.61	0.00	0.00	50.39
230000	4.98	2.97	11.07	8.26	13.18	0.79	2.51	0.15	2.36	0.00	18.68	69.49	0.00	0.00	50.18
極大值	5.06	7.45	15.91	10.97	58.97	1.02	3.67	0.21	3.53	0.00	18.80	69.75	0.00	0.00	50.39
極小值	4.39	2.63	7.91	5.17	11.30	0.72	2.15	0.08	2.07	0.00	18.64	69.33	0.00	0.00	41.06
平均值	4.66	3.33	11.19	8.04	26.46	0.79	2.59	0.11	2.48	0.00	18.70	69.51	0.00	0.00	44.38
標準差	0.19	1.11	1.82	1.26	16.94	0.07	0.46	0.03	0.45	0	0.05	0.13	0	0	2.77

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.99	2.96	11.59	8.79	12.14	0.80	2.54	0.16	2.38	0.00	18.59	69.33	0.00	0.00	40.96
010000	4.70	2.91	11.03	8.28	12.18	0.73	2.40	0.14	2.26	0.00	18.50	69.33	0.00	0.00	41.43
020000	4.65	2.82	10.35	7.70	12.70	0.68	2.25	0.13	2.12	0.00	18.48	69.36	0.00	0.00	34.08
030000	4.52	2.88	9.71	6.99	13.02	0.67	2.28	0.11	2.17	0.00	18.52	69.39	0.00	0.00	30.18
040000	4.59	2.88	9.40	6.65	12.42	0.68	2.42	0.11	2.31	0.00	18.53	69.40	0.00	0.00	26.53
050000	4.47	3.01	10.28	7.42	12.67	0.69	2.29	0.11	2.18	0.00	18.55	69.39	0.00	0.00	26.76
060000	4.49	3.35	10.64	7.47	13.47	0.72	2.36	0.11	2.25	0.00	18.55	69.38	0.00	0.00	29.18
070000	4.57	4.27	12.11	8.07	12.41	0.75	2.38	0.13	2.25	0.00	18.56	69.40	0.00	0.00	30.51
080000	4.38	4.84	12.27	7.68	14.42	0.74	2.31	0.11	2.20	0.00	18.66	69.37	0.00	0.00	26.34
090000	4.59	4.77	12.83	8.31	17.22	0.76	2.26	0.12	2.14	0.00	18.64	69.33	0.00	0.00	21.05
100000	4.65	4.29	14.38	10.37	22.68	0.77	2.22	0.19	2.03	0.00	18.65	69.33	0.00	0.00	21.32
110000	4.85	3.11	13.81	10.93	38.60	0.89	2.21	0.19	2.02	0.00	18.74	69.47	0.00	0.00	26.83
120000	4.64	2.75	9.58	6.98	41.79	0.84	2.19	0.09	2.10	0.00	18.81	69.61	0.00	0.00	34.00
130000	4.48	2.71	8.98	6.41	42.05	0.80	2.17	0.09	2.08	0.00	18.80	69.61	0.00	0.00	29.90
140000	4.36	2.71	9.62	7.07	41.73	0.79	2.17	0.09	2.08	0.00	18.81	69.61	0.00	0.00	26.50
150000	4.33	2.63	8.66	6.18	39.77	0.79	2.16	0.10	2.06	0.00	18.80	69.61	0.00	0.00	28.96
160000	4.42	2.73	12.58	10.06	31.13	0.80	2.19	0.13	2.06	0.00	18.83	69.61	0.00	0.00	21.22
170000	4.64	2.73	14.17	11.69	21.62	0.79	2.23	0.14	2.09	0.00	18.83	69.61	0.00	0.00	18.24
180000	4.74	2.67	13.83	11.39	18.23	0.79	2.24	0.12	2.12	0.00	18.83	69.61	0.00	0.00	20.53
190000	4.74	2.66	13.09	10.67	17.42	0.78	2.23	0.13	2.10	0.00	18.78	69.61	0.00	0.00	22.55
200000	4.62	2.73	12.73	10.22	15.98	0.79	2.24	0.13	2.11	0.00	18.74	69.61	0.00	0.00	18.55
210000	4.45	2.82	12.13	9.51	16.26	0.79	2.23	0.12	2.11	0.00	18.77	69.61	0.00	0.00	23.71
220000	4.50	2.63	11.61	9.18	15.42	0.78	2.25	0.12	2.13	0.00	18.79	69.61	0.00	0.00	28.60
230000	4.43	2.73	10.97	8.44	15.83	0.78	2.26	0.12	2.14	0.00	18.80	69.48	0.00	0.00	21.25
極大值	4.99	4.84	14.38	11.69	42.05	0.89	2.54	0.19	2.38	0.00	18.83	69.61	0.00	0.00	41.43
極小值	4.33	2.63	8.66	6.18	12.14	0.67	2.16	0.09	2.02	0.00	18.48	69.33	0.00	0.00	18.24
平均值	4.58	3.11	11.51	8.60	21.30	0.77	2.27	0.12	2.15	0.00	18.69	69.49	0.00	0.00	27.05
標準差	0.16	0.68	1.72	1.65	11.07	0.05	0.09	0.03	0.09	0	0.12	0.12	0	0	6.26

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.32	2.72	10.36	7.82	14.83	0.74	2.30	0.12	2.18	0.00	18.77	69.40	0.00	0.00	13.79
010000	4.39	2.66	10.51	8.03	13.58	0.74	2.39	0.13	2.26	0.00	18.77	69.41	0.00	0.00	5.12
020000	4.40	2.73	10.38	7.85	13.30	0.73	2.35	0.13	2.22	0.00	18.76	69.36	0.00	0.00	18.79
030000	4.46	2.80	11.80	9.20	12.27	0.73	2.34	0.13	2.21	0.00	18.76	69.36	0.00	0.00	18.55
040000	4.38	2.75	10.74	8.17	13.18	0.72	2.27	0.14	2.13	0.00	18.78	69.35	0.00	0.00	9.61
050000	4.28	2.74	9.93	7.36	13.49	0.71	2.29	0.12	2.17	0.00	18.77	69.37	0.00	0.00	5.87
060000	4.25	3.28	10.85	7.74	13.07	0.73	2.30	0.13	2.17	0.00	18.78	69.40	0.00	0.00	9.28
070000	4.45	4.78	13.90	9.39	12.49	0.76	2.34	0.13	2.21	0.00	18.79	69.40	0.00	0.00	22.75
080000	4.39	6.01	14.75	9.05	12.24	0.78	2.38	0.14	2.24	0.00	18.79	69.39	0.00	0.00	32.05
090000	4.38	6.07	14.94	9.17	14.24	0.80	2.35	0.14	2.21	0.00	18.80	69.34	0.00	0.00	20.32
100000	4.40	4.44	13.11	8.94	18.33	0.79	2.32	0.14	2.18	0.00	18.79	69.33	0.00	0.00	14.54
110000	4.36	3.41	11.77	8.52	23.07	0.80	2.29	0.15	2.14	0.00	18.82	69.53	0.00	0.00	17.76
120000	4.46	3.04	14.30	11.51	29.70	0.87	2.26	0.20	2.06	0.00	18.91	69.75	0.00	0.00	15.99
130000	4.65	3.23	19.89	17.05	32.74	0.96	2.25	0.20	2.05	0.00	18.91	69.75	0.00	0.00	17.03
140000	4.25	2.69	10.23	7.71	35.11	0.85	2.19	0.11	2.08	0.00	18.89	69.61	0.00	0.00	16.24
150000	4.00	2.56	10.42	8.05	32.22	0.86	2.19	0.12	2.07	0.00	18.88	69.61	0.00	0.00	16.94
160000	4.11	2.65	12.82	10.39	29.60	0.88	2.24	0.16	2.08	0.00	18.87	69.61	0.00	0.00	21.43
170000	3.88	2.66	14.72	12.33	25.22	0.87	2.27	0.16	2.11	0.00	18.86	69.61	0.00	0.00	20.14
180000	4.04	2.63	15.71	13.38	22.53	0.88	2.27	0.18	2.09	0.00	18.86	69.61	0.00	0.00	21.54
190000	4.03	2.69	17.07	14.71	18.79	0.87	2.28	0.19	2.09	0.00	18.87	69.60	0.00	0.00	21.95
200000	4.21	2.77	17.39	14.95	15.48	0.85	2.32	0.17	2.15	0.00	18.88	69.55	0.00	0.00	23.07
210000	4.29	2.77	15.90	13.43	13.86	0.85	2.43	0.17	2.26	0.00	18.86	69.56	0.00	0.00	22.56
220000	4.12	3.18	17.22	14.39	12.70	0.84	2.45	0.17	2.28	0.00	18.85	69.54	0.00	0.00	24.26
230000	4.44	3.08	16.32	13.55	12.01	0.83	2.38	0.17	2.21	0.00	18.84	69.49	0.00	0.00	27.57
極大值	4.65	6.07	19.89	17.05	35.11	0.96	2.45	0.20	2.28	0.00	18.91	69.75	0.00	0.00	32.05
極小值	3.88	2.56	9.93	7.36	12.01	0.71	2.19	0.11	2.05	0.00	18.76	69.33	0.00	0.00	5.12
平均值	4.29	3.26	13.54	10.53	18.92	0.81	2.31	0.15	2.16	0.00	18.83	69.50	0.00	0.00	18.21
標準差	0.18	1.02	2.87	2.92	7.75	0.07	0.07	0.03	0.07	0	0.05	0.13	0	0	6.41

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.55	3.08	16.26	13.49	11.43	0.81	2.43	0.17	2.26	0.00	18.79	69.41	0.00	0.00	44.74
010000	4.66	3.39	16.93	13.86	11.42	0.80	2.46	0.18	2.28	0.00	18.67	69.39	0.00	0.00	24.51
020000	4.73	3.01	15.23	12.47	11.49	0.76	2.39	0.18	2.21	0.00	18.62	69.43	0.00	0.00	19.06
030000	4.64	2.85	12.71	10.07	11.79	0.75	2.42	0.16	2.26	0.00	18.65	69.46	0.00	0.00	20.85
040000	4.47	2.82	12.69	10.07	11.63	0.76	2.46	0.17	2.29	0.00	18.65	69.43	0.00	0.00	7.71
050000	4.67	6.29	18.50	12.58	10.69	0.78	2.59	0.17	2.42	0.00	18.63	69.44	0.00	0.00	9.75
060000	4.80	6.14	17.41	11.65	10.75	0.79	2.68	0.18	2.50	0.00	18.60	69.41	0.00	0.00	10.99
070000	4.78	7.89	19.26	11.74	10.75	0.83	2.49	0.19	2.30	0.00	18.59	69.37	0.00	0.00	26.15
080000	4.85	8.83	20.75	12.38	11.59	0.87	2.54	0.19	2.35	0.00	18.61	69.33	0.00	0.00	41.32
090000	4.72	7.02	17.39	10.75	13.75	0.85	2.46	0.16	2.30	0.00	18.59	69.33	0.00	0.00	56.31
100000	4.85	4.07	12.02	8.18	20.81	0.81	2.38	0.13	2.25	0.00	18.59	69.33	0.00	0.00	42.55
110000	4.76	3.20	10.09	7.05	28.30	0.80	2.33	0.12	2.21	0.00	18.68	69.52	0.00	0.00	26.22
120000	4.70	2.75	9.12	6.51	34.98	0.85	2.33	0.13	2.20	0.00	18.76	69.75	0.00	0.00	27.41
130000	4.77	2.89	10.50	7.78	38.61	0.90	2.29	0.15	2.14	0.00	18.77	69.75	0.00	0.00	29.96
140000	4.73	2.78	10.03	7.42	39.59	0.89	2.29	0.14	2.15	0.00	18.73	69.64	0.00	0.00	32.55
150000	4.62	2.83	13.73	11.15	35.12	0.89	2.27	0.15	2.12	0.00	18.73	69.61	0.00	0.00	44.23
160000	4.63	2.80	17.91	15.48	33.62	0.91	2.24	0.18	2.06	0.00	18.75	69.61	0.00	0.00	53.27
170000	4.74	2.70	17.52	15.18	27.02	0.90	2.26	0.19	2.07	0.00	18.75	69.61	0.00	0.00	46.49
180000	4.79	2.70	17.39	15.01	20.06	0.91	2.32	0.17	2.15	0.00	18.74	69.61	0.00	0.00	66.33
190000	5.05	2.82	16.23	13.74	17.70	0.89	2.44	0.16	2.28	0.00	18.73	69.61	0.00	0.00	70.08
200000	5.02	2.81	17.56	15.06	16.27	0.92	2.46	0.16	2.30	0.00	18.73	69.60	0.00	0.00	71.71
210000	4.93	2.76	16.63	14.18	15.70	0.93	2.45	0.16	2.29	0.00	18.76	69.58	0.00	0.00	77.54
220000	5.05	2.88	17.22	14.67	13.71	0.95	2.52	0.19	2.33	0.00	18.77	69.56	0.00	0.00	72.93
230000	4.86	2.87	15.93	13.37	14.03	1.01	2.47	0.18	2.29	0.00	18.78	69.53	0.00	0.00	62.03
極大值	5.05	8.83	20.75	15.48	39.59	1.01	2.68	0.19	2.50	0.00	18.79	69.75	0.00	0.00	77.54
極小值	4.47	2.70	9.12	6.51	10.69	0.75	2.24	0.12	2.06	0.00	18.59	69.33	0.00	0.00	7.71
平均值	4.77	3.84	15.38	11.83	19.62	0.86	2.42	0.16	2.25	0.00	18.69	69.51	0.00	0.00	41.03
標準差	0.15	1.86	3.22	2.81	10.05	0.07	0.11	0.02	0.1	0	0.07	0.13	0	0	21.5

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.96	2.90	16.68	14.10	12.66	0.95	2.52	0.17	2.35	0.00	18.79	69.51	0.00	0.00	79.55
010000	4.71	3.16	16.56	13.72	11.82	0.93	2.58	0.16	2.42	0.00	18.79	69.58	0.00	0.00	74.48
020000	4.95	3.25	16.32	13.38	11.45	0.92	2.92	0.19	2.73	0.00	18.80	69.58	0.00	0.00	29.99
030000	4.87	3.09	15.51	12.70	11.02	0.93	3.10	0.22	2.88	0.00	18.82	69.54	0.00	0.00	62.39
040000	4.83	3.27	15.74	12.73	10.90	0.92	3.07	0.18	2.89	0.00	18.83	69.54	0.00	0.00	71.43
050000	4.88	3.84	16.60	13.09	11.14	0.93	3.13	0.20	2.93	0.00	18.83	69.51	0.00	0.00	75.20
060000	4.89	8.03	20.02	12.45	10.80	0.97	3.34	0.21	3.13	0.00	18.82	69.53	0.00	0.00	38.32
070000	4.99	8.25	19.43	11.58	10.89	0.99	3.07	0.26	2.81	0.00	18.81	69.56	0.00	0.00	57.00
080000	4.89	7.14	17.82	11.08	12.79	0.97	2.75	0.17	2.58	0.00	18.75	69.60	0.00	0.00	73.20
090000	5.05	4.62	13.73	9.40	18.59	0.93	2.50	0.13	2.37	0.00	18.72	69.61	0.00	0.00	78.23
100000	5.19	2.81	8.80	6.10	30.25	0.90	2.30	0.11	2.19	0.00	18.75	69.61	0.00	0.00	73.04
110000	5.24	2.69	9.72	7.16	41.95	0.94	2.31	0.17	2.14	0.00	18.75	69.61	0.00	0.00	77.24
120000	5.30	2.90	15.55	12.94	59.92	1.05	2.29	0.20	2.09	0.00	18.75	69.61	0.00	0.00	70.75
130000	5.06	2.70	11.32	8.79	53.60	0.91	2.23	0.12	2.11	0.00	18.75	69.61	0.00	0.00	64.65
140000	4.89	2.78	9.61	6.96	49.20	0.85	2.19	0.09	2.10	0.00	18.75	69.61	0.00	0.00	62.04
150000	4.73	2.78	11.24	8.63	43.05	0.84	2.18	0.11	2.07	0.00	18.76	69.61	0.00	0.00	68.61
160000	4.55	2.60	10.04	7.63	38.80	0.83	2.17	0.12	2.05	0.00	18.73	69.61	0.00	0.00	50.37
170000	4.56	2.67	13.83	11.42	30.30	0.89	2.20	0.15	2.05	0.00	18.71	69.61	0.00	0.00	58.54
180000	4.59	3.14	16.31	13.48	24.86	0.94	2.24	0.19	2.05	0.00	18.72	69.61	0.00	0.00	63.78
190000	4.72	2.76	15.79	13.33	22.13	0.93	2.33	0.23	2.10	0.00	18.71	69.61	0.00	0.00	76.15
200000	4.90	2.80	16.64	14.15	17.84	0.92	2.40	0.19	2.21	0.00	18.71	69.61	0.00	0.00	84.81
210000	4.97	2.78	15.55	13.06	15.83	0.91	2.43	0.17	2.26	0.00	18.70	69.59	0.00	0.00	97.00
220000	4.92	2.94	16.00	13.32	14.31	0.92	2.48	0.17	2.31	0.00	18.71	69.60	0.00	0.00	87.83
230000	5.02	2.96	15.98	13.32	12.70	0.92	2.52	0.18	2.34	0.00	18.68	69.57	0.00	0.00	77.24
極大值	5.30	8.25	20.02	14.15	59.92	1.05	3.34	0.26	3.13	0.00	18.83	69.61	0.00	0.00	97.00
極小值	4.55	2.60	8.80	6.10	10.80	0.83	2.17	0.09	2.05	0.00	18.68	69.51	0.00	0.00	29.99
平均值	4.90	3.62	14.78	11.44	24.03	0.92	2.55	0.17	2.38	0.00	18.76	69.58	0.00	0.00	68.83
標準差	0.2	1.68	3.09	2.56	15.54	0.05	0.36	0.04	0.34	0	0.05	0.03	0	0	14.87

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.09	2.89	15.10	12.47	11.33	0.95	2.59	0.18	2.41	0.00	18.62	69.59	0.00	0.00	17.19
010000	5.13	3.19	15.57	12.69	11.45	0.97	2.72	0.18	2.54	0.00	18.64	69.58	0.00	0.00	25.98
020000	4.96	3.22	15.59	12.67	10.79	0.95	2.92	0.19	2.73	0.00	18.63	69.56	0.00	0.00	22.98
030000	5.03	3.35	15.11	12.02	11.01	0.93	3.02	0.18	2.84	0.00	18.61	69.55	0.00	0.00	16.23
040000	5.07	3.79	15.65	12.16	10.76	0.94	3.53	0.22	3.31	0.00	18.63	69.53	0.00	0.00	20.37
050000	4.95	3.86	14.70	11.10	10.68	0.93	3.31	0.20	3.11	0.00	18.63	69.50	0.00	0.00	22.11
060000	4.98	7.75	18.11	10.74	10.84	0.97	3.23	0.20	3.03	0.00	18.63	69.56	0.00	0.00	16.60
070000	4.98	9.83	19.58	10.12	11.35	0.97	3.01	0.16	2.85	0.00	18.65	69.60	0.00	0.00	36.03
080000	5.17	7.49	18.58	11.51	13.17	0.98	2.66	0.13	2.53	0.00	18.68	69.61	0.00	0.00	51.34
090000	5.34	3.48	10.71	7.40	22.12	0.89	2.36	0.10	2.26	0.00	18.67	69.61	0.00	0.00	72.61
100000	5.23	2.74	7.53	4.90	31.89	0.83	2.24	0.10	2.14	0.00	18.67	69.63	0.00	0.00	11.33
110000	5.52	2.72	11.56	9.05	43.72	0.99	2.25	0.16	2.09	0.00	18.66	69.67	0.00	0.00	75.86
120000	5.66	2.81	12.54	9.95	51.53	1.00	2.22	0.14	2.08	0.00	18.66	69.68	0.00	0.00	74.96
130000	6.05	2.90	11.91	9.19	47.88	0.98	2.19	0.12	2.07	0.00	18.65	69.63	0.00	0.00	61.42
140000	5.65	2.75	9.95	7.34	46.16	0.91	2.17	0.10	2.07	0.00	18.65	69.61	0.00	0.00	52.33
150000	5.01	2.68	8.38	5.83	42.76	0.85	2.15	0.08	2.07	0.00	18.62	69.61	0.00	0.00	42.33
160000	4.89	2.65	9.70	7.20	36.72	0.83	2.15	0.09	2.06	0.00	18.63	69.61	0.00	0.00	46.99
170000	4.84	2.74	14.65	12.19	29.70	0.88	2.18	0.13	2.05	0.00	18.64	69.61	0.00	0.00	49.84
180000	4.83	2.74	16.07	13.64	23.39	0.92	2.26	0.14	2.12	0.00	18.66	69.61	0.00	0.00	46.89
190000	4.70	2.78	12.54	9.98	23.49	0.89	2.73	0.12	2.61	0.00	18.64	69.61	0.00	0.00	49.09
200000	4.71	2.71	13.08	10.61	20.19	0.89	2.70	0.13	2.57	0.00	18.59	69.61	0.00	0.00	50.26
210000	4.50	2.70	11.06	8.55	19.45	0.87	2.53	0.12	2.41	0.00	18.56	69.61	0.00	0.00	48.68
220000	4.74	2.77	11.38	8.79	18.50	0.88	2.59	0.13	2.46	0.00	18.54	69.61	0.00	0.00	42.03
230000	5.21	2.88	13.45	10.76	14.73	0.86	2.65	0.14	2.51	0.00	18.50	69.50	0.00	0.00	38.10
極大值	6.05	9.83	19.58	13.64	51.53	1.00	3.53	0.22	3.31	0.00	18.68	69.68	0.00	0.00	75.86
極小值	4.50	2.65	7.53	4.90	10.68	0.83	2.15	0.08	2.05	0.00	18.50	69.50	0.00	0.00	16.23
平均值	5.09	3.64	13.44	10.04	23.90	0.92	2.60	0.14	2.46	0.00	18.63	69.60	0.00	0.00	41.31
標準差	0.35	1.89	3.14	2.31	13.89	0.05	0.4	0.04	0.37	0	0.04	0.04	0	0	19.11

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.03	2.93	14.79	12.10	13.11	0.87	2.77	0.15	2.62	0.15	18.42	69.36	0.00	0.00	54.41
010000	4.91	3.14	15.02	12.14	12.35	0.90	2.80	0.16	2.64	0.16	18.42	69.36	0.00	0.00	46.91
020000	5.04	3.09	14.04	11.19	11.86	0.88	3.18	0.15	3.03	0.15	18.45	69.36	0.00	0.00	55.19
030000	5.30	3.03	12.20	9.36	11.47	0.83	3.52	0.14	3.38	0.14	18.49	69.36	0.00	0.00	25.56
040000	5.22	3.05	12.27	9.43	11.28	0.84	3.22	0.14	3.08	0.14	18.49	69.36	0.00	0.00	24.79
050000	5.24	3.32	12.70	9.60	10.99	0.84	3.11	0.14	2.97	0.14	18.43	69.37	0.00	0.00	32.94
060000	5.19	4.83	13.45	8.89	10.99	0.87	3.10	0.14	2.96	0.14	18.45	69.36	0.00	0.00	33.25
070000	5.18	6.23	14.24	8.27	11.87	0.89	2.83	0.13	2.70	0.13	18.44	69.33	0.00	0.00	42.37
080000	5.24	4.74	12.89	8.42	15.85	0.85	2.54	0.12	2.42	0.12	18.42	69.33	0.00	0.00	42.00
090000	5.52	2.94	8.88	6.06	26.72	0.86	2.33	0.10	2.23	0.10	18.42	69.33	0.00	0.00	41.81
100000	5.77	2.83	8.81	6.08	35.72	0.87	2.30	0.10	2.20	0.10	18.44	69.33	0.00	0.00	26.44
110000	6.03	2.79	9.56	6.93	48.61	1.07	2.27	0.13	2.14	0.13	18.52	69.48	0.00	0.00	28.97
120000	6.04	2.76	10.68	8.07	59.12	1.11	2.29	0.17	2.12	0.17	18.55	69.67	0.00	0.00	24.89
130000	6.39	2.74	10.91	8.34	63.58	1.14	2.23	0.13	2.10	0.13	18.57	69.64	0.00	0.00	24.07
140000	6.28	2.74	9.72	7.14	58.34	1.02	2.21	0.12	2.09	0.12	18.59	69.62	0.00	0.00	26.79
150000	6.02	2.68	9.80	7.26	54.50	1.00	2.20	0.10	2.10	0.10	18.58	69.61	0.00	0.00	29.63
160000	5.34	2.75	9.02	6.39	44.82	0.90	2.19	0.22	1.97	0.22	18.56	69.61	0.00	0.00	28.32
170000	5.12	2.71	12.44	9.94	34.49	1.01	2.21	0.30	1.91	0.30	18.58	69.61	0.00	0.00	21.77
180000	5.22	2.86	16.47	13.90	25.11	1.07	2.26	0.29	1.97	0.29	18.58	69.61	0.00	0.00	24.18
190000	5.12	2.80	17.80	15.33	20.08	1.01	2.38	0.23	2.15	0.23	18.57	69.61	0.00	0.00	29.40
200000	5.13	2.76	14.75	12.24	21.52	0.95	2.54	0.15	2.39	0.15	18.58	69.61	0.00	0.00	29.61
210000	5.00	2.77	12.37	9.82	19.88	0.95	2.47	0.12	2.35	0.12	18.57	69.61	0.00	0.00	23.52
220000	5.00	2.71	10.67	8.14	18.47	0.93	2.58	0.11	2.47	0.11	18.58	69.61	0.00	0.00	23.57
230000	5.13	2.72	11.86	9.35	17.80	0.88	2.62	0.11	2.51	0.11	18.54	69.49	0.00	0.00	23.29
極大值	6.39	6.23	17.80	15.33	63.58	1.14	3.52	0.30	3.38	0.30	18.59	69.67	0.00	0.00	55.19
極小值	4.91	2.68	8.81	6.06	10.99	0.83	2.19	0.10	1.91	0.10	18.42	69.33	0.00	0.00	21.77
平均值	5.39	3.16	12.31	9.35	27.44	0.94	2.59	0.15	2.44	0.15	18.51	69.48	0.00	0.00	31.82
標準差	0.44	0.86	2.45	2.43	17.82	0.09	0.39	0.05	0.41	0.05	0.07	0.13	0	0	9.91

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.08	2.83	11.91	9.27	16.24	0.92	2.61	0.13	2.48	0.00	18.47	69.36	0.00	0.00	47.24
010000	5.19	2.97	11.96	9.18	14.46	0.94	2.93	0.15	2.78	0.00	18.47	69.36	0.00	0.00	68.76
020000	5.34	2.97	11.80	9.04	12.46	0.91	3.12	0.14	2.98	0.00	18.49	69.35	0.00	0.00	29.60
030000	5.45	3.08	11.32	8.40	11.98	0.87	3.30	0.13	3.17	0.00	18.50	69.37	0.00	0.00	45.59
040000	5.50	3.02	10.11	7.23	11.52	0.81	3.08	0.12	2.96	0.00	18.47	69.37	0.00	0.00	46.94
050000	5.31	3.15	11.66	8.70	11.38	0.83	2.96	0.13	2.83	0.00	18.47	69.37	0.00	0.00	24.71
060000	5.43	7.59	17.09	9.84	11.22	0.88	3.28	0.15	3.13	0.00	18.48	69.36	0.00	0.00	43.55
070000	5.44	7.82	16.94	9.49	11.65	0.95	2.96	0.15	2.81	0.00	18.43	69.33	0.00	0.00	68.00
080000	5.48	3.83	9.79	6.10	17.79	0.87	2.40	0.10	2.30	0.00	18.40	69.33	0.00	0.00	67.07
090000	5.72	3.35	9.76	6.55	24.12	0.86	2.39	0.10	2.29	0.00	18.42	69.33	0.00	0.00	66.31
100000	6.77	3.55	14.25	10.97	30.93	0.99	2.30	0.19	2.11	0.00	18.45	69.33	0.00	0.00	70.65
110000	6.30	3.23	14.47	11.49	38.29	0.93	2.22	0.16	2.06	0.00	18.52	69.48	0.00	0.00	77.60
120000	5.95	3.18	11.93	8.95	42.17	0.90	2.14	0.11	2.03	0.00	18.62	69.62	0.00	0.00	67.09
130000	6.55	3.11	13.12	10.22	45.17	1.01	2.15	0.12	2.03	0.00	18.60	69.64	0.00	0.00	73.45
140000	6.61	2.99	12.01	9.21	43.09	0.98	2.14	0.11	2.03	0.00	18.58	69.64	0.00	0.00	74.33
150000	6.03	2.92	11.77	9.05	38.76	0.97	2.13	0.15	1.98	0.00	18.58	69.62	0.00	0.00	63.58
160000	5.57	2.74	11.59	9.04	32.63	0.90	2.15	0.11	2.04	0.00	18.57	69.61	0.00	0.00	45.08
170000	5.49	2.79	13.65	11.10	29.76	0.90	2.17	0.10	2.07	0.00	18.57	69.61	0.00	0.00	49.20
180000	5.37	3.26	15.77	12.78	25.29	0.90	2.18	0.11	2.07	0.00	18.59	69.61	0.00	0.00	53.75
190000	5.45	2.79	14.00	11.46	23.10	0.87	2.31	0.12	2.19	0.00	18.59	69.61	0.00	0.00	52.93
200000	5.46	2.76	11.21	8.63	23.21	0.85	2.41	0.11	2.30	0.00	18.61	69.61	0.00	0.00	47.17
210000	5.33	2.78	11.11	8.51	19.81	0.84	2.67	0.08	2.59	0.00	18.59	69.61	0.00	0.00	35.86
220000	5.33	2.86	12.01	9.34	17.65	0.85	2.74	0.09	2.65	0.00	18.58	69.61	0.00	0.00	35.77
230000	5.91	3.11	12.97	10.08	13.65	0.85	2.92	0.15	2.77	0.00	18.57	69.49	0.00	0.00	40.30
極大值	6.77	7.82	17.09	12.78	45.17	1.01	3.30	0.19	3.17	0.00	18.62	69.64	0.00	0.00	77.60
極小值	5.08	2.74	9.76	6.10	11.22	0.81	2.13	0.08	1.98	0.00	18.40	69.33	0.00	0.00	24.71
平均值	5.67	3.44	12.59	9.36	23.60	0.90	2.57	0.13	2.44	0.00	18.53	69.48	0.00	0.00	53.94
標準差	0.47	1.34	2	1.53	11.39	0.05	0.41	0.03	0.4	0	0.07	0.13	0	0	15.26

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.85	3.01	11.98	9.15	11.79	0.81	2.88	0.15	2.73	0.00	18.55	69.36	0.00	0.00	26.81
010000	5.66	2.86	8.74	5.98	12.96	0.77	2.38	0.12	2.26	0.00	18.55	69.35	0.00	0.00	39.53
020000	5.52	2.91	8.30	5.48	13.52	0.76	2.36	0.11	2.25	0.00	18.54	69.34	0.00	0.00	30.05
030000	5.60	2.88	8.32	5.50	12.71	0.76	2.45	0.11	2.34	0.00	18.53	69.36	0.00	0.00	40.34
040000	5.64	2.96	9.41	6.57	13.21	0.76	2.48	0.11	2.37	0.00	18.53	69.35	0.00	0.00	41.67
050000	5.59	2.83	9.42	6.71	13.15	0.76	2.59	0.13	2.46	0.00	18.52	69.34	0.00	0.00	31.33
060000	5.54	3.61	11.58	8.16	11.67	0.80	2.54	0.15	2.39	0.00	18.53	69.36	0.00	0.00	61.02
070000	5.54	4.77	12.95	8.42	12.52	0.81	2.42	0.14	2.28	0.00	18.54	69.34	0.00	0.00	67.45
080000	5.58	4.05	10.37	6.48	16.82	0.80	2.35	0.13	2.22	0.00	18.55	69.33	0.00	0.00	68.79
090000	5.49	3.58	9.45	5.98	21.12	0.79	2.29	0.11	2.18	0.00	18.54	69.33	0.00	0.00	65.38
100000	5.68	3.06	8.57	5.62	26.19	0.79	2.24	0.12	2.12	0.00	18.56	69.33	0.00	0.00	51.51
110000	5.88	3.16	11.70	8.71	35.36	0.84	2.22	0.14	2.08	0.00	18.60	69.49	0.00	0.00	69.96
120000	5.78	2.91	11.70	8.96	47.46	0.87	2.19	0.15	2.04	0.00	18.68	69.62	0.00	0.00	74.43
130000	5.77	2.76	8.16	5.51	47.31	0.86	2.15	0.10	2.05	0.00	18.67	69.62	0.00	0.00	71.93
140000	5.56	2.73	8.83	6.25	51.79	0.87	2.15	0.09	2.06	0.00	18.67	69.61	0.00	0.00	58.21
150000	5.50	2.69	9.20	6.65	54.29	0.86	2.15	0.09	2.06	0.00	18.66	69.61	0.00	0.00	70.29
160000	5.39	2.67	8.38	5.84	49.45	0.85	2.15	0.09	2.06	0.00	18.56	69.61	0.00	0.00	65.80
170000	5.08	2.56	7.98	5.56	31.82	0.77	2.12	0.09	2.03	0.00	18.49	69.61	0.00	0.00	59.48
180000	4.82	2.61	8.33	5.84	29.65	0.74	2.12	0.08	2.04	0.00	18.53	69.61	0.00	0.00	30.21
190000	4.94	2.66	10.56	8.07	25.58	0.80	2.18	0.12	2.06	0.00	18.52	69.61	0.00	0.00	26.56
200000	5.47	2.73	16.67	14.28	22.45	0.88	2.38	0.20	2.18	0.00	18.51	69.61	0.00	0.00	49.05
210000	5.58	2.76	16.26	13.83	20.07	0.90	2.41	0.19	2.22	0.00	18.52	69.61	0.00	0.00	113.61
220000	5.45	2.70	15.66	13.24	18.23	0.90	2.46	0.20	2.26	0.00	18.51	69.61	0.00	0.00	116.74
230000	5.44	2.80	14.80	12.29	18.20	0.88	2.44	0.17	2.27	0.00	18.48	69.48	0.00	0.00	112.29
極大值	5.88	4.77	16.67	14.28	54.29	0.90	2.88	0.20	2.73	0.00	18.68	69.62	0.00	0.00	116.74
極小值	4.82	2.56	7.98	5.48	11.67	0.74	2.12	0.08	2.03	0.00	18.48	69.33	0.00	0.00	26.56
平均值	5.51	3.01	10.72	7.88	25.72	0.82	2.34	0.13	2.21	0.00	18.56	69.48	0.00	0.00	60.10
標準差	0.26	0.52	2.74	2.8	14.39	0.05	0.18	0.03	0.17	0	0.06	0.13	0	0	20.16

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.53	2.77	13.55	11.04	16.41	0.85	2.53	0.17	2.36	0.00	18.46	69.36	0.00	0.00	107.01
010000	5.42	2.74	13.06	10.55	15.22	0.83	2.56	0.16	2.40	0.00	18.46	69.35	0.00	0.00	101.90
020000	5.59	2.81	13.02	10.47	13.73	0.83	2.77	0.17	2.60	0.00	18.45	69.34	0.00	0.00	99.89
030000	5.44	2.79	12.32	9.72	13.88	0.82	2.82	0.17	2.65	0.00	18.45	69.36	0.00	0.00	97.74
040000	5.64	2.85	13.30	10.67	12.89	0.82	2.70	0.19	2.51	0.00	18.46	69.35	0.00	0.00	98.46
050000	5.60	2.99	14.30	11.54	12.43	0.83	2.72	0.19	2.53	0.00	18.42	69.35	0.00	0.00	102.07
060000	5.50	4.76	16.65	12.25	11.90	0.87	2.94	0.20	2.74	0.00	18.43	69.35	0.00	0.00	98.89
070000	5.60	6.94	18.73	12.21	11.84	0.92	2.96	0.22	2.74	0.00	18.44	69.33	0.00	0.00	97.35
080000	5.51	8.02	22.28	14.76	12.36	0.97	2.86	0.21	2.65	0.00	18.44	69.33	0.00	0.00	94.57
090000	5.69	5.49	17.43	12.28	15.42	0.94	2.67	0.18	2.49	0.00	18.45	69.33	0.00	0.00	97.05
100000	6.66	3.22	12.30	9.27	29.18	1.03	2.30	0.12	2.18	0.00	18.46	69.33	0.00	0.00	96.59
110000	6.52	2.98	11.71	8.91	38.48	0.97	2.25	0.13	2.12	0.00	18.54	69.49	0.00	0.00	89.35
120000	5.91	2.78	11.78	9.18	53.85	0.91	2.21	0.13	2.08	0.00	18.60	69.61	0.00	0.00	84.17
130000	5.70	2.79	11.58	8.99	54.16	0.91	2.22	0.11	2.11	0.00	18.57	69.61	0.00	0.00	87.65
140000	5.38	2.65	9.36	6.87	50.43	0.87	2.22	0.10	2.12	0.00	18.56	69.61	0.00	0.00	96.06
150000	5.13	2.63	9.45	6.97	46.39	0.86	2.22	0.11	2.11	0.00	18.56	69.61	0.00	0.00	92.90
160000	5.31	2.79	12.65	10.08	38.82	0.98	2.22	0.14	2.08	0.00	18.56	69.61	0.00	0.00	95.36
170000	5.29	2.66	13.16	10.76	33.63	0.95	2.20	0.21	1.99	0.00	18.53	69.61	0.00	0.00	101.12
180000	5.13	2.61	10.94	8.54	30.52	0.94	2.22	0.14	2.08	0.00	18.54	69.61	0.00	0.00	88.00
190000	5.28	2.70	12.80	10.34	25.41	0.93	2.25	0.15	2.10	0.00	18.56	69.61	0.00	0.00	83.12
200000	5.33	2.82	17.27	14.77	18.82	0.93	2.48	0.14	2.34	0.00	18.53	69.61	0.00	0.00	84.39
210000	5.31	2.78	12.71	10.14	21.28	0.89	2.78	0.13	2.65	0.00	18.50	69.61	0.00	0.00	79.90
220000	5.26	2.72	11.03	8.47	19.91	0.85	2.52	0.11	2.41	0.00	18.49	69.61	0.00	0.00	78.86
230000	5.28	2.73	9.88	7.30	20.42	0.82	2.41	0.11	2.30	0.00	18.47	69.45	0.00	0.00	67.75
極大值	6.66	8.02	22.28	14.77	54.16	1.03	2.96	0.22	2.74	0.00	18.60	69.61	0.00	0.00	107.01
極小值	5.13	2.61	9.36	6.87	11.84	0.82	2.20	0.10	1.99	0.00	18.42	69.33	0.00	0.00	67.75
平均值	5.54	3.38	13.39	10.25	25.72	0.90	2.50	0.15	2.35	0.00	18.50	69.48	0.00	0.00	92.51
標準差	0.37	1.44	3.08	2.07	14.28	0.06	0.27	0.04	0.25	0	0.05	0.13	0	0	9.19

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.21	2.79	11.08	8.46	19.14	0.81	2.53	0.12	2.41	0.00	18.42	69.33	0.00	0.00	66.16
010000	5.23	2.88	12.25	9.57	16.83	0.83	2.48	0.16	2.32	0.00	18.40	69.33	0.00	0.00	77.75
020000	5.61	2.93	11.82	9.07	14.70	0.82	2.75	0.15	2.60	0.00	18.36	69.33	0.00	0.00	76.18
030000	5.74	2.84	10.43	7.75	14.85	0.78	2.62	0.16	2.46	0.00	18.34	69.33	0.00	0.00	78.51
040000	5.61	2.83	11.00	8.33	13.77	0.77	2.60	0.16	2.44	0.00	18.37	69.33	0.00	0.00	78.70
050000	5.56	2.86	11.77	9.13	13.08	0.80	2.60	0.17	2.43	0.00	18.39	69.33	0.00	0.00	79.25
060000	5.69	3.23	12.31	9.28	14.13	0.77	2.40	0.15	2.25	0.00	18.39	69.33	0.00	0.00	68.53
070000	6.05	4.49	19.10	15.01	12.89	0.89	2.47	0.29	2.18	0.00	18.36	69.33	0.00	0.00	59.80
080000	6.07	5.07	18.45	13.75	13.73	0.85	2.37	0.23	2.14	0.00	18.34	69.33	0.00	0.00	88.43
090000	6.34	6.48	23.56	17.61	14.93	0.89	2.39	0.38	2.01	0.00	18.37	69.33	0.00	0.00	80.92
100000	6.74	7.40	29.18	22.44	14.62	0.93	2.40	0.32	2.08	0.00	18.38	69.33	0.00	0.00	95.22
110000	6.34	5.22	21.54	16.76	17.36	0.85	2.29	0.23	2.06	0.00	18.46	69.47	0.00	0.00	109.90
120000	6.55	4.00	18.54	14.91	19.84	0.92	2.30	0.21	2.09	0.00	18.50	69.61	0.00	0.00	70.71
130000	6.75	3.82	20.04	16.64	22.59	1.03	2.35	0.22	2.13	0.00	18.50	69.61	0.00	0.00	72.56
140000	6.62	3.16	19.05	16.27	25.10	1.06	2.34	0.22	2.12	0.00	18.51	69.61	0.00	0.00	98.30
150000	6.36	3.11	19.43	16.70	22.94	1.08	2.42	0.22	2.20	0.00	18.48	69.61	0.00	0.00	106.85
160000	6.31	2.86	17.90	15.37	24.40	1.16	2.33	0.18	2.15	0.00	18.47	69.61	0.00	0.00	100.54
170000	5.90	2.79	9.88	7.23	20.99	0.84	2.16	0.10	2.06	0.00	18.46	69.61	0.00	0.00	86.82
180000	5.91	2.73	8.97	6.36	19.41	0.79	2.13	0.08	2.05	0.00	18.45	69.58	0.00	0.00	17.79
190000	5.85	2.78	9.62	6.99	16.64	0.81	2.16	0.08	2.08	0.00	18.46	69.59	0.00	0.00	14.41
200000	6.08	2.78	11.11	8.50	14.58	0.88	2.36	0.10	2.26	0.00	18.46	69.60	0.00	0.00	27.44
210000	5.88	2.75	10.22	7.63	16.12	0.89	2.25	0.11	2.14	0.00	18.46	69.61	0.00	0.00	36.88
220000	5.78	2.71	8.96	6.38	15.39	0.83	2.30	0.10	2.20	0.00	18.47	69.60	0.00	0.00	39.84
230000	5.73	2.78	8.71	6.04	15.19	0.81	2.25	0.09	2.16	0.00	18.47	69.59	0.00	0.00	31.00
極大值	6.75	7.40	29.18	22.44	25.10	1.16	2.75	0.38	2.60	0.00	18.51	69.61	0.00	0.00	109.90
極小值	5.21	2.71	8.71	6.04	12.89	0.77	2.13	0.08	2.01	0.00	18.34	69.33	0.00	0.00	14.41
平均值	6.00	3.55	14.79	11.51	17.22	0.88	2.39	0.18	2.21	0.00	18.43	69.47	0.00	0.00	69.27
標準差	0.43	1.28	5.6	4.68	3.7	0.1	0.16	0.08	0.16	0	0.05	0.14	0	0	27.71

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.69	2.78	8.61	5.97	13.70	0.81	2.26	0.09	2.17	0.00	18.49	69.58	0.00	0.00	26.35
010000	5.74	2.81	7.96	5.26	13.50	0.81	2.18	0.07	2.11	0.00	18.49	69.60	0.00	0.00	22.76
020000	5.57	2.85	8.05	5.30	12.99	0.83	2.19	0.07	2.12	0.00	18.50	69.58	0.00	0.00	20.20
030000	5.68	2.79	8.48	5.78	12.42	0.84	2.23	0.07	2.16	0.00	18.49	69.58	0.00	0.00	21.90
040000	5.66	2.84	9.01	6.30	12.81	0.86	2.52	0.07	2.45	0.00	18.49	69.58	0.00	0.00	20.71
050000	5.66	2.87	8.74	5.99	13.30	0.85	2.34	0.08	2.26	0.00	18.50	69.56	0.00	0.00	18.55
060000	5.56	3.70	11.36	7.85	12.21	0.87	2.36	0.09	2.27	0.00	18.51	69.56	0.00	0.00	23.25
070000	5.60	4.91	13.01	8.34	11.37	0.89	2.37	0.11	2.26	0.00	18.51	69.60	0.00	0.00	22.69
080000	5.64	4.70	12.88	8.44	13.74	0.92	2.26	0.10	2.16	0.00	18.54	69.61	0.00	0.00	29.51
090000	5.54	3.78	10.72	7.13	18.23	0.54	2.20	0.10	2.10	0.00	18.55	69.61	0.00	0.00	36.73
100000	5.61	3.38	10.86	7.64	15.37	0.45	2.19	0.10	2.09	0.00	18.55	69.61	0.00	0.00	44.45
110000	5.55	3.28	10.26	7.15	14.71	0.44	2.18	0.09	2.09	0.00	18.57	69.61	0.00	0.00	43.52
120000	5.67	3.07	9.38	6.44	14.84	0.45	2.18	0.09	2.09	0.00	18.58	69.61	0.00	0.00	45.59
130000	5.50	3.07	9.33	6.39	14.72	0.42	2.15	0.08	2.07	0.00	18.58	69.61	0.00	0.00	39.87
140000	5.41	3.81	10.18	6.52	15.18	0.41	2.14	0.08	2.06	0.00	18.56	69.61	0.00	0.00	39.76
150000	5.53	2.99	11.16	8.35	16.00	0.46	2.19	0.09	2.10	0.00	18.57	69.61	0.00	0.00	38.07
160000	5.59	2.80	12.45	9.87	14.77	0.49	2.23	0.11	2.12	0.00	18.58	69.61	0.00	0.00	54.26
170000	5.55	2.77	15.50	12.99	14.74	0.54	2.28	0.15	2.13	0.00	18.59	69.61	0.00	0.00	57.42
180000	5.55	3.57	18.91	15.73	14.15	0.56	2.31	0.15	2.16	0.00	18.59	69.61	0.00	0.00	61.15
190000	5.41	3.49	16.55	13.35	14.02	0.47	2.45	0.12	2.33	0.00	18.59	69.61	0.00	0.00	60.01
200000	5.26	2.98	12.95	10.16	12.82	0.45	2.63	0.10	2.53	0.00	18.61	69.61	0.00	0.00	44.21
210000	5.38	3.18	13.36	10.40	12.75	0.46	2.70	0.11	2.59	0.00	18.60	69.61	0.00	0.00	30.28
220000	5.32	3.11	11.51	8.57	13.52	0.49	2.38	0.10	2.28	0.00	18.61	69.61	0.00	0.00	30.44
230000	5.36	3.08	10.46	7.55	13.01	0.50	2.44	0.10	2.34	0.00	18.59	69.61	0.00	0.00	41.81
極大值	5.74	4.91	18.91	15.73	18.23	0.92	2.70	0.15	2.59	0.00	18.61	69.61	0.00	0.00	61.15
極小值	5.26	2.77	7.96	5.26	11.37	0.41	2.14	0.07	2.06	0.00	18.49	69.56	0.00	0.00	18.55
平均值	5.54	3.28	11.32	8.23	13.95	0.62	2.31	0.10	2.21	0.00	18.55	69.60	0.00	0.00	36.40
標準差	0.13	0.58	2.77	2.69	1.45	0.19	0.15	0.02	0.15	0	0.04	0.02	0	0	13.27

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.39	3.12	9.57	6.59	14.01	0.48	2.43	0.09	2.34	0.00	18.59	69.61	0.00	0.00	44.24
010000	5.32	3.18	10.12	7.08	13.38	0.49	2.50	0.11	2.39	0.00	18.61	69.61	0.00	0.00	44.84
020000	5.51	3.27	12.04	8.94	12.88	0.51	2.56	0.12	2.44	0.00	18.62	69.61	0.00	0.00	48.41
030000	5.56	3.69	13.56	10.12	14.20	0.52	2.88	0.13	2.75	0.00	18.62	69.61	0.00	0.00	52.78
040000	5.66	4.58	15.73	11.48	13.23	0.53	3.24	0.15	3.09	0.00	18.61	69.61	0.00	0.00	55.62
050000	5.73	5.08	14.87	10.09	12.90	0.52	3.15	0.14	3.01	0.00	18.62	69.61	0.00	0.00	57.88
060000	5.64	4.63	11.95	7.56	13.87	0.48	2.76	0.11	2.65	0.00	18.63	69.61	0.00	0.00	52.39
070000	5.57	5.83	13.52	7.94	13.46	0.50	2.72	0.13	2.59	0.00	18.59	69.61	0.00	0.00	47.37
080000	5.75	9.63	18.71	9.49	14.44	0.53	2.70	0.14	2.56	0.00	18.60	69.61	0.00	0.00	51.67
090000	5.76	6.75	15.84	9.43	13.93	0.51	2.51	0.12	2.39	0.00	18.55	69.61	0.00	0.00	52.44
100000	5.85	3.33	9.96	6.77	14.68	0.49	2.32	0.12	2.20	0.00	18.53	69.61	0.00	0.00	55.20
110000	5.97	2.94	10.11	7.34	20.96	0.54	2.31	0.15	2.16	0.00	18.54	69.62	0.00	0.00	71.46
120000	6.07	2.84	10.71	8.02	26.10	0.58	2.24	0.17	2.07	0.00	18.55	69.64	0.00	0.00	92.28
130000	6.32	3.01	12.41	9.59	28.86	0.62	2.22	0.15	2.07	0.00	18.48	69.63	0.00	0.00	87.74
140000	6.84	3.00	17.11	14.40	38.75	0.70	2.28	0.17	2.11	0.00	18.46	69.61	0.00	0.00	92.11
150000	6.75	2.82	14.96	12.38	42.80	0.66	2.25	0.15	2.10	0.00	18.46	69.61	0.00	0.00	142.88
160000	6.45	2.82	13.57	10.99	33.90	0.64	2.23	0.14	2.09	0.00	18.48	69.61	0.00	0.00	133.93
170000	6.32	2.67	13.60	11.20	28.10	0.63	2.21	0.13	2.08	0.00	18.44	69.61	0.00	0.00	120.62
180000	6.27	2.77	13.92	11.40	21.47	0.68	2.23	0.14	2.09	0.00	18.41	69.61	0.00	0.00	118.30
190000	6.05	2.76	14.39	11.88	20.80	0.64	2.39	0.14	2.25	0.00	18.35	69.61	0.00	0.00	120.34
200000	5.93	2.76	11.41	8.84	20.49	0.62	2.49	0.15	2.34	0.00	18.34	69.61	0.00	0.00	129.80
210000	5.65	2.82	12.25	9.63	17.74	0.63	2.50	0.15	2.35	0.00	18.30	69.61	0.00	0.00	126.36
220000	5.60	2.79	11.99	9.39	17.36	0.63	2.70	0.13	2.57	0.00	18.29	69.61	0.00	0.00	112.34
230000	5.88	2.98	15.31	12.60	14.78	0.66	3.05	0.15	2.90	0.00	18.27	69.48	0.00	0.00	117.15
極大值	6.84	9.63	18.71	14.40	42.80	0.70	3.24	0.17	3.09	0.00	18.63	69.64	0.00	0.00	142.88
極小值	5.32	2.67	9.57	6.59	12.88	0.48	2.21	0.09	2.07	0.00	18.27	69.48	0.00	0.00	44.24
平均值	5.91	3.75	13.23	9.71	20.13	0.57	2.54	0.14	2.40	0.00	18.50	69.61	0.00	0.00	84.51
標準差	0.41	1.66	2.38	2.04	8.66	0.07	0.31	0.02	0.31	0	0.12	0.03	0	0	34.86

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	6.02	3.20	15.51	12.59	13.74	0.59	3.59	0.20	3.39	0.00	18.25	69.33	0.00	0.00	122.01
010000	5.80	3.01	13.21	10.41	13.18	0.64	3.58	0.19	3.39	0.00	18.26	69.33	0.00	0.00	117.80
020000	5.64	3.13	11.87	8.93	14.13	0.61	3.32	0.17	3.15	0.00	18.26	69.33	0.00	0.00	123.83
030000	5.54	3.04	10.63	7.76	12.35	0.51	3.07	0.13	2.94	0.00	18.28	69.33	0.00	0.00	105.98
040000	5.44	3.03	9.89	6.99	12.91	0.45	2.80	0.12	2.68	0.00	18.29	69.36	0.00	0.00	82.11
050000	5.33	2.84	8.80	6.06	12.23	0.42	2.63	0.11	2.52	0.00	18.31	69.39	0.00	0.00	59.56
060000	5.35	3.29	9.85	6.68	11.98	0.43	2.61	0.11	2.50	0.00	18.31	69.35	0.00	0.00	54.29
070000	5.46	4.27	11.57	7.52	12.81	0.44	2.72	0.12	2.60	0.00	18.29	69.33	0.00	0.00	48.79
080000	5.61	4.16	10.97	7.01	14.03	0.44	2.85	0.12	2.73	0.00	18.29	69.33	0.00	0.00	62.53
090000	5.63	3.92	10.39	6.64	14.92	0.43	2.69	0.12	2.57	0.00	18.30	69.33	0.00	0.00	70.19
100000	5.65	3.20	8.21	5.10	14.07	0.37	2.49	0.10	2.39	0.00	18.30	69.33	0.00	0.00	65.82
110000	5.87	2.83	7.58	4.84	17.57	0.39	2.44	0.10	2.34	0.00	18.36	69.47	0.00	0.00	52.52
120000	5.80	2.87	7.30	4.52	20.64	0.41	2.37	0.09	2.28	0.00	18.44	69.67	0.00	0.00	46.37
130000	5.45	2.76	6.57	3.86	20.49	0.38	2.25	0.08	2.17	0.00	18.44	69.68	0.00	0.00	35.19
140000	5.29	2.72	8.17	5.56	20.77	0.43	2.23	0.09	2.14	0.00	18.45	69.62	0.00	0.00	23.61
150000	5.44	2.79	13.86	11.30	26.62	0.56	2.25	0.15	2.10	0.00	18.45	69.61	0.00	0.00	29.01
160000	5.57	2.80	15.26	12.76	24.13	0.56	2.25	0.17	2.08	0.00	18.45	69.61	0.00	0.00	78.84
170000	5.56	2.82	14.52	11.93	18.98	0.57	2.26	0.17	2.09	0.00	18.42	69.61	0.00	0.00	94.52
180000	5.71	2.79	11.94	9.34	15.97	0.55	2.38	0.15	2.23	0.00	18.44	69.61	0.00	0.00	80.89
190000	5.74	2.85	12.89	10.25	15.25	0.56	2.53	0.15	2.38	0.00	18.42	69.61	0.00	0.00	71.20
200000	5.79	2.85	12.99	10.34	15.20	0.54	2.67	0.13	2.54	0.00	18.45	69.61	0.00	0.00	75.62
210000	5.82	2.92	12.18	9.45	15.22	0.51	2.68	0.12	2.56	0.00	18.45	69.61	0.00	0.00	86.55
220000	5.58	3.09	14.47	11.61	15.49	0.54	2.60	0.13	2.47	0.00	18.48	69.61	0.00	0.00	80.96
230000	5.50	3.09	15.23	12.40	13.15	0.52	2.53	0.12	2.41	0.00	18.44	69.47	0.00	0.00	79.68
極大值	6.02	4.27	15.51	12.76	26.62	0.64	3.59	0.20	3.39	0.00	18.48	69.68	0.00	0.00	123.83
極小值	5.29	2.72	6.57	3.86	11.98	0.37	2.23	0.08	2.08	0.00	18.25	69.33	0.00	0.00	23.61
平均值	5.61	3.09	11.41	8.49	16.08	0.49	2.66	0.13	2.53	0.00	18.37	69.48	0.00	0.00	72.83
標準差	0.19	0.43	2.71	2.8	3.92	0.08	0.39	0.03	0.37	0	0.08	0.14	0	0	27.38

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	8.59	3.15	5.14	1.77	18.20	0.61	2.49	0.34	2.15	30.10	24.00	72.00	45.33	5.80	36.77
010000	8.72	3.16	5.17	1.79	16.82	0.63	2.57	0.36	2.21	30.05	46.09	129.06	53.30	4.51	916.94
020000	8.77	3.08	5.13	1.82	15.63	0.64	2.68	0.36	2.32	30.08	26.09	77.39	53.76	2.74	114.81
030000	8.95	3.10	5.12	1.79	15.13	0.61	2.78	0.35	2.43	29.96	24.00	72.00	92.94	0.89	28.42
040000	9.02	3.08	5.08	1.77	14.11	0.62	2.74	0.36	2.38	29.68	24.00	72.00	127.73	0.70	32.01
050000	9.12	3.08	5.10	1.80	12.49	0.67	2.96	0.42	2.54	29.38	24.00	72.00	65.89	0.16	35.03
060000	9.09	3.11	5.14	1.79	11.90	0.65	2.88	0.37	2.51	29.91	24.00	72.00	93.73	0.89	37.03
070000	9.15	3.12	5.11	1.76	13.48	0.66	2.94	0.38	2.56	31.33	24.00	72.00	119.74	1.16	34.01
080000	9.24	3.11	5.14	1.81	19.81	0.69	2.81	0.44	2.37	32.64	24.00	72.00	226.22	1.34	35.80
090000	9.48	3.13	5.14	1.78	30.37	0.73	2.71	0.48	2.23	33.19	24.00	72.00	273.78	4.65	45.68
100000	9.47	3.11	5.12	1.79	43.30	0.64	2.45	0.33	2.12	33.00	24.00	72.00	283.44	8.77	51.99
110000	9.46	3.15	5.15	1.78	50.09	0.58	2.38	0.30	2.08	33.08	24.00	72.00	293.58	7.36	39.71
120000	9.52	3.14	5.15	1.79	51.30	0.57	2.35	0.29	2.06	33.14	24.00	72.00	287.66	7.62	32.23
130000	9.65	3.09	5.11	1.79	50.47	0.56	2.32	0.27	2.05	33.23	24.00	72.00	287.27	6.40	25.76
140000	9.71	3.12	5.08	1.73	50.75	0.56	2.31	0.26	2.05	32.80	24.00	72.00	293.05	7.40	19.20
150000	9.64	3.12	5.13	1.77	48.41	0.57	2.30	0.26	2.04	32.48	24.00	72.00	300.35	5.15	24.44
160000	9.84	3.09	5.09	1.77	46.28	0.61	2.31	0.27	2.04	32.35	24.00	72.00	290.94	4.27	31.20
170000	9.89	3.13	5.12	1.74	39.57	0.63	2.37	0.32	2.05	31.93	24.00	72.00	221.64	1.86	27.15
180000	9.93	3.14	5.13	1.75	25.54	0.64	2.48	0.34	2.14	31.46	24.00	72.00	133.40	1.34	36.25
190000	9.96	3.18	5.27	1.83	24.68	0.65	2.55	0.34	2.21	31.70	24.00	72.00	122.29	1.03	52.39
200000	9.94	3.17	5.15	1.74	21.48	0.64	2.60	0.34	2.26	31.47	24.00	72.00	92.24	0.86	37.30
210000	10.02	3.13	5.17	1.79	21.01	0.65	2.68	0.33	2.35	31.20	24.00	72.00	150.69	0.07	39.60
220000	10.04	3.16	5.18	1.78	21.83	0.64	2.63	0.31	2.32	31.10	24.00	72.00	81.15	0.22	38.81
230000	9.88	3.12	5.09	1.73	18.80	0.65	2.70	0.32	2.38	30.79	24.00	72.00	168.67	0.26	32.86
極大值	10.04	3.18	5.27	1.83	51.30	0.73	2.96	0.48	2.56	33.23	46.09	129.06	300.35	8.77	916.94
極小值	8.59	3.08	5.08	1.73	11.90	0.56	2.30	0.26	2.04	29.38	24.00	72.00	45.33	0.07	19.20
平均值	9.46	3.12	5.13	1.78	28.39	0.63	2.58	0.34	2.24	31.50	25.01	74.60	173.28	3.14	75.22
標準差	0.45	0.03	0.04	0.03	14.62	0.04	0.21	0.05	0.17	1.28	4.51	11.65	94.72	2.86	180.18

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	10.01	3.13	5.12	1.75	18.09	0.64	2.77	0.32	2.45	30.84	24.00	72.00	72.30	2.36	38.38
010000	10.06	3.14	5.15	1.78	16.98	0.64	2.73	0.32	2.41	30.80	46.19	129.44	206.19	0.08	919.92
020000	10.10	3.17	5.14	1.73	15.87	0.64	2.82	0.33	2.49	30.75	25.67	76.32	269.43	0.07	101.55
030000	10.21	3.15	5.14	1.75	15.23	0.63	2.95	0.32	2.63	30.76	24.00	72.00	250.81	0.15	32.99
040000	10.32	3.13	5.16	1.78	13.86	0.63	3.02	0.32	2.70	30.64	24.00	72.00	105.81	2.65	34.80
050000	10.25	3.17	5.12	1.72	13.75	0.65	3.07	0.33	2.74	30.73	24.00	72.00	74.12	5.45	32.35
060000	10.37	3.09	5.04	1.74	15.40	0.66	2.92	0.35	2.57	31.01	24.00	72.00	54.63	5.08	42.86
070000	10.36	3.13	5.12	1.78	17.56	0.67	2.89	0.36	2.53	32.57	24.00	72.00	132.10	2.31	36.97
080000	10.44	3.18	5.17	1.75	24.45	0.64	2.68	0.36	2.32	33.16	24.00	72.00	133.99	2.19	35.11
090000	10.52	3.16	5.15	1.75	32.11	0.60	2.49	0.33	2.16	33.59	24.00	72.00	221.55	2.35	32.98
100000	10.60	3.16	5.13	1.71	43.36	0.63	2.49	0.34	2.15	33.85	24.00	72.00	257.90	2.30	32.99
110000	10.68	3.10	5.15	1.82	62.08	0.72	2.52	0.37	2.15	33.67	24.00	72.00	282.21	6.21	33.75
120000	10.80	3.10	5.11	1.76	62.15	0.88	2.54	0.37	2.17	33.78	24.00	72.00	292.30	8.04	48.37
130000	10.77	3.13	5.13	1.77	57.38	0.83	2.44	0.35	2.09	34.02	24.00	72.00	279.84	6.34	52.18
140000	10.79	3.11	5.06	1.72	56.31	0.74	2.49	0.37	2.12	34.56	24.00	72.00	220.35	2.78	52.19
150000	10.94	3.18	5.12	1.71	63.38	0.66	2.34	0.27	2.07	32.92	24.00	72.00	274.78	12.27	44.16
160000	10.89	3.17	5.11	1.72	59.99	0.65	2.32	0.26	2.06	32.53	24.00	72.00	287.04	9.93	44.96
170000	10.96	3.09	5.06	1.71	52.43	0.62	2.29	0.25	2.04	32.46	24.00	72.00	296.21	5.00	43.94
180000	10.98	3.11	5.15	1.81	47.44	0.59	2.29	0.25	2.04	32.31	24.00	72.00	293.52	4.63	30.55
190000	11.02	3.17	5.22	1.79	45.52	0.59	2.28	0.25	2.03	31.53	24.00	72.00	290.79	4.22	28.28
200000	11.15	3.15	5.11	1.73	40.78	0.61	2.31	0.26	2.05	31.29	24.00	72.00	296.85	3.66	27.49
210000	11.09	3.11	5.12	1.77	33.59	0.61	2.36	0.28	2.08	31.12	24.00	72.00	216.70	1.52	30.98
220000	11.07	3.16	5.18	1.79	28.02	0.63	2.39	0.29	2.10	31.14	24.00	72.00	223.77	0.51	27.56
230000	11.12	3.11	5.12	1.78	22.13	0.62	2.54	0.34	2.20	30.94	24.00	72.00	77.49	2.74	32.05
極大值	11.15	3.18	5.22	1.82	63.38	0.88	3.07	0.37	2.74	34.56	46.19	129.44	296.85	12.27	919.92
極小值	10.01	3.09	5.04	1.71	13.75	0.59	2.28	0.25	2.03	30.64	24.00	72.00	54.63	0.07	27.49
平均值	10.65	3.14	5.13	1.76	35.74	0.66	2.58	0.32	2.26	32.12	24.99	74.57	212.94	3.87	76.56
標準差	0.37	0.03	0.04	0.03	18.42	0.07	0.26	0.04	0.23	1.3	4.53	11.72	84.72	3.08	180.27

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m / s)	(ug / m)
000000	11.08	3.09	5.12	1.80	18.45	0.69	2.87	0.34	2.53	30.85	24.00	72.00	48.38	7.32	26.32
010000	11.10	3.17	5.20	1.78	16.57	0.73	2.91	0.36	2.55	30.64	46.07	129.07	112.28	1.59	914.54
020000	11.17	3.12	5.14	1.76	15.56	0.73	2.88	0.37	2.51	30.56	26.16	77.59	139.86	1.01	147.72
030000	11.26	3.16	5.18	1.78	13.61	0.73	2.88	0.36	2.52	30.05	24.00	72.00	165.97	0.07	57.45
040000	11.17	3.15	5.18	1.79	13.30	0.71	2.96	0.36	2.60	30.08	24.00	72.00	63.07	3.00	46.81
050000	11.26	3.14	5.18	1.83	12.86	0.68	3.04	0.35	2.69	29.93	24.00	72.00	114.74	1.06	39.80
060000	11.39	3.11	5.11	1.77	13.41	0.65	2.94	0.32	2.62	30.44	24.00	72.00	56.80	1.54	26.68
070000	11.30	3.13	5.13	1.74	13.91	0.68	2.92	0.34	2.58	31.64	24.00	72.00	55.77	2.65	35.38
080000	11.34	3.14	5.18	1.81	22.14	0.69	2.57	0.36	2.21	33.03	24.00	72.00	202.74	1.03	32.64
090000	11.29	3.11	5.15	1.80	35.99	0.70	2.61	0.38	2.23	33.48	24.00	72.00	268.34	2.82	38.44
100000	11.50	3.14	5.17	1.78	44.32	0.69	2.52	0.37	2.15	33.85	24.00	72.00	271.66	5.11	39.17
110000	11.43	3.09	5.14	1.83	46.02	0.68	2.44	0.34	2.10	33.56	24.00	72.00	267.17	5.91	45.51
120000	11.55	3.11	5.13	1.78	49.86	0.65	2.38	0.30	2.08	33.34	24.00	72.00	291.51	8.28	42.50
130000	11.66	3.14	5.15	1.76	53.29	0.65	2.37	0.26	2.11	32.29	24.00	72.00	293.49	8.20	31.76
140000	11.72	3.16	5.14	1.73	51.58	0.63	2.37	0.25	2.12	32.13	24.00	72.00	296.90	5.75	47.04
150000	11.88	3.16	5.15	1.76	43.91	0.66	2.37	0.28	2.09	32.23	24.00	72.00	293.38	4.52	37.07
160000	11.69	3.19	5.24	1.81	43.46	0.67	2.34	0.27	2.07	32.16	24.00	72.00	298.00	4.12	32.57
170000	11.84	3.14	5.21	1.87	38.89	0.68	2.37	0.29	2.08	31.91	24.00	72.00	281.29	1.95	29.86
180000	11.83	3.18	5.16	1.76	32.76	0.68	2.42	0.31	2.11	31.74	24.00	72.00	187.84	0.28	41.02
190000	11.78	3.21	5.15	1.69	27.63	0.70	2.50	0.34	2.16	31.61	24.00	72.00	67.87	0.08	42.54
200000	11.84	3.13	5.12	1.75	21.84	0.68	2.55	0.32	2.23	30.86	24.00	72.00	188.98	0.29	46.85
210000	11.93	3.15	5.13	1.74	22.29	0.65	2.58	0.30	2.28	30.38	24.00	72.00	78.20	1.23	39.19
220000	11.96	3.12	5.22	1.86	22.46	0.65	2.53	0.30	2.23	30.23	24.00	72.00	59.21	3.49	31.74
230000	11.90	3.10	5.18	1.83	18.17	0.66	2.66	0.32	2.34	30.07	24.00	72.00	43.12	5.71	36.79
極大值	11.96	3.21	5.24	1.87	53.29	0.73	3.04	0.38	2.69	33.85	46.07	129.07	298.00	8.28	914.54
極小值	11.08	3.09	5.11	1.69	12.86	0.63	2.34	0.25	2.07	29.93	24.00	72.00	43.12	0.07	26.32
平均值	11.54	3.14	5.16	1.78	28.84	0.68	2.62	0.32	2.30	31.54	25.01	74.61	172.77	3.21	79.56
標準差	0.29	0.03	0.03	0.04	14.17	0.03	0.23	0.04	0.21	1.26	4.51	11.66	99.51	2.61	179.38

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	11.91	3.10	5.11	1.75	16.60	0.70	3.05	0.35	2.70	30.04	24.00	72.00	58.91	6.66	34.04
010000	11.98	3.17	5.19	1.79	14.45	0.72	3.26	0.37	2.89	29.83	46.07	129.02	53.29	3.57	915.25
020000	11.93	3.11	5.12	1.78	13.82	0.72	3.32	0.38	2.94	29.68	26.08	77.39	162.48	1.24	131.89
030000	11.95	3.17	5.11	1.71	12.45	0.71	3.75	0.38	3.37	29.27	24.00	72.00	215.86	0.66	42.38
040000	12.04	3.13	5.13	1.77	13.41	0.71	3.41	0.38	3.03	29.38	24.00	72.00	32.21	6.95	45.88
050000	12.11	3.20	5.13	1.70	12.83	0.71	3.26	0.38	2.88	29.30	24.00	72.00	47.97	5.60	48.14
060000	12.22	3.16	5.16	1.75	12.53	0.73	3.06	0.38	2.68	29.49	24.00	72.00	35.13	6.64	58.32
070000	12.26	3.14	5.16	1.79	13.63	0.79	3.14	0.42	2.72	30.64	24.00	72.00	51.16	4.76	49.81
080000	10.11	3.17	5.16	1.77	20.96	0.74	2.86	0.37	2.49	31.78	24.00	72.00	46.96	6.40	54.40
090000	3.14	3.17	5.16	1.76	30.14	0.67	2.57	0.35	2.22	33.01	24.00	72.00	86.50	3.74	43.70
100000	3.18	3.15	5.21	1.82	36.51	0.66	2.50	0.35	2.15	34.08	24.00	72.00	184.28	2.27	37.48
110000	3.14	3.20	5.23	1.81	56.47	0.75	2.60	0.41	2.19	33.82	24.00	72.00	270.32	6.16	38.55
120000	3.21	3.17	5.14	1.77	74.40	0.88	2.55	0.38	2.17	33.51	24.00	72.00	289.42	8.55	61.26
130000	3.33	3.21	5.17	1.76	60.63	0.68	2.39	0.29	2.10	32.95	24.00	72.00	289.20	9.11	64.01
140000	3.42	3.16	5.09	1.71	56.00	0.66	2.40	0.31	2.09	33.01	24.00	72.00	289.92	7.44	39.96
150000	3.43	3.14	5.12	1.78	46.64	0.65	2.37	0.29	2.08	32.47	24.00	72.00	293.21	7.72	33.92
160000	3.51	3.13	5.12	1.77	41.60	0.69	2.36	0.30	2.06	32.20	24.00	72.00	294.94	4.91	33.77
170000	3.51	3.17	5.17	1.78	33.06	0.70	2.38	0.32	2.06	31.98	24.00	72.00	280.01	3.68	36.01
180000	3.53	3.09	5.14	1.81	26.94	0.68	2.42	0.36	2.06	31.82	24.00	72.00	84.97	0.27	51.26
190000	3.53	3.22	5.19	1.76	32.14	0.67	2.47	0.32	2.15	31.33	24.00	72.00	145.98	1.03	35.86
200000	3.55	3.10	5.12	1.82	28.05	0.65	2.55	0.32	2.23	31.07	24.00	72.00	80.68	4.57	41.88
210000	3.56	3.10	5.09	1.76	20.72	0.62	2.92	0.34	2.58	30.72	24.00	72.00	160.70	3.43	41.32
220000	3.58	3.15	5.13	1.75	18.32	0.63	2.75	0.35	2.40	30.65	24.00	72.00	59.70	6.90	43.20
230000	3.61	3.08	5.11	1.80	18.50	0.65	2.74	0.37	2.37	30.40	24.00	72.00	44.50	10.75	49.25
極大值	12.26	3.22	5.23	1.82	74.40	0.88	3.75	0.42	3.37	34.08	46.07	129.02	294.94	10.75	915.25
極小值	3.14	3.08	5.09	1.70	12.45	0.62	2.36	0.29	2.06	29.27	24.00	72.00	32.21	0.27	33.77
平均值	6.57	3.15	5.14	1.77	29.62	0.70	2.80	0.35	2.44	31.35	25.01	74.60	148.26	5.13	84.65
標準差	4.18	0.04	0.04	0.03	17.86	0.06	0.4	0.04	0.38	1.53	4.51	11.64	103.18	2.79	178.01

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	3.53	3.13	5.16	1.79	17.50	0.64	3.00	0.33	2.67	30.18	24.00	72.00	20.47	12.92	46.20
010000	3.65	3.04	5.05	1.76	19.11	0.64	2.83	0.31	2.52	30.02	46.10	129.07	21.38	12.00	917.75
020000	3.76	3.14	5.11	1.71	17.21	0.64	2.79	0.33	2.46	29.95	26.08	77.38	39.52	5.75	127.87
030000	3.71	3.11	5.05	1.69	15.57	0.65	2.86	0.33	2.53	29.89	24.00	72.00	58.38	4.62	43.13
040000	3.81	3.12	5.06	1.69	13.93	0.65	3.18	0.34	2.84	29.56	24.00	72.00	107.09	4.07	46.73
050000	3.91	3.09	5.11	1.78	12.67	0.64	2.87	0.35	2.52	29.23	24.00	72.00	154.20	0.33	40.33
060000	3.94	3.12	5.09	1.74	12.94	0.65	2.80	0.36	2.44	29.74	24.00	72.00	137.64	0.46	37.22
070000	4.03	3.14	5.11	1.74	14.12	0.67	2.80	0.37	2.43	31.20	24.00	72.00	132.37	0.65	33.62
080000	4.09	3.14	5.11	1.74	19.85	0.69	2.77	0.40	2.37	32.02	24.00	72.00	80.63	6.45	41.61
090000	4.08	3.13	5.10	1.72	31.51	0.72	2.63	0.41	2.22	32.63	24.00	72.00	82.67	6.89	56.47
100000	4.10	3.11	5.15	1.81	36.87	0.92	2.68	0.47	2.21	33.43	24.00	72.00	69.37	6.57	62.10
110000	4.13	3.13	5.18	1.83	49.40	0.98	2.66	0.46	2.20	33.80	24.00	72.00	140.30	7.54	77.70
120000	4.12	3.09	5.06	1.74	59.44	0.77	2.53	0.41	2.12	34.37	24.00	72.00	276.39	4.77	67.04
130000	4.07	3.13	5.15	1.77	58.08	0.75	2.50	0.40	2.10	34.86	24.00	72.00	286.19	7.67	69.74
140000	4.31	3.17	5.17	1.74	55.32	0.72	2.48	0.40	2.08	34.89	24.00	72.00	275.16	6.19	64.64
150000	4.39	3.12	5.12	1.75	42.43	0.74	2.43	0.39	2.04	34.18	24.00	72.00	278.74	9.99	48.31
160000	4.39	3.13	5.12	1.74	47.82	0.61	2.29	0.28	2.01	33.07	24.00	72.00	276.00	9.99	34.99
170000	4.52	3.13	5.13	1.73	47.82	0.62	2.28	0.27	2.01	32.51	24.00	72.00	293.23	6.62	46.80
180000	4.56	3.17	5.18	1.76	42.90	0.60	2.29	0.27	2.02	32.31	24.00	72.00	291.12	3.90	43.55
190000	4.50	3.09	5.07	1.73	38.67	0.60	2.30	0.28	2.02	32.09	24.00	72.00	280.42	1.73	43.37
200000	4.61	3.11	5.16	1.80	25.07	0.62	2.36	0.30	2.06	31.27	24.00	72.00	161.57	0.13	42.28
210000	4.51	3.15	5.12	1.74	20.81	0.66	2.56	0.33	2.23	31.07	24.00	72.00	70.70	0.61	43.30
220000	4.49	3.12	5.12	1.77	19.91	0.65	2.62	0.32	2.30	30.82	24.00	72.00	58.15	0.08	41.84
230000	4.49	3.03	5.09	1.84	17.39	0.69	2.71	0.36	2.35	30.77	24.00	72.00	97.60	0.27	46.63
極大值	4.61	3.17	5.18	1.84	59.44	0.98	3.18	0.47	2.84	34.89	46.10	129.07	293.23	12.92	917.75
極小值	3.53	3.03	5.05	1.69	12.67	0.60	2.28	0.27	2.01	29.23	24.00	72.00	20.47	0.08	33.62
平均值	4.15	3.12	5.12	1.75	30.68	0.69	2.63	0.35	2.28	31.83	25.01	74.60	153.72	5.01	88.47
標準差	0.32	0.03	0.04	0.04	16.1	0.09	0.24	0.06	0.23	1.78	4.51	11.65	99.9	3.91	177.74

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	4.49	3.13	5.11	1.74	14.50	0.66	2.80	0.39	2.41	30.48	24.00	72.00	77.26	0.08	46.37
010000	4.57	3.11	5.12	1.76	14.09	0.64	2.92	0.35	2.57	30.39	46.10	129.08	43.36	1.95	917.79
020000	4.67	3.05	5.08	1.79	13.65	0.64	3.05	0.07	2.98	30.36	26.12	77.48	42.23	3.02	125.75
030000	4.48	3.14	5.18	1.80	12.89	0.64	0.12	0.12	0.00	30.06	24.00	72.00	81.82	0.08	44.54
040000	4.54	3.09	5.07	1.74	13.25	0.66	0.12	0.12	0.00	30.08	24.00	72.00	56.29	1.77	42.15
050000	4.69	3.16	5.14	1.75	13.60	0.68	0.12	0.12	0.00	30.13	24.00	72.00	64.41	1.31	43.27
060000	4.78	3.10	5.13	1.78	13.40	0.70	0.12	0.12	0.00	30.30	24.00	72.00	48.35	5.50	38.86
070000	4.83	3.09	5.11	1.79	13.77	0.74	0.12	0.12	0.00	31.54	24.00	72.00	92.47	5.31	51.22
080000	3.94	3.13	5.16	1.81	25.89	0.69	1.92	-0.42	2.34	32.96	24.00	72.00	86.35	4.21	52.15
090000	3.56	3.16	5.18	1.78	30.89	0.77	2.68	0.39	2.29	34.12	24.00	72.00	178.07	1.88	50.00
100000	3.46	3.15	5.14	1.76	41.26	0.80	2.63	0.41	2.22	33.77	24.00	72.00	283.17	6.51	53.73
110000	3.56	3.16	5.20	1.82	49.64	0.64	2.44	0.33	2.11	33.44	24.00	72.00	287.56	7.18	56.88
120000	3.57	3.09	5.13	1.82	48.20	0.60	2.38	0.29	2.09	33.25	24.00	72.00	293.90	7.41	45.49
130000	3.58	3.13	5.15	1.77	49.62	0.62	2.37	0.30	2.07	33.61	24.00	72.00	291.43	7.45	35.60
140000	3.62	3.11	5.14	1.80	45.17	0.63	2.39	0.32	2.07	33.64	24.00	72.00	288.73	9.22	40.40
150000	3.66	3.08	5.10	1.78	40.84	0.62	2.42	0.36	2.06	33.12	24.00	72.00	290.13	8.38	41.41
160000	3.68	3.13	5.16	1.78	35.36	0.62	2.34	0.30	2.04	32.65	24.00	72.00	288.39	5.68	34.92
170000	3.72	3.17	5.14	1.73	37.63	0.65	2.40	0.35	2.05	32.30	24.00	72.00	289.46	5.68	30.72
180000	3.68	3.12	5.12	1.76	38.37	0.59	2.32	0.28	2.04	32.18	24.00	72.00	283.93	4.64	30.39
190000	3.68	3.07	5.13	1.83	31.01	0.63	2.32	0.29	2.03	31.80	24.00	72.00	230.08	1.96	31.23
200000	3.63	3.10	5.14	1.81	20.88	0.63	2.43	0.37	2.06	31.21	24.00	72.00	63.68	1.01	28.91
210000	3.68	3.15	5.14	1.77	19.52	0.65	2.59	0.34	2.25	31.05	24.00	72.00	97.96	0.23	37.16
220000	3.64	3.16	5.15	1.75	18.26	0.65	2.69	0.34	2.35	30.77	24.00	72.00	225.62	0.08	37.98
230000	3.60	3.11	5.12	1.79	16.74	0.65	2.78	0.32	2.46	30.58	24.00	72.00	194.00	0.08	31.06
極大值	4.83	3.17	5.20	1.83	49.64	0.80	3.05	0.41	2.98	34.12	46.10	129.08	293.90	9.22	917.79
極小值	3.46	3.05	5.07	1.73	12.89	0.59	0.12	-0.42	0.00	30.06	24.00	72.00	42.23	0.08	28.91
平均值	3.97	3.12	5.14	1.78	27.43	0.66	2.02	0.25	1.77	31.82	25.01	74.61	174.11	3.78	81.17
標準差	0.49	0.03	0.03	0.03	13.58	0.05	1.02	0.18	0.95	1.4	4.51	11.66	104.38	2.99	179.21

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	3.70	3.10	5.12	1.78	16.73	0.68	2.47	0.27	2.20	30.50	24.00	72.00	112.27	0.37	28.38
010000	3.75	3.16	5.08	1.71	15.19	0.67	2.72	0.26	2.46	30.47	46.13	129.18	69.05	0.37	917.64
020000	3.67	3.10	5.10	1.77	13.61	0.67	2.80	0.25	2.55	30.39	26.02	77.21	71.69	1.40	108.72
030000	3.78	3.07	5.07	1.79	13.29	0.65	2.76	0.25	2.51	30.35	24.00	72.00	39.19	2.34	28.34
040000	3.72	3.11	5.15	1.80	12.98	0.66	2.72	0.24	2.48	30.57	24.00	72.00	90.85	0.36	33.51
050000	3.87	3.10	5.13	1.81	13.39	0.66	2.84	0.23	2.61	30.66	24.00	72.00	93.60	1.75	39.42
060000	3.89	3.21	5.14	1.72	12.41	0.69	3.07	0.24	2.83	30.88	24.00	72.00	289.01	0.08	32.76
070000	3.83	3.15	5.15	1.78	13.83	0.73	3.11	0.26	2.85	32.36	24.00	72.00	145.98	0.17	37.03
080000	3.81	3.13	5.15	1.78	23.14	0.68	2.60	0.25	2.35	34.05	24.00	72.00	206.43	0.47	38.15
090000	3.95	3.11	5.08	1.75	32.14	0.65	2.31	0.24	2.07	34.05	24.00	72.00	98.52	1.33	40.03
100000	3.90	3.13	5.15	1.77	37.18	0.66	2.17	0.24	1.93	34.55	24.00	72.00	178.55	3.36	40.39
110000	3.93	3.14	5.19	1.84	47.63	0.66	2.11	0.23	1.88	34.64	24.00	72.00	282.43	6.88	41.32
120000	4.09	3.22	5.19	1.74	57.08	0.66	2.09	0.24	1.85	34.32	24.00	72.00	291.40	7.70	51.22
130000	4.15	3.17	5.18	1.79	43.98	0.76	2.07	0.22	1.85	34.32	24.00	72.00	284.35	8.78	51.01
140000	4.08	3.17	5.16	1.77	31.50	0.73	2.08	0.23	1.85	33.76	24.00	72.00	297.39	9.29	301.63
150000	4.15	3.09	5.11	1.78	47.66	0.69	2.09	0.23	1.86	33.50	24.00	72.00	292.01	6.60	429.58
160000	4.31	3.16	5.11	1.74	37.92	0.83	2.09	0.22	1.87	33.03	24.00	72.00	286.05	5.73	82.80
170000	4.23	3.10	5.12	1.80	32.98	0.89	2.08	0.21	1.87	32.70	24.00	72.00	183.94	0.87	54.48
180000	4.27	3.19	5.18	1.75	30.97	0.72	2.12	0.21	1.91	32.49	24.00	72.00	108.58	0.96	45.25
190000	4.32	3.14	5.10	1.74	26.91	0.69	2.21	0.18	2.03	32.24	24.00	72.00	110.71	0.87	50.33
200000	4.25	3.13	5.14	1.77	25.36	0.68	2.14	0.18	1.96	32.14	24.00	72.00	81.39	2.80	49.43
210000	4.24	3.14	5.20	1.81	22.99	0.73	2.15	0.18	1.97	31.77	24.00	72.00	111.81	0.10	46.24
220000	4.36	3.17	5.14	1.73	23.17	0.70	2.14	0.18	1.96	31.60	24.00	72.00	75.37	0.07	53.12
230000	4.28	3.08	5.09	1.77	21.94	0.71	2.20	0.19	2.01	31.56	24.00	72.00	226.62	0.07	57.05
極大值	4.36	3.22	5.20	1.84	57.08	0.89	3.11	0.27	2.85	34.64	46.13	129.18	297.39	9.29	917.64
極小值	3.67	3.07	5.07	1.71	12.41	0.65	2.07	0.18	1.85	30.35	24.00	72.00	39.19	0.07	28.34
平均值	4.02	3.14	5.13	1.77	27.25	0.70	2.38	0.23	2.15	32.37	25.01	74.60	167.80	2.61	110.74
標準差	0.23	0.04	0.04	0.03	12.89	0.06	0.35	0.03	0.33	1.5	4.52	11.67	90.76	3.07	195.44

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	4.26	3.15	5.17	1.81	19.80	0.72	2.32	0.11	2.21	31.38	24.00	72.00	83.23	0.07	55.24
010000	4.31	3.07	5.03	1.74	16.40	0.71	2.31	0.12	2.19	31.04	46.05	128.90	108.97	0.48	917.11
020000	4.45	3.15	5.08	1.71	17.90	0.70	2.28	0.10	2.18	30.83	26.05	77.29	207.62	0.07	125.98
030000	4.52	3.12	5.10	1.76	16.00	0.69	2.45	0.09	2.36	30.76	24.00	72.00	94.93	0.07	48.20
040000	4.45	3.15	5.18	1.81	14.03	0.68	2.43	0.09	2.34	30.65	24.00	72.00	95.36	0.07	39.95
050000	4.57	3.12	5.08	1.74	14.21	0.69	2.52	0.10	2.42	30.68	24.00	72.00	133.88	0.11	36.18
060000	4.61	3.09	5.15	1.84	13.54	0.71	2.45	0.09	2.36	30.96	24.00	72.00	111.59	0.07	42.45
070000	4.63	3.14	5.20	1.81	13.96	0.72	2.24	0.10	2.14	31.41	24.00	72.00	83.10	0.24	38.25
080000	4.66	3.08	5.14	1.82	15.72	0.73	2.21	0.09	2.12	32.08	24.00	72.00	181.48	0.07	39.96
090000	4.68	3.13	5.15	1.79	22.96	0.72	2.23	0.12	2.11	32.79	24.00	72.00	276.87	2.26	50.60
100000	4.70	3.15	5.16	1.76	32.25	0.74	2.25	0.17	2.08	33.08	24.00	72.00	283.15	5.37	64.78
110000	4.76	3.13	5.12	1.76	27.20	1.05	2.24	0.17	2.07	33.10	24.00	72.00	276.68	4.91	46.62
120000	4.80	3.20	5.17	1.76	37.65	0.80	2.19	0.13	2.06	33.77	24.00	72.00	272.12	3.68	56.86
130000	4.81	3.15	5.21	1.83	36.97	0.62	2.18	0.12	2.06	33.69	24.00	72.00	281.50	5.16	34.51
140000	4.96	3.16	5.13	1.73	40.98	0.61	2.18	0.11	2.07	33.63	24.00	72.00	287.28	5.76	28.06
150000	4.83	3.13	5.10	1.73	39.54	0.60	2.19	0.11	2.08	33.21	24.00	72.00	282.61	6.92	38.12
160000	4.88	3.12	5.08	1.73	34.96	0.58	2.19	0.09	2.10	32.58	24.00	72.00	288.09	5.79	33.66
170000	4.93	3.10	5.08	1.73	27.00	0.70	2.20	0.09	2.11	32.19	24.00	72.00	284.91	4.23	39.25
180000	4.91	3.08	5.05	1.76	24.36	0.82	2.22	0.11	2.11	32.10	24.00	72.00	286.18	3.07	41.49
190000	4.96	3.11	5.11	1.77	18.82	0.89	2.24	0.09	2.15	31.98	24.00	72.00	260.82	0.27	34.32
200000	5.07	3.15	5.14	1.76	19.08	0.76	2.25	0.09	2.16	31.81	24.00	72.00	178.31	1.08	29.90
210000	5.04	3.14	5.11	1.74	15.87	0.69	2.31	0.07	2.24	31.24	24.00	72.00	105.26	0.07	37.13
220000	5.04	3.13	5.11	1.75	14.94	0.64	2.62	0.09	2.53	31.01	24.00	72.00	112.73	1.41	36.78
230000	4.85	3.08	5.08	1.76	13.32	0.65	2.66	0.14	2.52	30.71	24.00	72.00	149.79	2.79	43.03
極大值	5.07	3.20	5.21	1.84	40.98	1.05	2.66	0.17	2.53	33.77	46.05	128.90	288.09	6.92	917.11
極小值	4.26	3.07	5.03	1.71	13.32	0.58	2.18	0.07	2.06	30.65	24.00	72.00	83.10	0.07	28.06
平均值	4.74	3.13	5.12	1.77	22.81	0.72	2.31	0.11	2.20	31.94	25.00	74.59	196.94	2.25	81.60
標準差	0.23	0.03	0.05	0.04	9.38	0.1	0.14	0.02	0.14	1.06	4.5	11.62	83.56	2.38	179

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.08	3.14	5.13	1.76	15.13	0.66	2.29	0.23	2.06	30.89	24.00	72.00	66.64	7.48	34.96
010000	4.97	3.14	5.13	1.76	13.38	0.68	2.27	0.23	2.04	30.67	46.48	130.08	193.24	0.84	932.25
020000	5.08	3.10	5.10	1.75	14.18	0.67	2.28	0.23	2.05	30.28	25.67	76.30	223.14	0.07	101.75
030000	4.99	3.14	5.15	1.77	14.87	0.63	2.45	0.24	2.21	30.35	24.00	72.00	144.99	0.12	28.39
040000	5.29	3.14	5.06	1.68	16.42	0.62	2.54	0.24	2.30	30.56	24.00	72.00	277.35	0.23	24.93
050000	5.18	3.10	5.11	1.75	17.20	0.63	2.52	0.25	2.27	30.54	24.00	72.00	255.42	0.47	39.05
060000	5.22	3.11	5.04	1.70	14.89	0.61	2.55	0.25	2.30	30.41	24.00	72.00	34.45	1.14	37.87
070000	5.32	3.09	5.09	1.76	15.21	0.65	2.76	0.26	2.50	31.17	24.00	72.00	90.86	7.92	31.28
080000	5.30	3.11	5.11	1.78	21.34	0.68	2.52	0.27	2.25	31.96	24.00	72.00	49.04	14.09	40.22
090000	5.34	3.13	5.14	1.76	26.56	0.74	2.33	0.24	2.09	32.60	24.00	72.00	54.89	7.96	52.53
100000	5.39	3.15	5.18	1.78	34.21	0.70	2.33	0.26	2.07	33.85	24.00	72.00	222.39	1.18	66.43
110000	5.40	3.13	5.15	1.78	41.33	0.67	2.24	0.26	1.98	34.77	24.00	72.00	211.78	2.81	56.40
120000	5.52	3.08	5.08	1.76	62.44	0.78	2.20	0.25	1.95	34.17	24.00	72.00	286.85	7.38	61.27
130000	5.54	3.17	5.16	1.72	62.97	0.82	2.22	0.26	1.96	34.07	24.00	72.00	293.43	8.08	67.19
140000	5.56	3.14	5.11	1.74	62.06	0.71	2.19	0.24	1.95	33.51	24.00	72.00	290.32	9.19	65.40
150000	5.49	3.11	5.06	1.71	55.31	0.71	2.15	0.21	1.94	32.96	24.00	72.00	293.31	7.17	56.69
160000	5.59	3.15	5.11	1.71	40.69	0.98	2.18	0.23	1.95	32.52	24.00	72.00	286.65	4.71	44.47
170000	5.73	3.06	5.06	1.74	30.40	0.96	2.18	0.22	1.96	32.07	24.00	72.00	287.74	1.97	37.47
180000	5.72	3.11	5.13	1.79	23.87	0.89	2.19	0.22	1.97	31.61	24.00	72.00	210.28	0.41	37.90
190000	5.72	3.13	5.08	1.69	18.13	0.85	2.23	0.23	2.00	31.03	24.00	72.00	151.56	0.54	46.01
200000	5.70	3.11	5.17	1.82	19.75	0.76	2.42	0.24	2.18	30.95	24.00	72.00	94.55	4.64	45.87
210000	5.82	3.10	5.14	1.79	20.48	0.78	2.73	0.22	2.51	31.13	24.00	72.00	58.11	7.21	52.57
220000	5.71	3.16	5.12	1.70	19.93	0.79	2.47	0.23	2.24	30.97	24.00	72.00	270.27	0.58	56.54
230000	5.88	3.13	5.11	1.73	20.09	0.75	2.38	0.24	2.14	30.99	24.00	72.00	167.80	1.03	50.67
極大值	5.88	3.17	5.18	1.82	62.97	0.98	2.76	0.27	2.51	34.77	46.48	130.08	293.43	14.09	932.25
極小值	4.97	3.06	5.04	1.68	13.38	0.61	2.15	0.21	1.94	30.28	24.00	72.00	34.45	0.07	24.93
平均值	5.44	3.12	5.11	1.75	28.37	0.74	2.36	0.24	2.12	31.83	25.01	74.60	188.13	4.05	86.17
標準差	0.27	0.03	0.04	0.04	16.73	0.1	0.18	0.02	0.17	1.39	4.59	11.85	92.99	3.93	180.95

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.71	3.15	5.08	1.65	15.83	0.75	2.26	0.20	2.06	30.72	24.00	72.00	130.15	2.50	58.19
010000	5.84	3.10	5.09	1.74	14.67	0.71	2.55	0.20	2.35	30.73	46.43	129.91	116.86	2.58	932.77
020000	5.74	3.05	5.09	1.79	13.56	0.67	2.39	0.21	2.18	30.61	25.73	76.45	47.41	7.89	131.64
030000	5.80	3.09	5.11	1.75	14.15	0.68	2.48	0.21	2.27	30.61	24.00	72.00	100.89	4.74	61.00
040000	5.87	3.13	5.14	1.76	14.68	0.69	2.60	0.20	2.40	30.54	24.00	72.00	70.82	6.53	57.54
050000	5.99	3.08	5.02	1.72	13.47	0.71	2.42	0.21	2.21	30.35	24.00	72.00	123.65	4.03	58.89
060000	6.04	3.07	5.07	1.73	12.85	0.73	2.47	0.21	2.26	30.39	24.00	72.00	163.23	2.82	57.60
070000	6.05	3.06	5.10	1.77	12.65	0.77	2.40	0.23	2.17	30.58	24.00	72.00	181.42	3.98	62.33
080000	6.13	3.15	5.17	1.76	12.90	0.76	2.24	0.24	2.00	30.35	24.00	72.00	160.22	4.15	58.14
090000	6.10	3.08	5.10	1.77	13.21	0.76	2.23	0.25	1.98	30.44	24.00	72.00	82.43	5.29	45.69
100000	6.22	3.13	5.10	1.71	13.13	0.78	2.16	0.23	1.93	30.31	24.00	72.00	124.51	3.22	45.08
110000	6.29	3.12	5.12	1.74	13.28	0.78	2.16	0.23	1.93	30.55	24.00	72.00	78.48	7.79	54.58
120000	6.18	3.09	5.11	1.78	13.88	0.75	2.21	0.23	1.98	30.77	24.00	72.00	43.28	10.46	47.86
130000	6.36	3.08	5.10	1.79	14.33	0.72	2.20	0.22	1.98	30.96	24.00	72.00	66.28	8.13	37.41
140000	6.33	3.08	5.09	1.75	12.55	0.71	2.19	0.21	1.98	30.78	24.00	72.00	92.56	4.63	33.96
150000	6.39	3.13	5.17	1.77	13.54	0.73	2.14	0.20	1.94	30.69	24.00	72.00	129.23	1.56	36.98
160000	6.43	3.14	5.13	1.72	14.21	0.76	2.11	0.19	1.92	30.64	24.00	72.00	40.91	6.28	40.66
170000	6.57	3.13	5.09	1.70	13.96	0.79	2.12	0.19	1.93	30.57	24.00	72.00	109.71	4.03	41.84
180000	6.65	3.07	5.07	1.75	13.30	0.81	2.15	0.21	1.94	30.43	24.00	72.00	276.66	0.96	42.14
190000	6.62	3.12	5.08	1.70	12.25	0.85	2.24	0.25	1.99	30.43	24.00	72.00	133.25	4.15	44.61
200000	6.80	3.10	5.14	1.80	12.17	0.84	2.23	0.24	1.99	30.38	24.00	72.00	97.43	2.50	48.52
210000	6.70	3.11	5.07	1.73	12.80	0.81	2.23	0.22	2.01	30.33	24.00	72.00	38.01	7.29	38.29
220000	6.75	3.08	5.15	1.80	12.63	0.80	2.59	0.22	2.37	30.31	24.00	72.00	107.22	5.46	42.25
230000	6.74	3.10	5.09	1.73	13.07	0.81	2.71	0.21	2.50	30.24	24.00	72.00	40.13	7.19	43.99
極大值	6.80	3.15	5.17	1.80	15.83	0.85	2.71	0.25	2.50	30.96	46.43	129.91	276.66	10.46	932.77
極小值	5.71	3.05	5.02	1.65	12.17	0.67	2.11	0.19	1.92	30.24	24.00	72.00	38.01	0.96	33.96
平均值	6.26	3.10	5.10	1.75	13.46	0.76	2.31	0.22	2.09	30.53	25.01	74.60	106.45	4.92	88.42
標準差	0.34	0.03	0.03	0.04	0.88	0.05	0.18	0.02	0.18	0.19	4.58	11.82	54.63	2.37	180.85

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	6.82	3.07	5.07	1.76	13.16	0.76	2.07	0.15	1.92	30.16	24.00	72.00	30.00	8.74	39.29
010000	6.89	3.12	5.09	1.72	13.89	0.66	2.19	0.16	2.03	30.20	46.52	130.08	51.99	7.79	934.85
020000	6.89	3.08	5.06	1.73	13.20	0.71	2.16	0.14	2.02	30.13	25.73	76.45	56.03	6.45	95.29
030000	6.88	3.14	5.14	1.71	12.56	0.71	2.16	0.14	2.02	30.13	24.00	72.00	109.16	4.53	32.04
040000	6.95	3.11	5.11	1.75	12.40	0.69	2.22	0.13	2.09	30.11	24.00	72.00	75.44	7.76	32.78
050000	7.12	3.11	5.14	1.77	12.63	0.69	2.12	0.13	1.99	30.06	24.00	72.00	56.04	6.57	30.07
060000	7.23	3.07	5.04	1.70	12.90	0.68	2.10	0.14	1.96	30.04	24.00	72.00	117.37	1.82	29.43
070000	7.15	3.13	5.18	1.78	12.51	0.67	2.06	0.16	1.90	30.06	24.00	72.00	62.80	5.29	22.30
080000	7.21	3.10	5.08	1.72	13.86	0.65	2.02	0.17	1.85	30.42	24.00	72.00	66.87	4.58	17.24
090000	7.26	3.08	5.11	1.78	13.41	0.66	2.00	0.18	1.82	31.23	24.00	72.00	27.80	9.60	8.06
100000	7.18	3.07	5.11	1.76	16.65	0.63	1.99	0.18	1.81	32.27	24.00	72.00	33.28	15.26	8.51
110000	7.22	3.15	5.12	1.73	19.16	0.60	1.99	0.18	1.81	33.12	24.00	72.00	58.14	12.30	6.74
120000	7.27	3.12	5.12	1.73	22.52	0.63	1.99	0.17	1.82	33.43	24.00	72.00	37.25	11.85	5.49
130000	7.37	3.07	5.08	1.77	22.57	0.58	1.99	0.16	1.83	33.97	24.00	72.00	122.66	3.31	4.54
140000	7.34	3.13	5.14	1.75	23.16	0.57	1.99	0.16	1.83	33.25	24.00	72.00	220.34	7.25	9.05
150000	7.43	3.15	5.12	1.73	34.37	0.54	1.98	0.13	1.85	32.41	24.00	72.00	265.86	18.98	35.31
160000	7.48	3.15	5.18	1.76	31.67	0.57	1.98	0.13	1.85	32.96	24.00	72.00	238.29	10.93	30.35
170000	7.49	3.12	5.09	1.72	25.11	0.58	1.98	0.14	1.84	32.75	24.00	72.00	225.80	3.70	14.82
180000	7.50	3.17	5.13	1.71	27.29	0.57	1.99	0.15	1.84	32.35	24.00	72.00	233.44	5.93	7.83
190000	7.47	3.12	5.05	1.69	23.22	0.59	2.05	0.17	1.88	31.98	24.00	72.00	116.56	4.23	8.75
200000	7.53	3.12	5.10	1.72	18.44	0.66	2.12	0.17	1.95	31.65	24.00	72.00	83.24	3.89	17.70
210000	7.37	3.09	5.06	1.73	14.73	0.69	2.13	0.18	1.95	31.28	24.00	72.00	66.25	4.55	43.71
220000	7.54	3.12	5.12	1.76	14.46	0.69	2.16	0.18	1.98	31.12	24.00	72.00	123.31	6.30	54.60
230000	7.46	3.15	5.12	1.72	13.90	0.69	2.16	0.18	1.98	31.03	24.00	72.00	90.93	7.65	55.28
極大值	7.54	3.17	5.18	1.78	34.37	0.76	2.22	0.18	2.09	33.97	46.52	130.08	265.86	18.98	934.85
極小值	6.82	3.07	5.04	1.69	12.40	0.54	1.98	0.13	1.81	30.04	24.00	72.00	27.80	1.82	4.54
平均值	7.25	3.11	5.11	1.74	18.24	0.64	2.07	0.16	1.91	31.50	25.01	74.61	107.04	7.47	64.33
標準差	0.23	0.03	0.04	0.03	6.52	0.06	0.08	0.02	0.08	1.3	4.6	11.85	74.1	4.05	186.62

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m / s)	(ug / m)
000000	7.51	3.14	5.11	1.71	13.46	0.68	2.89	0.25	2.64	30.77	24.00	72.00	102.75	6.85	52.79
010000	7.48	3.07	5.09	1.77	13.73	0.67	2.79	0.22	2.57	30.77	46.53	130.11	63.23	7.24	935.77
020000	7.57	3.12	5.10	1.72	14.31	0.66	2.69	0.22	2.47	30.78	25.70	76.38	89.79	6.74	107.97
030000	7.55	3.15	5.13	1.72	14.19	0.66	2.86	0.22	2.64	30.66	24.00	72.00	122.00	7.27	29.71
040000	7.55	3.14	5.11	1.69	13.49	0.67	2.63	0.24	2.39	30.52	24.00	72.00	29.80	7.23	98.56
050000	7.57	3.14	5.14	1.75	14.00	0.67	2.67	0.23	2.44	30.48	24.00	72.00	41.10	8.56	41.24
060000	7.64	3.15	5.11	1.71	13.88	0.66	2.80	0.24	2.56	30.38	24.00	72.00	51.95	9.42	30.55
070000	7.60	3.14	5.12	1.73	14.54	0.66	2.75	0.26	2.49	30.35	24.00	72.00	31.66	11.12	30.76
080000	7.67	3.08	5.07	1.71	18.52	0.63	2.45	0.24	2.21	31.67	24.00	72.00	147.28	3.35	24.19
090000	7.69	3.14	5.09	1.71	28.57	0.56	2.36	0.25	2.11	33.25	24.00	72.00	219.39	7.23	17.37
100000	7.62	3.10	5.09	1.73	33.90	0.56	2.35	0.26	2.09	33.17	24.00	72.00	235.45	10.63	11.59
110000	7.60	3.12	5.12	1.73	34.75	0.55	2.30	0.26	2.04	33.30	24.00	72.00	248.50	13.85	8.77
120000	7.60	3.06	5.10	1.79	34.63	0.55	2.26	0.24	2.02	34.21	24.00	72.00	218.88	10.83	12.48
130000	7.61	3.14	5.12	1.73	33.66	0.54	2.24	0.22	2.02	34.44	24.00	72.00	220.82	9.59	8.25
140000	7.70	3.10	5.07	1.72	37.03	0.54	2.22	0.21	2.01	32.94	24.00	72.00	244.15	12.16	9.71
150000	7.82	3.12	5.06	1.71	35.61	0.55	2.21	0.21	2.00	33.09	24.00	72.00	234.10	7.70	10.50
160000	7.68	3.10	5.10	1.72	24.12	0.60	2.21	0.21	2.00	32.13	24.00	72.00	73.08	8.26	6.50
170000	7.75	3.11	5.12	1.76	21.21	0.61	2.22	0.22	2.00	31.00	24.00	72.00	92.69	17.56	20.53
180000	7.66	3.09	5.13	1.76	25.31	0.61	2.24	0.21	2.03	30.40	24.00	72.00	78.64	16.39	32.92
190000	7.72	3.09	5.15	1.79	22.48	0.63	2.26	0.23	2.03	30.30	24.00	72.00	89.13	10.56	26.95
200000	7.71	3.15	5.18	1.75	23.22	0.61	2.43	0.25	2.18	29.75	24.00	72.00	71.72	12.99	18.96
210000	7.61	3.11	5.06	1.71	20.33	0.60	2.79	0.24	2.55	29.42	24.00	72.00	38.40	10.36	19.82
220000	7.62	3.11	5.14	1.76	19.00	0.60	1.46	-1.07	2.53	29.52	24.00	72.00	34.71	9.12	7.58
230000	7.66	3.10	5.12	1.78	19.27	0.61	0.12	0.12	0.00	29.74	24.00	72.00	170.84	4.41	4.65
極大值	7.82	3.15	5.18	1.79	37.03	0.68	2.89	0.26	2.64	34.44	46.53	130.11	248.50	17.56	935.77
極小值	7.48	3.06	5.06	1.69	13.46	0.54	0.12	-1.07	0.00	29.42	24.00	72.00	29.80	3.35	4.65
平均值	7.63	3.12	5.11	1.74	22.63	0.61	2.34	0.17	2.17	31.38	25.01	74.60	122.92	9.56	65.34
標準差	0.08	0.03	0.03	0.03	8.37	0.05	0.57	0.27	0.52	1.53	4.6	11.86	79.22	3.38	187.25

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.62	3.06	5.09	1.78	16.67	0.64	0.11	0.11	0.00	29.80	24.00	72.00	245.54	0.57	4.97
010000	7.58	3.09	5.12	1.77	16.54	0.60	0.11	0.11	0.00	29.85	46.84	130.96	130.25	2.20	945.73
020000	7.58	3.10	5.13	1.77	15.74	0.60	0.11	0.11	0.00	29.89	25.64	76.23	278.27	0.08	83.57
030000	7.70	3.13	5.08	1.71	14.79	0.60	0.11	0.11	0.00	29.83	24.00	72.00	76.52	0.89	17.18
040000	7.73	3.15	5.11	1.70	15.55	0.60	0.11	0.11	0.00	29.81	24.00	72.00	71.24	4.53	15.35
050000	7.73	3.10	5.09	1.74	15.49	0.60	0.11	0.11	0.00	29.97	24.00	72.00	29.91	9.67	19.02
060000	7.79	3.10	5.10	1.74	16.56	0.60	0.11	0.11	0.00	29.92	24.00	72.00	55.92	9.18	19.09
070000	7.68	3.10	5.11	1.79	16.28	0.62	0.11	0.11	0.00	29.96	24.00	72.00	62.88	6.90	18.15
080000	7.79	3.16	5.13	1.72	18.48	0.62	0.79	0.79	0.00	30.26	24.00	72.00	79.34	9.41	11.55
090000	7.76	3.12	5.10	1.73	20.02	0.60	2.37	0.30	2.07	30.66	46.51	130.16	74.55	14.17	931.80
100000	7.75	3.15	5.13	1.74	23.17	0.59	2.32	0.28	2.04	31.10	25.64	76.23	45.83	14.99	75.81
110000	7.80	3.09	5.11	1.79	20.75	0.59	2.34	0.30	2.04	31.39	24.00	72.00	104.31	5.44	6.13
120000	7.79	3.11	5.13	1.78	22.67	0.59	2.33	0.30	2.03	32.02	24.00	72.00	142.42	3.16	8.88
130000	7.83	3.07	5.08	1.75	24.48	0.59	2.32	0.30	2.02	32.28	24.00	72.00	237.25	2.82	10.70
140000	7.90	3.10	5.15	1.79	29.63	0.63	2.38	0.35	2.03	31.78	24.00	72.00	284.66	6.44	14.23
150000	7.71	3.07	5.05	1.73	32.66	0.66	2.33	0.30	2.03	31.67	24.00	72.00	288.17	6.46	29.02
160000	7.91	3.09	5.15	1.82	35.17	0.62	2.29	0.29	2.00	31.69	24.00	72.00	297.06	4.97	31.68
170000	8.04	3.13	5.13	1.76	35.81	0.60	2.26	0.27	1.99	31.60	24.00	72.00	294.83	5.59	22.73
180000	7.86	3.06	5.07	1.76	34.18	0.61	2.26	0.26	2.00	31.54	24.00	72.00	299.40	3.71	28.65
190000	7.80	3.10	5.06	1.73	24.35	0.68	2.41	0.31	2.10	31.09	24.00	72.00	152.11	6.51	34.11
200000	7.94	3.15	5.10	1.73	22.18	0.67	2.58	0.34	2.24	30.51	24.00	72.00	56.82	6.95	39.99
210000	7.81	3.13	5.13	1.77	19.90	0.65	2.67	0.35	2.32	30.31	24.00	72.00	80.14	4.09	34.88
220000	7.97	3.10	5.07	1.74	17.87	0.68	2.91	0.35	2.56	30.18	24.00	72.00	133.83	5.54	37.48
230000	7.87	3.08	5.10	1.78	17.22	0.68	2.80	0.35	2.45	30.08	24.00	72.00	88.53	4.97	40.67
極大值	8.04	3.16	5.15	1.82	35.81	0.68	2.91	0.79	2.56	32.28	46.84	130.96	299.40	14.99	945.73
極小值	7.58	3.06	5.05	1.70	14.79	0.59	0.11	0.11	0.00	29.80	24.00	72.00	29.91	0.08	4.97
平均值	7.79	3.11	5.10	1.76	21.92	0.62	1.59	0.26	1.33	30.72	26.03	77.23	150.41	5.80	103.39
標準差	0.12	0.03	0.03	0.03	6.77	0.03	1.13	0.15	1.06	0.84	6.38	16.47	97.69	3.74	258.02

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.94	3.06	5.09	1.78	14.97	0.70	2.74	0.35	2.39	29.83	24.00	72.00	79.67	0.47	42.24
010000	7.88	3.14	5.13	1.75	14.42	0.69	2.78	0.35	2.43	29.63	46.51	130.20	148.04	1.26	932.80
020000	7.99	3.13	5.09	1.75	13.54	0.68	3.02	0.34	2.68	29.56	25.67	76.32	158.69	2.27	95.86
030000	8.03	3.11	5.16	1.83	12.69	0.69	3.67	0.34	3.33	29.36	24.00	72.00	180.43	0.18	33.86
040000	8.16	3.12	5.12	1.75	12.08	0.70	3.98	0.34	3.64	29.42	24.00	72.00	283.91	0.07	38.39
050000	7.98	3.14	5.11	1.72	12.13	0.70	3.56	0.35	3.21	29.53	24.00	72.00	101.26	1.51	39.62
060000	8.09	3.13	5.09	1.77	12.98	0.70	2.85	0.33	2.52	29.65	24.00	72.00	45.78	1.10	30.42
070000	8.12	3.12	5.10	1.75	12.58	0.74	2.93	0.35	2.58	31.18	24.00	72.00	54.01	4.10	26.45
080000	7.98	3.10	5.13	1.80	15.93	0.73	2.93	0.36	2.57	32.10	24.00	72.00	40.41	7.80	35.98
090000	8.10	3.13	5.15	1.76	23.12	0.63	2.62	0.34	2.28	33.41	24.00	72.00	107.27	2.45	33.97
100000	8.11	3.16	5.22	1.82	26.54	0.62	2.43	0.34	2.09	33.35	24.00	72.00	201.03	2.66	28.77
110000	8.28	3.16	5.15	1.78	43.85	0.73	2.51	0.38	2.13	32.97	24.00	72.00	290.65	7.82	28.18
120000	8.22	3.17	5.18	1.77	44.83	0.68	2.39	0.35	2.04	33.20	24.00	72.00	294.30	9.42	48.97
130000	8.23	3.13	5.12	1.76	41.84	0.59	2.28	0.28	2.00	32.71	24.00	72.00	286.31	9.59	30.93
140000	8.24	3.18	5.22	1.80	28.07	0.65	2.34	0.34	2.00	32.40	24.00	72.00	286.98	8.63	44.94
150000	8.41	3.15	5.13	1.73	23.06	0.64	2.32	0.33	1.99	32.26	24.00	72.00	289.12	7.34	128.00
160000	8.40	3.12	5.09	1.76	33.42	0.62	2.32	0.32	2.00	31.89	24.00	72.00	292.19	5.43	153.32
170000	8.44	3.23	5.22	1.76	34.53	0.66	2.33	0.32	2.01	31.66	24.00	72.00	286.01	5.09	43.98
180000	8.48	3.22	5.19	1.76	33.12	0.64	2.31	0.29	2.02	31.55	24.00	72.00	280.85	4.15	54.30
190000	8.26	3.18	5.21	1.81	30.81	0.63	2.31	0.29	2.02	31.46	24.00	72.00	282.72	3.34	51.54
200000	8.35	3.16	5.13	1.73	30.75	0.63	2.32	0.28	2.04	31.38	24.00	72.00	279.60	4.31	50.54
210000	8.26	3.18	5.18	1.77	31.67	0.61	2.30	0.27	2.03	31.36	24.00	72.00	283.84	4.22	49.38
220000	8.27	3.16	5.14	1.75	27.19	0.60	2.27	0.26	2.01	31.22	24.00	72.00	291.64	3.03	39.16
230000	8.30	3.17	5.18	1.79	21.75	0.59	2.30	0.27	2.03	30.63	24.00	72.00	176.43	3.38	26.73
極大值	8.48	3.23	5.22	1.83	44.83	0.74	3.98	0.38	3.64	33.41	46.51	130.20	294.30	9.59	932.80
極小值	7.88	3.06	5.09	1.72	12.08	0.59	2.27	0.26	1.99	29.36	24.00	72.00	40.41	0.07	26.45
平均值	8.19	3.15	5.15	1.77	24.83	0.66	2.66	0.32	2.34	31.32	25.01	74.60	209.21	4.15	87.01
標準差	0.17	0.04	0.04	0.03	10.66	0.05	0.49	0.03	0.47	1.35	4.59	11.87	94.37	2.94	182.89

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	8.15	3.11	5.14	1.80	15.63	0.61	2.52	0.29	2.23	29.90	24.00	72.00	44.25	1.23	15.27
010000	8.33	3.12	5.12	1.79	13.67	0.63	2.73	0.30	2.43	29.62	46.88	131.15	76.64	2.24	947.21
020000	8.23	3.11	5.08	1.74	12.37	0.64	2.79	0.31	2.48	29.15	25.29	75.34	236.96	0.08	76.01
030000	8.29	3.14	5.14	1.76	12.06	0.68	3.25	0.32	2.93	29.10	24.00	72.00	70.32	1.65	21.75
040000	8.30	3.10	5.15	1.82	12.30	0.72	3.83	0.35	3.48	29.08	24.00	72.00	209.47	1.85	39.43
050000	8.33	3.04	5.14	1.86	12.12	0.73	3.58	0.36	3.22	29.03	24.00	72.00	166.89	2.93	42.94
060000	8.28	3.14	5.15	1.78	11.45	0.76	3.84	0.38	3.46	29.13	24.00	72.00	63.93	1.53	44.52
070000	8.42	3.17	5.18	1.78	12.55	0.76	3.73	0.41	3.32	30.81	24.00	72.00	124.91	1.02	34.28
080000	8.35	3.14	5.13	1.76	16.08	0.67	2.66	0.34	2.32	33.15	24.00	72.00	206.51	0.21	28.99
090000	8.35	3.15	5.15	1.77	25.86	0.62	2.37	0.32	2.05	33.42	24.00	72.00	263.67	3.83	16.45
100000	8.42	3.13	5.10	1.72	32.79	0.63	2.35	0.31	2.04	33.55	24.00	72.00	274.60	5.47	30.50
110000	8.40	3.21	5.22	1.78	40.16	0.65	2.39	0.33	2.06	33.56	24.00	72.00	283.81	7.37	26.55
120000	8.55	3.15	5.13	1.75	57.63	0.74	2.50	0.36	2.14	33.42	24.00	72.00	290.79	8.29	39.04
130000	8.60	3.14	5.17	1.79	59.17	0.80	2.49	0.37	2.12	33.45	24.00	72.00	295.62	8.18	61.62
140000	8.63	3.22	5.23	1.77	51.21	0.89	2.51	0.41	2.10	33.25	24.00	72.00	284.83	7.93	61.59
150000	8.68	3.10	5.12	1.79	44.31	0.72	2.42	0.36	2.06	32.41	24.00	72.00	285.48	8.18	63.08
160000	8.61	3.17	5.18	1.77	38.22	0.84	2.42	0.37	2.05	31.96	24.00	72.00	290.10	7.07	59.29
170000	8.58	3.17	5.18	1.76	39.18	0.67	2.30	0.30	2.00	31.63	24.00	72.00	284.60	5.45	53.22
180000	8.63	3.13	5.10	1.75	38.57	0.62	2.29	0.30	1.99	31.55	24.00	72.00	294.38	4.34	45.39
190000	8.54	3.19	5.22	1.79	31.75	0.62	2.28	0.28	2.00	31.18	24.00	72.00	276.78	3.32	41.90
200000	8.66	3.15	5.12	1.75	24.04	0.64	2.44	0.39	2.05	30.79	24.00	72.00	166.79	0.14	41.23
210000	8.53	3.16	5.15	1.77	22.39	0.67	2.62	0.35	2.27	30.84	24.00	72.00	163.52	0.18	41.85
220000	8.47	3.20	5.20	1.77	22.53	0.67	2.74	0.31	2.43	30.44	24.00	72.00	142.95	0.07	43.02
230000	8.49	3.11	5.15	1.81	22.54	0.64	2.67	0.30	2.37	30.21	24.00	72.00	187.59	0.77	39.60
極大值	8.68	3.22	5.23	1.86	59.17	0.89	3.84	0.41	3.48	33.56	46.88	131.15	295.62	8.29	947.21
極小值	8.15	3.04	5.08	1.72	11.45	0.61	2.28	0.28	1.99	29.03	24.00	72.00	44.25	0.07	15.27
平均值	8.45	3.14	5.15	1.78	27.86	0.69	2.74	0.34	2.40	31.28	25.01	74.60	207.72	3.47	79.78
標準差	0.15	0.04	0.04	0.03	15.18	0.07	0.51	0.04	0.49	1.67	4.67	12.06	84.97	3.02	185.37

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	8.51	3.07	5.06	1.76	19.08	0.64	3.14	0.29	2.85	30.12	24.00	72.00	105.31	0.84	31.86
010000	8.54	3.11	5.11	1.80	14.99	0.66	3.18	0.31	2.87	29.82	46.50	130.14	75.62	1.23	932.03
020000	8.47	3.17	5.20	1.79	14.62	0.70	3.25	0.35	2.90	29.68	25.70	76.39	51.84	4.45	109.60
030000	8.62	3.20	5.14	1.71	14.44	0.69	3.38	0.33	3.05	29.47	24.00	72.00	39.76	5.84	47.25
040000	8.74	3.11	5.14	1.83	12.98	0.70	3.26	0.34	2.92	29.29	24.00	72.00	34.38	1.44	45.06
050000	8.68	3.10	5.12	1.78	12.52	0.71	3.29	0.34	2.95	29.20	24.00	72.00	35.26	3.00	44.62
060000	8.71	3.14	5.16	1.79	11.95	0.70	3.85	0.32	3.53	29.19	24.00	72.00	44.77	6.02	37.74
070000	8.75	3.15	5.12	1.77	13.55	0.71	3.52	0.33	3.19	30.20	24.00	72.00	53.69	6.47	36.07
080000	8.83	3.11	5.13	1.79	18.66	0.70	2.93	0.34	2.59	31.41	24.00	72.00	44.12	8.61	37.13
090000	8.80	3.14	5.11	1.74	27.07	0.67	2.55	0.34	2.21	32.61	24.00	72.00	64.54	7.79	43.89
100000	8.75	3.11	5.18	1.84	34.47	0.67	2.47	0.34	2.13	33.50	24.00	72.00	82.08	3.91	45.49
110000	8.82	3.12	5.06	1.70	39.45	0.65	2.42	0.35	2.07	34.01	24.00	72.00	144.86	4.76	41.04
120000	8.95	3.17	5.16	1.76	60.26	0.72	2.44	0.35	2.09	33.78	24.00	72.00	287.83	6.31	49.19
130000	8.99	3.15	5.13	1.75	63.51	0.69	2.38	0.31	2.07	33.71	24.00	72.00	294.64	8.77	59.32
140000	8.93	3.16	5.16	1.78	59.39	0.66	2.31	0.27	2.04	33.16	24.00	72.00	296.16	9.47	56.83
150000	9.02	3.17	5.22	1.80	54.21	0.72	2.32	0.27	2.05	32.71	24.00	72.00	279.80	9.40	56.60
160000	9.07	3.14	5.19	1.81	53.01	0.68	2.40	0.36	2.04	32.08	24.00	72.00	285.29	8.74	48.87
170000	9.17	3.13	5.19	1.83	41.81	0.67	2.30	0.27	2.03	31.60	24.00	72.00	294.10	4.99	47.65
180000	8.99	3.12	5.19	1.83	38.56	0.65	2.29	0.27	2.02	31.51	24.00	72.00	301.81	2.71	52.72
190000	8.96	3.14	5.12	1.74	32.85	0.69	2.35	0.31	2.04	31.16	24.00	72.00	281.35	1.17	48.44
200000	9.03	3.10	5.10	1.76	21.63	0.75	2.41	0.32	2.09	30.56	24.00	72.00	253.64	0.07	65.13
210000	8.95	3.19	5.20	1.80	27.17	0.71	2.45	0.30	2.15	30.43	24.00	72.00	290.93	1.12	55.86
220000	9.01	3.08	5.14	1.83	21.95	0.70	2.54	0.30	2.24	29.94	24.00	72.00	43.88	0.77	52.57
230000	8.82	3.13	5.15	1.79	17.45	0.70	3.37	0.30	3.07	29.87	24.00	72.00	31.27	1.58	44.71
極大值	9.17	3.20	5.22	1.84	63.51	0.75	3.85	0.36	3.53	34.01	46.50	130.14	301.81	9.47	932.03
極小值	8.47	3.07	5.06	1.70	11.95	0.64	2.29	0.27	2.02	29.19	24.00	72.00	31.27	0.07	31.86
平均值	8.84	3.13	5.14	1.78	30.23	0.69	2.78	0.32	2.47	31.21	25.01	74.61	154.87	4.56	87.07
標準差	0.19	0.03	0.04	0.04	17.19	0.03	0.49	0.03	0.48	1.63	4.59	11.86	116.51	3.15	180.59

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	8.96	3.12	5.17	1.82	15.14	0.69	3.39	0.30	3.09	29.50	24.00	72.00	90.09	0.20	42.27
010000	8.97	3.15	5.15	1.77	14.61	0.70	3.12	0.31	2.81	29.33	46.51	130.23	177.96	0.07	932.78
020000	8.99	3.15	5.10	1.73	12.66	0.70	3.74	0.31	3.43	29.30	25.25	75.24	52.69	3.04	93.31
030000	9.06	3.10	5.13	1.80	12.84	0.70	3.89	0.33	3.56	29.48	24.00	72.00	87.70	7.14	49.38
040000	9.02	3.17	5.19	1.78	12.38	0.69	3.95	0.32	3.63	29.34	24.00	72.00	95.20	6.30	48.67
050000	9.10	3.14	5.14	1.76	12.85	0.69	3.87	0.32	3.55	29.32	24.00	72.00	47.90	7.87	41.71
060000	9.21	3.17	5.11	1.70	12.63	0.70	3.40	0.32	3.08	29.38	24.00	72.00	24.09	6.24	35.91
070000	9.17	3.18	5.16	1.76	12.82	0.73	3.10	0.33	2.77	30.28	24.00	72.00	60.99	4.58	37.36
080000	9.11	3.15	5.08	1.70	13.57	0.74	3.06	0.35	2.71	32.04	24.00	72.00	142.53	1.08	41.38
090000	9.22	3.17	5.16	1.76	19.82	0.72	2.80	0.36	2.44	32.81	24.00	72.00	116.53	2.98	46.48
100000	9.31	3.16	5.14	1.76	30.61	0.71	2.61	0.36	2.25	33.80	24.00	72.00	126.16	3.47	56.54
110000	9.24	3.20	5.18	1.75	45.11	0.73	2.55	0.40	2.15	33.86	24.00	72.00	252.15	5.96	50.62
120000	9.31	3.18	5.13	1.73	59.44	0.77	2.46	0.36	2.10	33.22	24.00	72.00	290.02	8.63	65.73
130000	9.45	3.15	5.18	1.79	62.01	0.84	2.43	0.32	2.11	33.12	24.00	72.00	287.47	9.27	72.33
140000	9.38	3.14	5.09	1.69	67.82	0.79	2.41	0.30	2.11	32.95	24.00	72.00	293.34	8.21	83.30
150000	9.50	3.17	5.14	1.75	65.73	0.72	2.39	0.29	2.10	32.59	24.00	72.00	293.39	8.62	75.18
160000	9.37	3.13	5.16	1.78	57.58	0.70	2.35	0.27	2.08	32.20	24.00	72.00	285.78	8.09	74.70
170000	9.44	3.20	5.19	1.76	47.82	0.70	2.32	0.27	2.05	31.95	24.00	72.00	280.47	6.89	76.79
180000	9.41	3.15	5.12	1.75	47.89	0.66	2.30	0.26	2.04	32.07	24.00	72.00	288.54	5.54	79.23
190000	9.44	3.14	5.15	1.76	30.60	0.66	2.37	0.30	2.07	31.33	24.00	72.00	191.48	2.67	59.97
200000	9.50	3.12	5.12	1.76	21.39	0.67	2.49	0.33	2.16	30.68	24.00	72.00	46.27	5.53	68.79
210000	9.41	3.14	5.15	1.76	17.33	0.72	2.70	0.35	2.35	30.39	24.00	72.00	144.88	2.33	73.43
220000	9.34	3.14	5.14	1.77	16.10	0.71	2.67	0.37	2.30	30.14	24.00	72.00	56.05	7.56	75.33
230000	9.38	3.11	5.13	1.77	15.14	0.72	2.80	0.37	2.43	29.90	24.00	72.00	133.02	2.15	58.87
極大值	9.50	3.20	5.19	1.82	67.82	0.84	3.95	0.40	3.63	33.86	46.51	130.23	293.39	9.27	932.78
極小值	8.96	3.10	5.08	1.69	12.38	0.66	2.30	0.26	2.04	29.30	24.00	72.00	24.09	0.07	35.91
平均值	9.26	3.15	5.14	1.76	30.16	0.72	2.88	0.32	2.56	31.21	24.99	74.56	161.03	5.18	97.50
標準差	0.18	0.03	0.03	0.03	20.33	0.04	0.55	0.04	0.55	1.62	4.59	11.88	97.82	2.84	178.65

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	9.47	3.15	5.11	1.71	14.02	0.74	2.73	0.38	2.35	29.78	24.00	72.00	79.65	5.83	55.26
010000	9.45	3.13	5.13	1.76	14.54	0.71	2.66	0.37	2.29	29.62	46.52	130.20	76.70	3.63	934.83
020000	9.51	3.15	5.22	1.82	14.65	0.67	2.55	0.37	2.18	29.61	25.67	76.32	80.27	4.20	110.68
030000	9.45	3.17	5.23	1.84	14.41	0.67	2.62	0.35	2.27	29.49	24.00	72.00	29.96	8.52	37.30
040000	9.55	3.11	5.10	1.75	14.01	0.67	2.63	0.33	2.30	29.51	24.00	72.00	45.48	6.62	38.57
050000	9.54	3.15	5.20	1.81	14.60	0.69	2.55	0.36	2.19	29.40	24.00	72.00	66.53	6.08	46.05
060000	9.65	3.12	5.10	1.74	15.36	0.68	2.54	0.33	2.21	29.41	24.00	72.00	38.05	7.53	38.35
070000	9.66	3.13	5.14	1.78	13.96	0.71	2.58	0.34	2.24	29.83	24.00	72.00	96.75	4.68	45.25
080000	9.68	3.20	5.17	1.74	14.67	0.71	2.50	0.34	2.16	30.70	24.00	72.00	101.92	4.41	46.75
090000	9.72	3.13	5.07	1.72	18.42	0.71	2.49	0.36	2.13	31.90	24.00	72.00	106.11	3.75	50.67
100000	9.72	3.10	5.12	1.79	25.45	0.72	2.53	0.43	2.10	32.82	24.00	72.00	205.97	2.26	44.12
110000	9.73	3.11	5.11	1.77	44.27	0.82	2.51	0.43	2.08	32.34	24.00	72.00	284.19	7.60	59.29
120000	9.68	3.12	5.10	1.74	46.42	0.75	2.40	0.33	2.07	31.84	24.00	72.00	288.49	6.78	65.99
130000	9.81	3.10	5.05	1.71	45.47	0.69	2.35	0.31	2.04	31.55	24.00	72.00	288.43	7.24	57.99
140000	9.69	3.05	5.11	1.83	43.79	0.68	2.38	0.34	2.04	31.34	24.00	72.00	291.62	7.10	63.47
150000	9.85	3.12	5.12	1.79	42.54	0.68	2.35	0.31	2.04	31.16	24.00	72.00	294.62	6.79	43.85
160000	9.82	3.13	5.10	1.75	33.28	0.72	2.38	0.33	2.05	30.71	24.00	72.00	186.27	4.42	47.24
170000	9.92	3.17	5.15	1.76	20.55	0.74	2.46	0.37	2.09	30.13	24.00	72.00	63.75	8.07	44.99
180000	9.90	3.13	5.17	1.80	21.00	0.70	2.42	0.34	2.08	29.64	24.00	72.00	63.95	11.12	55.49
190000	9.93	3.09	5.04	1.71	18.89	0.69	2.42	0.33	2.09	29.21	24.00	72.00	44.43	9.80	43.50
200000	9.98	3.15	5.20	1.81	17.29	0.69	2.44	0.34	2.10	28.76	24.00	72.00	55.34	7.92	46.10
210000	9.92	3.17	5.20	1.80	17.14	0.68	2.43	0.34	2.09	28.53	24.00	72.00	51.94	8.43	43.32
220000	9.95	3.18	5.17	1.76	16.32	0.69	2.43	0.34	2.09	28.33	24.00	72.00	53.04	7.20	32.13
230000	9.99	3.18	5.18	1.77	16.88	0.70	2.44	0.34	2.10	28.08	24.00	72.00	43.55	10.56	28.87
極大值	9.99	3.20	5.23	1.84	46.42	0.82	2.73	0.43	2.35	32.82	46.52	130.20	294.62	11.12	934.83
極小值	9.45	3.05	5.04	1.71	13.96	0.67	2.35	0.31	2.04	28.08	24.00	72.00	29.96	2.26	28.87
平均值	9.73	3.14	5.14	1.77	23.25	0.70	2.49	0.35	2.14	30.15	25.01	74.60	122.38	6.69	86.67
標準差	0.18	0.03	0.05	0.04	11.95	0.03	0.1	0.03	0.09	1.3	4.59	11.87	96.87	2.24	181.35

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	10.03	3.12	5.10	1.78	16.11	0.69	2.52	0.33	2.19	27.97	24.00	72.00	36.56	9.49	29.35
010000	10.04	3.21	5.19	1.76	14.59	0.70	2.57	0.34	2.23	27.88	46.49	130.08	53.67	6.40	931.89
020000	10.10	3.12	5.14	1.80	14.53	0.70	2.52	0.34	2.18	27.64	25.73	76.46	65.43	6.04	101.23
030000	10.06	3.16	5.16	1.77	13.57	0.69	2.55	0.35	2.20	27.60	24.00	72.00	140.38	3.34	31.81
040000	10.15	3.11	5.14	1.82	13.44	0.69	2.52	0.36	2.16	27.46	24.00	72.00	52.92	8.10	27.50
050000	10.27	3.20	5.19	1.77	13.82	0.68	2.50	0.34	2.16	27.41	24.00	72.00	44.18	6.93	26.93
060000	10.24	3.13	5.13	1.77	13.28	0.70	2.52	0.36	2.16	27.48	24.00	72.00	44.07	6.16	28.54
070000	10.20	3.14	5.14	1.77	13.05	0.72	2.51	0.34	2.17	27.74	24.00	72.00	56.61	7.36	27.96
080000	10.09	3.13	5.18	1.81	12.61	0.74	2.56	0.35	2.21	28.45	24.00	72.00	91.19	5.31	26.13
090000	10.11	3.18	5.16	1.73	14.69	0.75	2.57	0.36	2.21	29.14	24.00	72.00	60.37	8.60	33.92
100000	10.06	3.20	5.16	1.74	17.97	0.75	2.54	0.36	2.18	29.77	24.00	72.00	74.62	5.84	33.11
110000	10.10	3.14	5.11	1.74	22.97	0.75	2.53	0.37	2.16	30.65	24.00	72.00	180.34	2.33	39.08
120000	10.01	3.18	5.22	1.80	30.84	0.78	2.55	0.43	2.12	30.50	24.00	72.00	239.62	2.24	39.68
130000	10.10	3.11	5.11	1.77	32.14	0.85	2.53	0.42	2.11	30.35	24.00	72.00	265.17	4.13	64.78
140000	10.06	3.20	5.13	1.70	36.67	0.77	2.39	0.33	2.06	30.20	24.00	72.00	272.12	6.46	65.49
150000	10.04	3.12	5.12	1.77	29.67	0.75	2.38	0.33	2.05	29.93	24.00	72.00	258.48	0.16	37.21
160000	9.93	3.09	5.12	1.81	27.77	0.76	2.48	0.37	2.11	29.70	24.00	72.00	78.26	8.01	38.44
170000	10.03	3.20	5.13	1.70	26.56	0.77	2.61	0.39	2.22	29.40	24.00	72.00	39.43	7.03	50.93
180000	10.15	3.14	5.16	1.79	22.94	0.76	2.58	0.40	2.18	28.92	24.00	72.00	59.15	4.80	50.97
190000	10.19	3.14	5.10	1.76	19.73	0.76	2.59	0.41	2.18	28.23	24.00	72.00	58.36	7.49	50.27
200000	10.17	3.15	5.11	1.73	17.73	0.73	2.53	0.38	2.15	27.39	24.00	72.00	54.32	11.91	45.84
210000	10.27	3.10	5.09	1.76	16.22	0.71	2.59	0.36	2.23	27.00	24.00	72.00	34.97	7.60	49.51
220000	10.21	3.16	5.13	1.72	14.21	0.71	2.75	0.37	2.38	26.85	24.00	72.00	68.94	3.55	42.44
230000	10.36	3.18	5.20	1.80	13.64	0.73	2.66	0.39	2.27	26.64	24.00	72.00	45.31	6.39	40.78
極大值	10.36	3.21	5.22	1.82	36.67	0.85	2.75	0.43	2.38	30.65	46.49	130.08	272.12	11.91	931.89
極小值	9.93	3.09	5.09	1.70	12.61	0.68	2.38	0.33	2.05	26.64	24.00	72.00	34.97	0.16	26.13
平均值	10.12	3.15	5.14	1.77	19.53	0.74	2.54	0.37	2.18	28.51	25.01	74.61	98.94	6.07	79.74
標準差	0.1	0.04	0.03	0.03	7.29	0.04	0.07	0.03	0.07	1.27	4.59	11.85	80.05	2.57	182.27

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	10.42	3.08	5.15	1.82	12.92	0.75	2.69	0.20	2.49	26.39	24.00	72.00	81.32	2.50	34.95
010000	10.44	3.10	5.14	1.80	12.58	0.73	2.82	0.20	2.62	26.39	46.51	130.13	48.83	7.34	933.41
020000	10.40	3.12	5.15	1.78	12.67	0.71	2.74	0.19	2.55	26.17	25.67	76.31	62.23	8.65	104.07
030000	10.52	3.17	5.16	1.76	12.50	0.69	2.98	0.20	2.78	26.03	24.00	72.00	107.66	3.12	38.41
040000	10.62	3.13	5.13	1.77	11.63	0.69	2.99	0.21	2.78	26.00	24.00	72.00	286.92	0.13	34.14
050000	10.58	3.15	5.10	1.72	11.35	0.70	3.15	0.20	2.95	26.31	24.00	72.00	151.93	0.26	36.31
060000	10.62	3.16	5.13	1.75	10.89	0.72	3.39	0.19	3.20	26.54	24.00	72.00	66.90	6.95	37.42
070000	10.70	3.19	5.16	1.74	11.46	0.77	3.20	0.20	3.00	26.79	24.00	72.00	45.28	9.23	44.43
080000	10.39	3.13	5.10	1.76	11.59	0.80	2.76	0.21	2.55	27.53	24.00	72.00	39.22	6.78	46.46
090000	10.59	3.14	5.17	1.79	13.11	0.79	2.56	0.20	2.36	29.02	24.00	72.00	77.69	2.26	45.57
100000	10.59	3.14	5.21	1.85	19.13	0.78	2.51	0.19	2.32	30.32	24.00	72.00	68.18	6.49	51.24
110000	10.40	3.13	5.17	1.80	27.53	0.79	2.54	0.25	2.29	31.25	24.00	72.00	67.19	7.55	54.11
120000	10.39	3.14	5.13	1.76	33.56	0.74	2.58	0.31	2.27	31.80	24.00	72.00	114.52	5.21	45.28
130000	10.18	3.15	5.15	1.77	36.00	0.78	2.47	0.25	2.22	31.79	24.00	72.00	144.75	2.51	45.06
140000	10.24	3.14	5.11	1.73	38.78	0.80	2.48	0.28	2.20	31.51	24.00	72.00	113.55	3.35	54.19
150000	10.18	3.14	5.12	1.73	34.97	0.77	2.43	0.20	2.23	31.34	24.00	72.00	186.60	3.64	52.11
160000	10.33	3.14	5.10	1.72	37.90	0.80	2.45	0.18	2.27	30.45	24.00	72.00	287.37	9.47	52.56
170000	10.29	3.16	5.16	1.78	24.92	0.80	2.48	0.19	2.29	30.17	24.00	72.00	151.95	2.58	64.44
180000	10.30	3.16	5.19	1.80	20.48	0.79	2.50	0.20	2.30	29.62	24.00	72.00	51.33	7.17	55.61
190000	10.30	3.15	5.14	1.76	20.95	0.78	2.55	0.20	2.35	28.97	24.00	72.00	44.92	4.92	52.27
200000	10.37	3.16	5.18	1.81	17.38	0.79	2.59	0.20	2.39	28.48	24.00	72.00	99.68	2.98	55.77
210000	10.37	3.12	5.15	1.79	17.70	0.82	2.76	0.18	2.58	28.19	24.00	72.00	107.10	6.11	64.72
220000	10.33	3.15	5.14	1.78	16.56	0.82	2.82	0.15	2.67	27.91	24.00	72.00	70.43	6.08	62.18
230000	10.36	3.13	5.16	1.80	15.41	0.86	2.92	0.15	2.77	27.65	24.00	72.00	57.86	7.70	62.18
極大值	10.70	3.19	5.21	1.85	38.78	0.86	3.39	0.31	3.20	31.80	46.51	130.13	287.37	9.47	933.41
極小值	10.18	3.08	5.10	1.72	10.89	0.69	2.43	0.15	2.20	26.00	24.00	72.00	39.22	0.13	34.14
平均值	10.41	3.14	5.15	1.77	20.08	0.77	2.72	0.21	2.52	28.61	25.01	74.60	105.56	5.12	88.62
標準差	0.14	0.02	0.03	0.03	9.55	0.04	0.27	0.04	0.28	2.07	4.59	11.86	68.37	2.72	180.51

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	10.40	3.15	5.13	1.76	14.39	0.85	2.90	0.14	2.76	27.27	24.00	72.00	163.72	2.32	62.67
010000	10.55	3.15	5.18	1.78	13.52	0.82	2.72	0.15	2.57	27.13	46.46	129.94	92.66	3.36	934.22
020000	10.57	3.10	5.14	1.82	13.15	0.79	2.82	0.14	2.68	27.12	25.64	76.22	59.14	4.99	115.72
030000	10.60	3.16	5.15	1.77	11.83	0.80	2.90	0.15	2.75	27.09	24.00	72.00	59.46	3.55	47.52
040000	10.68	3.13	5.16	1.80	11.42	0.80	3.23	0.15	3.08	27.12	24.00	72.00	64.87	5.77	54.30
050000	10.66	3.18	5.18	1.79	11.22	0.80	3.14	0.17	2.97	27.29	24.00	72.00	78.48	4.84	51.91
060000	10.67	3.10	5.17	1.82	11.06	0.81	2.87	0.17	2.70	27.29	24.00	72.00	103.22	4.71	47.41
070000	10.66	3.14	5.14	1.77	11.64	0.85	2.76	0.18	2.58	27.88	24.00	72.00	26.18	8.62	53.80
080000	10.54	3.14	5.16	1.80	13.69	0.87	2.58	0.18	2.40	28.84	24.00	72.00	45.25	11.48	57.57
090000	10.55	3.20	5.15	1.71	19.94	0.83	2.56	0.18	2.38	30.73	24.00	72.00	76.04	7.92	59.63
100000	10.45	3.15	5.11	1.74	29.01	0.80	2.56	0.18	2.38	32.49	24.00	72.00	168.23	1.30	68.71
110000	10.39	3.15	5.14	1.77	41.89	0.80	2.59	0.23	2.36	32.69	24.00	72.00	228.68	4.52	57.66
120000	10.51	3.18	5.13	1.71	65.87	0.92	2.59	0.23	2.36	31.85	24.00	72.00	292.08	8.84	67.31
130000	10.43	3.17	5.19	1.78	55.51	0.79	2.53	0.22	2.31	31.92	24.00	72.00	289.65	7.54	77.39
140000	10.46	3.14	5.22	1.84	51.07	0.73	2.50	0.21	2.29	31.61	24.00	72.00	293.21	6.90	59.67
150000	10.42	3.17	5.22	1.81	46.27	0.72	2.51	0.19	2.32	31.09	24.00	72.00	291.86	6.48	44.43
160000	10.50	3.14	5.23	1.85	40.17	0.73	2.51	0.18	2.33	30.65	24.00	72.00	291.39	5.00	41.96
170000	10.57	3.23	5.19	1.74	26.60	0.79	2.50	0.18	2.32	30.10	24.00	72.00	204.32	0.85	31.90
180000	10.53	3.11	5.12	1.78	23.09	0.81	2.53	0.20	2.33	29.62	24.00	72.00	195.99	0.07	41.41
190000	10.52	3.16	5.19	1.80	18.27	0.83	2.55	0.19	2.36	29.43	24.00	72.00	100.41	1.40	41.73
200000	10.52	3.19	5.20	1.78	16.74	0.83	2.60	0.18	2.42	28.77	24.00	72.00	141.18	0.83	55.05
210000	10.41	3.15	5.14	1.77	17.35	0.78	2.79	0.17	2.62	28.71	24.00	72.00	81.54	3.84	64.46
220000	10.44	3.14	5.16	1.81	15.07	0.80	2.84	0.15	2.69	28.42	24.00	72.00	84.80	3.08	57.89
230000	10.55	3.09	5.07	1.84	13.87	0.82	2.89	0.14	2.75	28.16	24.00	72.00	114.14	2.51	59.87
極大值	10.68	3.23	5.23	1.85	65.87	0.92	3.23	0.23	3.08	32.69	46.46	129.94	293.21	11.48	934.22
極小值	10.39	3.09	5.07	1.71	11.06	0.72	2.50	0.14	2.29	27.09	24.00	72.00	26.18	0.07	31.90
平均值	10.52	3.15	5.16	1.78	24.69	0.81	2.71	0.18	2.53	29.30	25.00	74.59	147.77	4.61	93.92
標準差	0.09	0.03	0.04	0.04	16.31	0.04	0.21	0.03	0.23	1.92	4.58	11.82	91.08	2.92	179.7

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)

A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	10.46	3.13	5.09	1.72	12.35	0.82	2.60	0.19	2.41	27.76	24.00	72.00	114.67	1.99	53.13
010000	10.61	3.18	5.20	1.80	12.65	0.84	2.72	0.18	2.54	27.75	46.47	129.98	101.75	5.07	933.52
020000	10.62	3.12	5.16	1.80	12.53	0.83	2.79	0.19	2.60	27.67	25.67	76.30	39.92	8.13	115.32
030000	10.54	3.12	5.16	1.81	11.96	0.81	2.76	0.18	2.58	27.63	24.00	72.00	126.75	2.59	60.43
040000	10.70	3.09	5.08	1.74	11.56	0.81	2.71	0.17	2.54	27.42	24.00	72.00	86.57	2.36	54.07
050000	10.73	3.12	5.12	1.77	11.49	0.79	2.66	0.17	2.49	27.41	24.00	72.00	59.27	6.38	50.81
060000	10.57	3.09	5.15	1.82	11.32	0.82	3.02	0.19	2.83	27.46	24.00	72.00	55.33	7.76	46.82
070000	10.72	3.14	5.14	1.80	12.04	0.84	3.14	0.18	2.96	28.39	24.00	72.00	33.65	7.54	54.05
080000	10.70	3.13	5.14	1.81	15.26	0.84	2.93	0.18	2.75	30.42	24.00	72.00	71.14	1.51	57.41
090000	10.56	3.15	5.16	1.81	24.56	0.81	2.62	0.18	2.44	31.73	24.00	72.00	92.85	3.61	61.66
100000	10.66	3.15	5.15	1.79	31.95	0.73	2.57	0.19	2.38	32.51	24.00	72.00	112.31	3.34	47.40
110000	10.56	3.18	5.18	1.77	54.22	0.88	2.65	0.23	2.42	32.29	24.00	72.00	253.09	6.92	49.33
120000	10.58	3.14	5.14	1.78	58.27	0.86	2.62	0.25	2.37	32.16	24.00	72.00	293.82	7.73	83.58
130000	10.56	3.16	5.20	1.80	52.13	0.84	2.52	0.22	2.30	32.41	24.00	72.00	291.69	8.07	57.74
140000	10.64	3.17	5.14	1.75	51.24	0.81	2.49	0.21	2.28	32.28	24.00	72.00	287.37	7.49	42.59
150000	10.64	3.19	5.19	1.77	44.01	0.76	2.43	0.18	2.25	31.90	24.00	72.00	283.17	7.43	42.81
160000	10.63	3.12	5.08	1.74	38.91	0.73	2.46	0.19	2.27	31.15	24.00	72.00	280.39	6.58	32.64
170000	10.66	3.18	5.14	1.73	30.70	0.75	2.45	0.17	2.28	30.21	24.00	72.00	241.53	1.43	37.77
180000	10.66	3.15	5.13	1.74	23.34	0.79	2.45	0.16	2.29	29.84	24.00	72.00	172.08	0.07	52.96
190000	10.52	3.12	5.14	1.81	22.55	0.79	2.45	0.16	2.29	29.34	24.00	72.00	221.54	0.07	68.48
200000	10.65	3.15	5.16	1.79	19.66	0.78	2.47	0.17	2.30	28.97	24.00	72.00	176.03	0.20	55.37
210000	10.68	3.10	5.17	1.84	19.17	0.76	2.64	0.17	2.47	28.80	24.00	72.00	101.70	0.44	50.09
220000	10.68	3.15	5.17	1.77	17.47	0.77	2.57	0.17	2.40	28.45	24.00	72.00	174.62	0.13	41.78
230000	10.64	3.09	5.07	1.73	14.27	0.80	2.53	0.18	2.35	28.22	24.00	72.00	109.15	1.91	49.39
極大值	10.73	3.19	5.20	1.84	58.27	0.88	3.14	0.25	2.96	32.51	46.47	129.98	293.82	8.13	933.52
極小值	10.46	3.09	5.07	1.72	11.32	0.73	2.43	0.16	2.25	27.41	24.00	72.00	33.65	0.07	32.64
平均值	10.62	3.14	5.14	1.78	25.57	0.80	2.64	0.19	2.45	29.67	25.01	74.60	157.52	4.11	91.63
標準差	0.07	0.03	0.04	0.03	15.75	0.04	0.19	0.02	0.19	1.92	4.58	11.83	89.64	3.09	180.08

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	10.69	3.18	5.15	1.73	14.95	0.79	2.48	0.17	2.31	28.24	24.00	72.00	36.31	2.87	50.45
010000	10.78	3.09	5.08	1.75	14.24	0.84	2.50	0.16	2.34	28.34	46.46	129.92	37.58	4.71	933.37
020000	10.78	3.12	5.12	1.76	13.98	0.83	2.49	0.16	2.33	28.12	25.70	76.37	33.29	6.79	126.62
030000	10.81	3.16	5.14	1.77	13.20	0.79	2.47	0.16	2.31	27.85	24.00	72.00	24.44	7.82	66.65
040000	10.79	3.12	5.08	1.73	12.55	0.78	2.46	0.16	2.30	27.78	24.00	72.00	77.19	4.83	54.76
050000	10.80	3.10	5.13	1.80	12.09	0.80	2.63	0.15	2.48	27.72	24.00	72.00	103.25	4.24	54.08
060000	10.91	3.16	5.14	1.76	11.58	0.79	2.78	0.14	2.64	27.69	24.00	72.00	95.74	3.09	52.72
070000	10.95	3.15	5.18	1.81	12.28	0.82	3.18	0.16	3.02	28.87	24.00	72.00	52.11	1.88	49.49
080000	10.80	3.13	5.12	1.76	16.55	0.81	3.12	0.20	2.92	30.82	24.00	72.00	82.83	1.43	45.99
090000	10.97	3.16	5.13	1.76	28.57	0.81	2.70	0.20	2.50	32.64	24.00	72.00	165.71	0.55	44.48
100000	10.91	3.19	5.15	1.74	36.81	0.83	2.57	0.21	2.36	33.61	24.00	72.00	176.64	1.13	67.21
110000	10.81	3.16	5.15	1.77	56.90	0.94	2.53	0.21	2.32	33.23	24.00	72.00	284.19	5.40	59.21
120000	10.93	3.13	5.15	1.77	72.12	0.98	2.56	0.24	2.32	33.08	24.00	72.00	288.55	7.46	75.23
130000	10.80	3.12	5.13	1.75	73.20	1.04	2.49	0.20	2.29	32.90	24.00	72.00	293.56	7.99	71.26
140000	10.92	3.21	5.14	1.70	65.76	0.92	2.47	0.19	2.28	32.78	24.00	72.00	290.04	7.75	71.08
150000	10.97	3.16	5.15	1.75	58.73	0.82	2.47	0.18	2.29	32.40	24.00	72.00	282.81	6.93	62.36
160000	11.06	3.15	5.15	1.74	48.97	0.79	2.47	0.18	2.29	31.65	24.00	72.00	286.78	5.31	48.78
170000	10.95	3.15	5.16	1.80	32.29	0.86	2.45	0.16	2.29	30.76	24.00	72.00	216.13	0.78	48.07
180000	10.92	3.13	5.16	1.81	21.48	0.92	2.44	0.16	2.28	29.84	24.00	72.00	217.11	0.11	49.02
190000	10.90	3.13	5.17	1.82	19.22	0.93	2.45	0.16	2.29	29.77	24.00	72.00	110.20	0.39	67.44
200000	10.96	3.14	5.13	1.75	20.70	0.89	2.47	0.17	2.30	29.35	24.00	72.00	256.30	0.07	68.86
210000	10.97	3.11	5.12	1.78	22.24	0.84	2.56	0.17	2.39	29.28	24.00	72.00	75.84	0.07	62.89
220000	10.95	3.13	5.10	1.74	20.48	0.84	2.84	0.16	2.68	28.91	24.00	72.00	80.30	0.15	57.86
230000	11.02	3.14	5.06	1.71	21.64	0.81	2.61	0.15	2.46	28.83	24.00	72.00	52.17	0.23	52.76
極大值	11.06	3.21	5.18	1.82	73.20	1.04	3.18	0.24	3.02	33.61	46.46	129.92	293.56	7.99	933.37
極小值	10.69	3.09	5.06	1.70	11.58	0.78	2.44	0.14	2.28	27.69	24.00	72.00	24.44	0.07	44.48
平均值	10.89	3.14	5.13	1.76	30.02	0.85	2.59	0.18	2.42	30.19	25.01	74.60	150.79	3.42	97.53
標準差	0.09	0.03	0.03	0.03	20.7	0.07	0.2	0.02	0.2	2.08	4.58	11.82	101.27	2.96	178.81

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	11.08	3.11	5.14	1.80	18.82	0.84	3.10	0.56	2.54	28.85	24.00	72.00	60.49	6.82	46.30
010000	11.14	3.11	5.08	1.73	15.79	0.89	3.01	0.55	2.46	28.73	46.52	130.08	60.32	8.17	935.31
020000	11.08	3.15	5.11	1.74	14.10	0.90	2.98	0.54	2.44	28.52	25.67	76.30	18.46	7.94	128.64
030000	11.15	3.06	5.10	1.80	12.21	0.84	3.05	0.56	2.49	28.10	24.00	72.00	103.28	2.23	69.30
040000	11.14	3.15	5.15	1.74	13.49	0.78	3.16	0.58	2.58	28.16	24.00	72.00	43.19	5.62	56.51
050000	11.20	3.12	5.15	1.80	12.61	0.78	3.31	0.58	2.73	27.92	24.00	72.00	109.18	3.23	57.86
060000	11.33	3.15	5.16	1.77	11.84	0.78	3.23	0.54	2.69	27.95	24.00	72.00	93.21	3.96	47.37
070000	11.18	3.10	5.09	1.77	12.28	0.84	3.25	0.59	2.66	29.13	24.00	72.00	50.06	3.72	44.73
080000	11.13	3.17	5.20	1.79	19.15	0.83	3.30	0.63	2.67	30.99	24.00	72.00	117.90	2.67	43.19
090000	11.16	3.14	5.14	1.78	26.20	0.82	3.23	0.62	2.61	32.01	24.00	72.00	146.99	3.15	47.96
100000	11.24	3.14	5.09	1.75	33.27	0.92	3.12	0.63	2.49	33.06	24.00	72.00	245.42	2.38	58.07
110000	11.21	3.14	5.12	1.76	42.73	0.85	3.11	0.68	2.43	33.19	24.00	72.00	276.34	5.94	78.11
120000	11.20	3.16	5.18	1.80	45.94	0.77	3.15	0.67	2.48	32.76	24.00	72.00	284.90	8.35	77.05
130000	11.23	3.13	5.18	1.82	50.04	0.86	3.01	0.53	2.48	32.81	24.00	72.00	285.62	7.76	53.73
140000	11.31	3.16	5.13	1.74	30.02	0.89	2.88	0.48	2.40	32.58	24.00	72.00	288.86	7.97	72.83
150000	11.37	3.14	5.16	1.78	29.68	0.80	2.87	0.49	2.38	32.28	24.00	72.00	287.00	7.19	328.62
160000	11.33	3.12	5.14	1.80	32.63	0.88	2.85	0.50	2.35	31.50	24.00	72.00	285.48	5.17	139.60
170000	11.33	3.11	5.11	1.78	34.77	0.76	2.84	0.52	2.32	30.83	24.00	72.00	291.58	3.65	57.03
180000	11.40	3.18	5.19	1.77	25.20	0.77	2.79	0.48	2.31	30.51	24.00	72.00	244.12	0.07	60.83
190000	11.49	3.14	5.15	1.77	23.04	0.80	2.83	0.53	2.30	30.27	24.00	72.00	239.47	0.50	60.33
200000	11.31	3.09	5.10	1.79	25.59	0.77	3.03	0.57	2.46	29.87	24.00	72.00	282.45	0.38	60.25
210000	11.43	3.17	5.12	1.72	23.68	0.74	3.12	0.56	2.56	29.61	24.00	72.00	204.75	1.27	55.01
220000	11.37	3.15	5.18	1.77	15.74	0.76	3.13	0.58	2.55	29.04	24.00	72.00	72.18	1.96	48.98
230000	11.43	3.12	5.19	1.85	17.04	0.77	3.14	0.58	2.56	29.22	24.00	72.00	34.72	5.90	53.04
極大值	11.49	3.18	5.20	1.85	50.04	0.92	3.31	0.68	2.73	33.19	46.52	130.08	291.58	8.35	935.31
極小值	11.08	3.06	5.08	1.72	11.84	0.74	2.79	0.48	2.30	27.92	24.00	72.00	18.46	0.07	43.19
平均值	11.26	3.13	5.14	1.78	24.41	0.82	3.06	0.56	2.50	30.33	25.01	74.60	171.92	4.42	111.69
標準差	0.12	0.03	0.04	0.03	11.15	0.05	0.16	0.05	0.12	1.81	4.59	11.85	103.46	2.71	185.02

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	11.36	3.11	5.09	1.75	15.50	0.77	0.12	0.12	0.00	28.93	24.00	72.00	38.14	10.12	59.50
010000	11.35	3.12	5.12	1.77	16.36	0.74	0.11	0.11	0.00	28.70	46.52	130.08	54.81	7.67	936.27
020000	11.43	3.12	5.11	1.75	14.15	0.73	0.11	0.11	0.00	28.36	25.70	76.37	35.67	4.69	117.51
030000	11.56	3.16	5.20	1.81	14.84	0.73	0.12	0.12	0.00	28.30	24.00	72.00	112.36	2.03	46.64
040000	11.52	3.14	5.18	1.81	14.89	0.73	0.11	0.11	0.00	28.28	24.00	72.00	85.60	5.47	52.62
050000	11.60	3.04	5.11	1.83	15.60	0.73	0.11	0.11	0.00	28.33	24.00	72.00	24.93	11.50	56.99
060000	11.53	3.14	5.15	1.78	13.78	0.75	0.11	0.11	0.00	28.34	24.00	72.00	24.22	10.72	54.04
070000	11.58	3.18	5.17	1.75	12.96	0.79	0.12	0.12	0.00	28.69	24.00	72.00	34.98	9.70	55.65
080000	11.02	3.14	5.13	1.75	18.90	0.80	0.78	0.78	0.00	29.63	24.00	72.00	41.03	10.74	66.06
090000	9.80	3.18	5.16	1.77	20.81	0.37	2.58	0.36	2.22	30.58	24.00	72.00	54.21	10.48	59.57
100000	9.74	3.24	5.23	1.78	27.36	0.35	2.57	0.38	2.19	31.85	24.00	72.00	75.19	7.18	52.93
110000	9.77	3.14	5.11	1.74	37.95	0.34	2.54	0.39	2.15	32.52	24.00	72.00	275.07	5.45	58.00
120000	9.55	3.14	5.09	1.73	53.57	0.35	2.50	0.39	2.11	32.47	24.00	72.00	280.48	8.11	70.37
130000	9.79	3.10	5.10	1.80	57.43	0.33	2.38	0.31	2.07	32.06	24.00	72.00	281.25	9.92	67.85
140000	9.76	3.09	5.17	1.85	57.43	0.33	2.35	0.29	2.06	31.68	24.00	72.00	279.58	9.17	86.13
150000	9.80	3.17	5.09	1.70	61.30	0.33	2.34	0.28	2.06	31.26	24.00	72.00	290.36	8.94	57.77
160000	9.83	3.14	5.17	1.79	60.63	0.33	2.34	0.29	2.05	30.95	24.00	72.00	288.23	8.73	63.35
170000	9.88	3.14	5.11	1.77	44.79	0.26	2.29	0.26	2.03	30.78	24.00	72.00	273.97	10.33	59.15
180000	9.88	3.13	5.16	1.78	34.51	0.22	2.29	0.27	2.02	30.47	24.00	72.00	274.71	6.43	41.02
190000	9.99	3.15	5.16	1.76	30.19	0.24	2.38	0.32	2.06	30.21	24.00	72.00	272.01	1.25	24.35
200000	10.03	3.11	5.10	1.76	24.03	0.36	2.71	0.46	2.25	29.39	24.00	72.00	113.82	4.60	56.46
210000	9.99	3.12	5.16	1.79	21.29	0.37	2.90	0.43	2.47	28.59	24.00	72.00	74.95	4.04	99.12
220000	9.97	3.14	5.18	1.81	19.21	0.38	2.94	0.42	2.52	28.26	24.00	72.00	98.45	5.08	98.85
230000	10.02	3.14	5.13	1.77	18.55	0.37	2.96	0.41	2.55	27.88	24.00	72.00	58.18	5.22	97.76
極大值	11.60	3.24	5.23	1.85	61.30	0.80	2.96	0.78	2.55	32.52	46.52	130.08	290.36	11.50	936.27
極小值	9.55	3.04	5.09	1.70	12.96	0.22	0.11	0.11	0.00	27.88	24.00	72.00	24.22	1.25	24.35
平均值	10.45	3.14	5.14	1.78	29.42	0.49	1.66	0.29	1.37	29.85	25.01	74.60	143.42	7.40	101.58
標準差	0.8	0.04	0.04	0.03	17.08	0.21	1.18	0.16	1.09	1.54	4.59	11.85	110.3	2.92	179.01

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	10.08	3.14	5.13	1.75	18.50	0.37	2.88	0.39	2.49	27.60	24.00	72.00	83.49	6.05	88.14
010000	10.10	3.12	5.06	1.73	18.30	0.36	2.78	0.39	2.39	27.52	46.55	130.29	91.11	3.56	938.13
020000	10.32	3.09	5.10	1.79	16.83	0.35	2.91	0.40	2.51	27.22	25.70	76.40	97.42	6.34	147.17
030000	10.22	3.12	5.14	1.76	15.15	0.36	3.01	0.40	2.61	27.08	24.00	72.00	61.52	6.77	84.44
040000	10.35	3.09	5.12	1.80	13.91	0.35	3.06	0.44	2.62	26.69	24.00	72.00	190.32	1.88	86.93
050000	10.42	3.10	5.09	1.75	12.01	0.35	3.21	0.45	2.76	26.72	24.00	72.00	68.55	4.99	88.28
060000	10.57	3.10	5.06	1.74	12.52	0.37	3.20	0.42	2.78	26.78	24.00	72.00	25.51	8.81	89.23
070000	10.41	3.16	5.16	1.76	12.95	0.41	3.36	0.43	2.93	27.62	24.00	72.00	25.41	6.02	88.20
080000	10.51	3.13	5.15	1.78	13.07	0.44	3.29	0.44	2.85	28.39	24.00	72.00	59.89	2.27	88.79
090000	10.43	3.08	5.14	1.82	15.78	0.46	3.10	0.43	2.67	29.59	24.00	72.00	64.81	4.33	80.73
100000	10.43	3.19	5.19	1.76	28.64	0.50	2.70	0.38	2.32	30.95	24.00	72.00	36.62	6.27	84.85
110000	10.39	3.13	5.17	1.80	38.45	0.49	2.54	0.37	2.17	31.81	24.00	72.00	166.65	5.02	74.98
120000	10.37	3.10	5.12	1.78	54.57	0.38	2.45	0.34	2.11	31.31	24.00	72.00	285.61	9.36	75.78
130000	10.38	3.17	5.14	1.73	56.25	0.38	2.43	0.32	2.11	31.03	24.00	72.00	286.47	7.63	78.69
140000	10.44	3.12	5.10	1.73	55.51	0.35	2.45	0.33	2.12	30.77	24.00	72.00	288.43	6.00	87.12
150000	10.38	3.04	5.10	1.82	52.10	0.33	2.43	0.31	2.12	30.41	24.00	72.00	292.58	5.28	78.40
160000	10.36	3.11	5.12	1.77	40.13	0.39	2.44	0.34	2.10	30.19	24.00	72.00	281.55	4.06	84.79
170000	10.40	3.18	5.13	1.71	32.40	0.43	2.47	0.36	2.11	29.97	24.00	72.00	283.17	3.88	71.14
180000	10.55	3.13	5.17	1.78	27.91	0.41	2.48	0.35	2.13	29.70	24.00	72.00	135.02	0.71	74.69
190000	10.51	3.14	5.12	1.74	24.73	0.41	2.51	0.37	2.14	29.69	24.00	72.00	82.39	0.08	63.55
200000	10.37	3.09	5.13	1.82	21.21	0.40	2.59	0.37	2.22	29.54	24.00	72.00	74.13	0.07	70.96
210000	10.48	3.11	5.11	1.79	20.59	0.38	2.90	0.37	2.53	29.33	24.00	72.00	74.74	0.07	73.12
220000	10.39	3.13	5.09	1.71	20.27	0.35	2.93	0.36	2.57	29.28	24.00	72.00	65.59	0.19	69.21
230000	10.51	3.15	5.18	1.79	20.75	0.33	2.78	0.36	2.42	29.26	24.00	72.00	169.45	0.54	62.22
極大值	10.57	3.19	5.19	1.82	56.25	0.50	3.36	0.45	2.93	31.81	46.55	130.29	292.58	9.36	938.13
極小值	10.08	3.04	5.06	1.71	12.01	0.33	2.43	0.31	2.10	26.69	24.00	72.00	25.41	0.07	62.22
平均值	10.39	3.12	5.13	1.77	26.77	0.39	2.79	0.38	2.41	29.10	25.01	74.61	137.10	4.17	117.90
標準差	0.12	0.03	0.03	0.03	14.85	0.05	0.31	0.04	0.27	1.6	4.6	11.89	97.26	2.87	175.44

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	10.44	3.13	5.13	1.77	20.46	0.36	2.97	0.37	2.60	29.32	24.00	72.00	65.88	2.83	58.06
010000	10.48	3.13	5.17	1.81	18.03	0.37	2.91	0.38	2.53	29.17	46.54	130.35	206.57	0.87	935.02
020000	10.62	3.15	5.14	1.79	18.27	0.36	3.00	0.39	2.61	29.08	25.83	76.72	92.82	5.16	130.29
030000	10.59	3.16	5.14	1.74	19.13	0.33	2.83	0.39	2.44	28.79	24.00	72.00	62.31	5.44	69.11
040000	10.72	3.08	5.05	1.74	16.13	0.31	2.80	0.40	2.40	28.45	24.00	72.00	269.43	0.47	64.04
050000	10.62	3.16	5.12	1.74	13.98	0.32	2.85	0.40	2.45	28.41	24.00	72.00	272.23	0.08	55.88
060000	10.80	3.10	5.12	1.79	13.23	0.34	2.83	0.39	2.44	28.65	24.00	72.00	300.53	0.48	56.02
070000	10.87	3.14	5.13	1.75	12.97	0.43	2.87	0.48	2.39	28.79	24.00	72.00	218.28	1.24	59.46
080000	10.92	3.15	5.15	1.78	12.46	0.46	2.86	0.50	2.36	28.87	24.00	72.00	157.62	0.38	77.78
090000	10.96	3.16	5.18	1.80	13.01	0.46	3.12	0.82	2.30	29.01	24.00	72.00	187.99	1.15	71.90
100000	10.97	3.13	5.13	1.75	13.58	0.49	2.89	0.58	2.31	29.21	24.00	72.00	126.26	1.76	81.07
110000	11.02	3.20	5.14	1.71	16.55	0.42	2.71	0.51	2.20	28.90	24.00	72.00	70.47	6.27	86.26
120000	11.06	3.08	5.14	1.82	20.30	0.37	2.64	0.44	2.20	28.98	24.00	72.00	65.91	2.24	60.79
130000	11.06	3.10	5.17	1.83	25.66	0.43	2.60	0.42	2.18	29.50	24.00	72.00	35.58	6.45	64.45
140000	11.07	3.07	5.12	1.81	24.11	0.50	2.68	0.45	2.23	29.50	24.00	72.00	163.49	0.62	82.94
150000	11.26	3.15	5.17	1.79	23.77	0.50	2.74	0.44	2.30	28.90	24.00	72.00	121.16	3.29	76.14
160000	11.28	3.14	5.15	1.78	27.06	0.58	2.69	0.42	2.27	28.44	24.00	72.00	271.30	4.66	80.71
170000	11.39	3.12	5.11	1.76	24.43	0.37	2.39	0.31	2.08	28.12	24.00	72.00	271.91	8.93	79.25
180000	11.54	3.10	5.13	1.79	22.02	0.26	2.34	0.29	2.05	28.17	24.00	72.00	269.81	3.88	21.01
190000	11.60	3.15	5.20	1.79	20.18	0.27	2.34	0.29	2.05	28.37	24.00	72.00	256.24	1.85	20.87
200000	11.57	3.08	5.07	1.76	15.69	0.31	2.45	0.33	2.12	28.11	24.00	72.00	106.22	9.20	19.49
210000	11.57	3.12	5.15	1.79	17.19	0.41	2.59	0.37	2.22	28.19	24.00	72.00	16.93	9.08	27.61
220000	11.46	3.10	5.09	1.77	16.88	0.37	2.52	0.35	2.17	28.06	24.00	72.00	61.22	7.95	40.76
230000	11.54	3.11	5.15	1.81	16.81	0.30	2.54	0.33	2.21	28.07	24.00	72.00	36.86	5.62	27.09
極大值	11.60	3.20	5.20	1.83	27.06	0.58	3.12	0.82	2.61	29.50	46.54	130.35	300.53	9.20	935.02
極小值	10.44	3.07	5.05	1.71	12.46	0.26	2.34	0.29	2.05	28.06	24.00	72.00	16.93	0.08	19.49
平均值	11.06	3.13	5.14	1.78	18.41	0.39	2.72	0.42	2.30	28.71	25.02	74.63	154.46	3.75	97.75
標準差	0.37	0.03	0.03	0.03	4.35	0.08	0.21	0.11	0.16	0.46	4.6	11.91	93.8	3.05	180.21

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	11.59	3.10	5.13	1.78	15.01	0.29	2.54	0.34	2.20	28.00	24.00	72.00	210.36	0.07	19.59
010000	11.58	3.16	5.13	1.75	14.25	0.29	2.49	0.32	2.17	27.90	46.54	130.25	82.59	2.98	933.51
020000	11.61	3.12	5.19	1.83	13.43	0.31	2.52	0.33	2.19	27.98	25.70	76.38	52.35	0.70	88.67
030000	11.62	3.16	5.12	1.75	13.75	0.30	2.44	0.32	2.12	27.85	24.00	72.00	141.47	0.54	16.47
040000	11.62	3.10	5.12	1.79	14.18	0.33	2.57	0.31	2.26	27.79	24.00	72.00	174.98	1.72	15.72
050000	11.67	3.12	5.19	1.83	13.95	0.33	2.62	0.32	2.30	27.91	24.00	72.00	271.79	0.27	24.05
060000	11.73	3.13	5.16	1.79	12.30	0.33	2.74	0.31	2.43	27.96	24.00	72.00	49.76	6.24	17.47
070000	11.68	3.09	5.16	1.81	12.52	0.39	2.72	0.34	2.38	28.34	24.00	72.00	33.33	8.14	21.47
080000	7.82	3.17	5.16	1.75	13.68	0.40	2.60	0.34	2.26	28.81	24.00	72.00	41.64	7.47	33.65
090000	5.61	3.12	5.09	1.74	16.90	0.37	2.52	0.34	2.18	29.56	24.00	72.00	50.66	6.59	36.09
100000	5.57	3.17	5.19	1.81	19.01	0.35	2.51	0.37	2.14	29.80	24.00	72.00	63.12	3.04	33.93
110000	5.64	3.15	5.15	1.76	19.94	0.35	2.46	0.36	2.10	30.01	24.00	72.00	138.37	1.45	40.90
120000	5.49	3.19	5.17	1.75	21.64	0.35	2.46	0.34	2.12	30.26	24.00	72.00	169.03	0.08	47.36
130000	5.56	3.11	5.13	1.78	22.48	0.33	2.41	0.34	2.07	30.38	24.00	72.00	135.70	0.91	40.61
140000	5.41	3.16	5.13	1.74	23.49	0.32	2.38	0.34	2.04	30.26	24.00	72.00	90.74	1.61	37.68
150000	5.55	3.09	5.14	1.82	23.50	0.34	2.44	0.34	2.10	30.08	24.00	72.00	87.37	0.40	36.77
160000	5.66	3.19	5.08	1.66	19.02	0.37	2.45	0.34	2.11	29.75	24.00	72.00	229.16	0.07	44.40
170000	5.63	3.13	5.12	1.75	16.39	0.44	2.48	0.37	2.11	29.52	24.00	72.00	189.40	0.07	51.35
180000	5.69	3.11	5.13	1.77	13.61	0.45	2.64	0.39	2.25	29.33	24.00	72.00	157.96	0.21	46.95
190000	5.88	3.07	5.08	1.79	12.90	0.41	2.66	0.39	2.27	29.11	24.00	72.00	273.60	0.09	59.08
200000	5.85	3.11	5.14	1.79	12.69	0.33	2.68	0.35	2.33	28.88	24.00	72.00	149.88	0.20	37.85
210000	6.03	3.13	5.11	1.72	11.44	0.32	2.86	0.35	2.51	28.81	24.00	72.00	158.86	0.32	29.08
220000	5.85	3.11	5.08	1.73	11.62	0.35	2.92	0.35	2.57	28.81	24.00	72.00	41.78	1.93	29.12
230000	6.02	3.12	5.06	1.71	11.50	0.38	2.89	0.35	2.54	28.75	24.00	72.00	115.78	0.17	34.61
極大值	11.73	3.19	5.19	1.83	23.50	0.45	2.92	0.39	2.57	30.38	46.54	130.25	273.60	8.14	933.51
極小值	5.41	3.07	5.06	1.66	11.44	0.29	2.38	0.31	2.04	27.79	24.00	72.00	33.33	0.07	15.72
平均值	7.76	3.13	5.13	1.77	15.80	0.35	2.58	0.34	2.24	28.99	25.01	74.61	129.57	1.89	74.02
標準差	2.83	0.03	0.04	0.04	3.96	0.04	0.15	0.02	0.15	0.89	4.6	11.88	72.32	2.56	183.76

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	6.03	3.13	5.17	1.80	11.80	0.37	2.75	0.35	2.40	28.67	24.00	72.00	77.03	0.82	39.99
010000	6.07	3.12	5.17	1.82	11.77	0.39	2.86	0.36	2.50	28.67	46.10	129.10	54.77	3.33	917.28
020000	6.19	3.14	5.13	1.75	11.55	0.39	2.92	0.37	2.55	28.65	26.16	77.58	43.24	4.52	128.81
030000	6.07	3.14	5.17	1.79	11.08	0.41	3.53	0.38	3.15	28.65	24.00	72.00	54.29	4.76	50.53
040000	6.17	3.16	5.17	1.75	11.18	0.39	3.60	0.36	3.24	28.59	24.00	72.00	111.67	3.17	54.57
050000	6.32	3.11	5.11	1.75	11.03	0.37	3.50	0.37	3.13	28.58	24.00	72.00	101.68	4.56	50.87
060000	6.21	3.06	5.10	1.81	10.88	0.35	3.49	0.35	3.14	28.63	24.00	72.00	91.33	3.47	38.84
070000	6.40	3.19	5.17	1.74	10.78	0.41	3.45	0.39	3.06	28.77	24.00	72.00	88.90	1.83	44.32
080000	6.38	3.18	5.18	1.77	11.53	0.41	3.02	0.38	2.64	29.36	24.00	72.00	73.88	1.17	46.18
090000	6.43	3.19	5.15	1.72	13.32	0.40	2.83	0.38	2.45	30.69	24.00	72.00	135.70	0.66	48.42
100000	6.37	3.13	5.17	1.81	22.65	0.37	2.60	0.37	2.23	31.34	24.00	72.00	263.77	2.02	45.80
110000	6.45	3.04	5.09	1.82	36.59	0.40	2.59	0.39	2.20	31.69	24.00	72.00	278.27	3.66	62.29
120000	6.37	3.14	5.13	1.76	48.49	0.42	2.54	0.40	2.14	31.84	24.00	72.00	276.68	5.77	80.03
130000	6.39	3.10	5.07	1.72	45.08	0.45	2.46	0.37	2.09	31.70	24.00	72.00	285.76	7.41	77.31
140000	6.45	3.19	5.14	1.71	56.32	0.54	2.54	0.37	2.17	31.25	24.00	72.00	290.42	8.16	91.94
150000	6.58	3.12	5.13	1.77	59.55	0.51	2.49	0.35	2.14	30.90	24.00	72.00	289.97	7.42	122.72
160000	6.64	3.12	5.12	1.75	53.35	0.49	2.44	0.34	2.10	30.53	24.00	72.00	293.42	5.40	107.99
170000	6.59	3.07	5.10	1.82	44.94	0.48	2.43	0.33	2.10	30.28	24.00	72.00	295.01	3.40	104.82
180000	6.70	3.18	5.13	1.72	33.49	0.52	2.49	0.37	2.12	29.87	24.00	72.00	213.87	0.59	103.82
190000	6.54	3.07	5.10	1.81	29.12	0.50	2.52	0.38	2.14	29.50	24.00	72.00	193.04	0.07	101.02
200000	6.61	3.14	5.11	1.75	30.06	0.51	2.73	0.40	2.33	29.21	24.00	72.00	297.72	0.07	102.19
210000	6.61	3.15	5.11	1.70	28.36	0.51	2.79	0.39	2.40	29.03	24.00	72.00	193.36	0.07	107.78
220000	6.69	3.14	5.14	1.79	23.45	0.50	3.05	0.37	2.68	28.90	24.00	72.00	32.45	3.15	104.78
230000	6.62	3.12	5.12	1.81	20.54	0.50	3.36	0.39	2.97	28.86	24.00	72.00	76.92	5.40	115.12
極大值	6.70	3.19	5.18	1.82	59.55	0.54	3.60	0.40	3.24	31.84	46.10	129.10	297.72	8.16	917.28
極小值	6.03	3.04	5.07	1.70	10.78	0.35	2.43	0.33	2.09	28.58	24.00	72.00	32.45	0.07	38.84
平均值	6.41	3.13	5.13	1.77	26.95	0.44	2.87	0.37	2.50	29.76	25.01	74.61	171.38	3.37	114.48
標準差	0.2	0.04	0.03	0.04	16.62	0.06	0.4	0.02	0.4	1.18	4.51	11.66	100.98	2.45	173.57

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	6.74	3.16	5.16	1.77	13.33	0.49	3.80	0.44	3.36	28.86	24.00	72.00	68.60	5.30	96.61
010000	6.72	3.18	5.19	1.80	11.23	0.47	3.94	0.44	3.50	28.63	46.12	129.17	51.88	2.36	921.97
020000	6.67	3.11	5.09	1.76	13.30	0.50	3.92	0.42	3.50	28.50	26.05	77.30	72.75	6.17	152.46
030000	6.80	3.04	5.11	1.83	13.93	0.41	3.42	0.36	3.06	28.34	24.00	72.00	19.39	10.87	87.31
040000	6.90	3.09	5.06	1.73	13.78	0.39	3.16	0.35	2.81	28.44	24.00	72.00	18.22	8.76	57.89
050000	6.96	3.11	5.08	1.74	12.96	0.39	3.11	0.35	2.76	28.50	24.00	72.00	252.18	0.94	54.64
060000	6.93	3.04	5.09	1.81	12.36	0.38	3.03	0.35	2.68	28.53	24.00	72.00	118.80	0.07	51.49
070000	6.97	3.10	5.09	1.79	13.50	0.38	2.98	0.36	2.62	29.10	24.00	72.00	90.97	2.14	48.38
080000	6.97	3.13	5.13	1.75	14.45	0.40	3.20	0.37	2.83	29.70	24.00	72.00	53.72	2.98	47.18
090000	7.00	3.12	5.09	1.74	17.07	0.37	2.96	0.36	2.60	30.88	24.00	72.00	202.00	0.07	59.17
100000	6.93	3.12	5.15	1.80	20.15	0.35	2.82	0.36	2.46	31.83	24.00	72.00	120.29	1.81	57.81
110000	7.06	3.16	5.14	1.76	25.25	0.32	2.67	0.36	2.31	32.22	24.00	72.00	48.20	5.37	54.57
120000	7.09	3.27	5.14	1.66	26.87	0.28	2.57	0.35	2.22	32.89	24.00	72.00	125.72	3.03	41.98
130000	7.07	3.19	5.13	1.72	28.36	0.27	2.51	0.35	2.16	32.91	24.00	72.00	145.19	1.59	28.83
140000	7.05	3.13	5.10	1.75	30.33	0.29	2.48	0.36	2.12	32.96	24.00	72.00	191.21	0.94	25.85
150000	6.92	3.11	5.10	1.74	41.42	0.43	2.55	0.39	2.16	32.00	24.00	72.00	288.58	3.68	39.88
160000	7.21	3.15	5.12	1.74	36.73	0.44	2.55	0.39	2.16	31.57	24.00	72.00	268.44	0.93	72.48
170000	7.20	3.13	5.14	1.77	26.36	0.46	2.60	0.41	2.19	31.18	24.00	72.00	116.04	0.73	75.23
180000	7.20	3.14	5.15	1.80	24.07	0.43	2.72	0.40	2.32	31.10	24.00	72.00	113.89	4.39	79.70
190000	7.31	3.09	5.14	1.80	20.79	0.41	2.89	0.38	2.51	30.39	24.00	72.00	238.57	2.81	66.11
200000	7.27	3.14	5.16	1.79	17.23	0.41	2.80	0.37	2.43	29.92	24.00	72.00	111.42	3.50	65.08
210000	7.33	3.18	5.17	1.76	15.22	0.38	2.98	0.36	2.62	29.36	24.00	72.00	67.54	1.32	70.10
220000	7.41	3.09	5.08	1.80	14.77	0.38	3.26	0.36	2.90	29.36	24.00	72.00	62.81	4.21	70.40
230000	7.32	3.15	5.14	1.75	15.34	0.39	3.07	0.36	2.71	29.21	24.00	72.00	44.89	7.58	72.55
極大值	7.41	3.27	5.19	1.83	41.42	0.50	3.94	0.44	3.50	32.96	46.12	129.17	288.58	10.87	921.97
極小值	6.67	3.04	5.06	1.66	11.23	0.27	2.48	0.35	2.12	28.34	24.00	72.00	18.22	0.07	25.85
平均值	7.04	3.13	5.12	1.76	19.95	0.39	3.00	0.38	2.62	30.27	25.01	74.60	120.47	3.40	99.90
標準差	0.21	0.05	0.03	0.04	8.23	0.06	0.43	0.03	0.42	1.61	4.52	11.67	79.84	2.8	176.92