

油車庄監測日報表

監測日期：2026/04/01

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 2.95 | 3.76 | 7.86 | 11.63 | 0.49 | 4.7 | 3.16 | 0.2 | 3.36 | 24 | 26 |
| 01:00 | 2.51 | 3 | 6.04 | 9.04 | 0.49 | 5.8 | 2.76 | 0.21 | 2.97 | 24 | 26 |
| 02:00 | 2.52 | 3.02 | 5.65 | 8.67 | 0.5 | 5.7 | 3.16 | 0.19 | 3.35 | 23 | 26 |
| 03:00 | 2.63 | 3.38 | 5.78 | 9.16 | 0.51 | 5.2 | 3.22 | 0.2 | 3.42 | 19 | 26 |
| 04:00 | 2.87 | 3.3 | 6.4 | 9.7 | 0.51 | 5.1 | 3.16 | 0.28 | 3.44 | 27 | 26 |
| 05:00 | 2.8 | 3.8 | 7.57 | 11.37 | 0.52 | 4.5 | 2.96 | 0.26 | 3.22 | 28 | 26 |
| 06:00 | 2.95 | 5.44 | 7.12 | 12.56 | 0.54 | 4.9 | 3.16 | 0.29 | 3.46 | 31 | 26 |
| 07:00 | 3.2 | 5.74 | 7.48 | 13.22 | 0.54 | 5.5 | 2.86 | 0.26 | 3.12 | 35 | 26 |
| 08:00 | 3.07 | 4.55 | 7.26 | 11.81 | 0.55 | 11.1 | 2.65 | 0.27 | 2.92 | 43 | 26 |
| 09:00 | 3.44 | 3.15 | 4.54 | 7.69 | 0.48 | 19.6 | 2.39 | 0.28 | 2.67 | 31 | 26 |
| 10:00 | 4.6 | 3 | 3.77 | 6.78 | 0.5 | 24 | 2.24 | 0.33 | 2.56 | 21 | 26 |
| 11:00 | 4.81 | 3.28 | 5.41 | 8.7 | 0.48 | 25.2 | 2.25 | 0.32 | 2.57 | 25 | 26 |
| 12:00 | 4.91 | 3.86 | 7.68 | 11.54 | 0.58 | 24.5 | 2.29 | 0.25 | 2.54 | 29 | 26 |
| 13:00 | 4.95 | 3.74 | 7.2 | 10.95 | 0.51 | 24.3 | 2.3 | 0.23 | 2.53 | 32 | 25.9 |
| 14:00 | 4.71 | 3.41 | 6.5 | 9.91 | 0.46 | 25.8 | 2.3 | 0.24 | 2.54 | 31 | 26 |
| 15:00 | 4 | 3.04 | 6.16 | 9.19 | 0.44 | 24 | 2.3 | 0.22 | 2.51 | 28 | 25.9 |
| 16:00 | 4.61 | 3.05 | 8.16 | 11.21 | 0.5 | 16.6 | 2.4 | 0.24 | 2.64 | 38 | 26 |
| 17:00 | 5.58 | 3.44 | 10.62 | 14.06 | 0.54 | 12.3 | 2.5 | 0.29 | 2.79 | 31 | 26 |
| 18:00 | 5.96 | 3.72 | 11.14 | 14.86 | 0.55 | 9 | 2.59 | 0.29 | 2.88 | 32 | 26 |
| 19:00 | 4.7 | 4.51 | 12.45 | 16.96 | 0.55 | 8 | 2.45 | 0.29 | 2.74 | 32 | 25.9 |
| 20:00 | 7.41 | 5.28 | 13.43 | 18.7 | 0.54 | 6 | 2.53 | 0.28 | 2.81 | 31 | 26 |
| 21:00 | 7.17 | 5.3 | 13.46 | 18.76 | 0.54 | 6.2 | 2.52 | 0.29 | 2.81 | 32 | 26 |
| 22:00 | 8.11 | 3.22 | 9.15 | 12.37 | 0.5 | 11.7 | 2.51 | 0.28 | 2.78 | 28 | 26 |
| 23:00 | 8.2 | 3.7 | 10.56 | 14.26 | 0.53 | 8.1 | 2.62 | 0.26 | 2.88 | 24 | 26 |
| 最大值 | 8.2 | 5.74 | 13.46 | 18.76 | 0.58 | 25.8 | 3.22 | 0.33 | 3.46 | 43 | 26 |
| 最小值 | 2.51 | 3 | 3.77 | 6.78 | 0.44 | 4.5 | 2.24 | 0.19 | 2.51 | 19 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 4.62 | 3.82 | 7.97 | 11.8 | 0.51 | 12.4 | 2.64 | 0.26 | 2.9 | 29.1 | 26 |

油車庄監測日報表

監測日期：2026/04/02

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 7.87 | 4.08 | 10.13 | 14.21 | 0.53 | 5.2 | 2.8 | 0.25 | 3.05 | 30 | 26 |
| 01:00 | 7.99 | 3.68 | 9.1 | 12.78 | 0.56 | 5.1 | 3.27 | 0.22 | 3.49 | 37 | 26 |
| 02:00 | 8.07 | 4.02 | 7.18 | 11.21 | 0.56 | 4.9 | 3.48 | 0.21 | 3.69 | 34 | 26 |
| 03:00 | 7.81 | 4.48 | 6.82 | 11.29 | 0.55 | 5.1 | 3.44 | 0.21 | 3.65 | 41 | 26 |
| 04:00 | 8.55 | 4.39 | 6.87 | 11.26 | 0.54 | 5.1 | 3.65 | 0.2 | 3.85 | 34 | 26 |
| 05:00 | 8.62 | 4.63 | 6.59 | 11.21 | 0.49 | 5 | 3.57 | 0.19 | 3.76 | 33 | 26 |
| 06:00 | 8.44 | 6.76 | 5.95 | 12.71 | 0.53 | 5.3 | 3.74 | 0.18 | 3.92 | 30 | 26 |
| 07:00 | 9.02 | 8.3 | 7.17 | 15.47 | 0.56 | 5.2 | 3.23 | 0.22 | 3.45 | 34 | 26 |
| 08:00 | 8.94 | 5.32 | 6.9 | 12.22 | 0.55 | 8.9 | 2.81 | 0.25 | 3.06 | 36 | 26 |
| 09:00 | 8.49 | 3.06 | 6.19 | 9.25 | 0.56 | 30.9 | 2.56 | 0.29 | 2.85 | 37 | 26 |
| 10:00 | 8.64 | 2.95 | 5.3 | 8.25 | 0.52 | 40.5 | 2.44 | 0.28 | 2.72 | 31 | 26 |
| 11:00 | 8.78 | 2.99 | 6.44 | 9.43 | 0.55 | 42 | 2.38 | 0.29 | 2.67 | 27 | 26 |
| 12:00 | 8.33 | 2.86 | 5.29 | 8.14 | 0.52 | 45.1 | 2.34 | 0.27 | 2.62 | 21 | 26 |
| 13:00 | 8.42 | 2.67 | 3.8 | 6.47 | 0.49 | 46 | 2.32 | 0.24 | 2.56 | 18 | 25.9 |
| 14:00 | 8.45 | 2.79 | 3.65 | 6.44 | 0.47 | 46.9 | 2.31 | 0.23 | 2.53 | 12 | 26 |
| 15:00 | 7.78 | 2.78 | 5.26 | 8.04 | 0.49 | 47 | 2.34 | 0.26 | 2.6 | 24 | 26.1 |
| 16:00 | 8.3 | 2.67 | 5.51 | 8.17 | 0.51 | 49 | 2.34 | 0.27 | 2.61 | 20 | 26 |
| 17:00 | 8.49 | 2.82 | 10.32 | 13.13 | 0.58 | 42.1 | 2.47 | 0.27 | 2.74 | 26 | 26.1 |
| 18:00 | 8.12 | 2.61 | 9.53 | 12.15 | 0.54 | 40.9 | 2.49 | 0.25 | 2.74 | 24 | 26 |
| 19:00 | 8.9 | 2.66 | 9.44 | 12.09 | 0.58 | 33 | 2.52 | 0.24 | 2.76 | 29 | 26 |
| 20:00 | 9.36 | 2.81 | 8.41 | 11.21 | 0.53 | 32.6 | 2.57 | 0.23 | 2.8 | 23 | 25.9 |
| 21:00 | 9.17 | 2.98 | 10.27 | 13.26 | 0.56 | 24.2 | 2.86 | 0.22 | 3.08 | 31 | 26.1 |
| 22:00 | 9.92 | 2.89 | 8.28 | 11.17 | 0.56 | 19.3 | 3.03 | 0.21 | 3.24 | 25 | 26.1 |
| 23:00 | 10.03 | 3.17 | 8.68 | 11.86 | 0.55 | 12.7 | 3.17 | 0.21 | 3.38 | 27 | 26 |
| 最大值 | 10.03 | 8.3 | 10.32 | 15.47 | 0.58 | 49 | 3.74 | 0.29 | 3.92 | 41 | 26.1 |
| 最小值 | 7.78 | 2.61 | 3.65 | 6.44 | 0.47 | 4.9 | 2.31 | 0.18 | 2.53 | 12 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 8.6 | 3.68 | 7.21 | 10.89 | 0.54 | 25.1 | 2.84 | 0.24 | 3.08 | 28.5 | 26 |

油車庄監測日報表

監測日期：2026/04/03

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 10.02 | 3.18 | 10.39 | 13.57 | 0.56 | 16.6 | 2.93 | 0.24 | 3.17 | 32 | 26 |
| 01:00 | 10.55 | 3.36 | 10.39 | 13.75 | 0.55 | 14.6 | 2.87 | 0.26 | 3.13 | 33 | 25.9 |
| 02:00 | 10.67 | 5.47 | 12.26 | 17.73 | 0.54 | 7.1 | 3.01 | 0.25 | 3.26 | 27 | 26 |
| 03:00 | 10.21 | 5.43 | 11.48 | 16.91 | 0.53 | 6.6 | 3.12 | 0.24 | 3.36 | 19 | 26 |
| 04:00 | 10.79 | 8.62 | 10.96 | 19.57 | 0.5 | 5.4 | 3.47 | 0.21 | 3.68 | 17 | 26 |
| 05:00 | 10.85 | 3.83 | 8.96 | 12.79 | 0.53 | 6.8 | 3.05 | 0.22 | 3.28 | 26 | 26 |
| 06:00 | 10.64 | 3.42 | 7.43 | 10.86 | 0.55 | 11.9 | 2.75 | 0.24 | 2.99 | 22 | 26 |
| 07:00 | 11.2 | 3.67 | 8.17 | 11.84 | 0.59 | 15.1 | 2.66 | 0.25 | 2.91 | 28 | 26 |
| 08:00 | 10.87 | 3.39 | 7.23 | 10.62 | 0.56 | 25.9 | 2.51 | 0.26 | 2.77 | 35 | 26 |
| 09:00 | 10.36 | 2.83 | 5.18 | 8.01 | 0.53 | 38 | 2.39 | 0.27 | 2.66 | 27 | 26 |
| 10:00 | 10.48 | 2.78 | 3.52 | 6.3 | 0.46 | 38.6 | 2.28 | 0.25 | 2.53 | 24 | 26 |
| 11:00 | 10.08 | 2.69 | 2.94 | 5.63 | 0.43 | 37.6 | 2.22 | 0.22 | 2.44 | 34 | 26 |
| 12:00 | 9.43 | 2.74 | 2.69 | 5.43 | 0.42 | 36 | 2.2 | 0.21 | 2.41 | 34 | 26 |
| 13:00 | 9.67 | 2.72 | 2.56 | 5.27 | 0.42 | 33 | 2.19 | 0.21 | 2.4 | 26 | 26.1 |
| 14:00 | 9.71 | 2.73 | 2.39 | 5.12 | 0.42 | 30.3 | 2.19 | 0.21 | 2.4 | 29 | 26 |
| 15:00 | 9.09 | 2.72 | 2.35 | 5.08 | 0.42 | 30 | 2.18 | 0.2 | 2.38 | 30 | 26 |
| 16:00 | 9.56 | 2.76 | 2.57 | 5.33 | 0.41 | 29.5 | 2.18 | 0.2 | 2.38 | 31 | 26 |
| 17:00 | 9.39 | 2.8 | 2.73 | 5.53 | 0.41 | 28.1 | 2.19 | 0.19 | 2.38 | 30 | 26 |
| 18:00 | 9.43 | 2.71 | 2.47 | 5.18 | 0.43 | 25.3 | 2.19 | 0.19 | 2.38 | 22 | 26 |
| 19:00 | 9.81 | 2.71 | 2.32 | 5.02 | 0.42 | 23.3 | 2.19 | 0.2 | 2.39 | 25 | 26 |
| 20:00 | 9.93 | 2.68 | 2.41 | 5.09 | 0.43 | 21.1 | 2.2 | 0.2 | 2.4 | 21 | 26 |
| 21:00 | 10.22 | 2.79 | 2.77 | 5.57 | 0.44 | 19.1 | 2.21 | 0.2 | 2.41 | 23 | 26 |
| 22:00 | 10.73 | 2.68 | 2.99 | 5.67 | 0.44 | 19 | 2.22 | 0.2 | 2.42 | 17 | 26 |
| 23:00 | 11.4 | 3.17 | 6.6 | 9.77 | 0.45 | 12.8 | 2.26 | 0.21 | 2.47 | 25 | 26 |
| 最大值 | 11.4 | 8.62 | 12.26 | 19.57 | 0.59 | 38.6 | 3.47 | 0.27 | 3.68 | 35 | 26.1 |
| 最小值 | 9.09 | 2.68 | 2.32 | 5.02 | 0.41 | 5.4 | 2.18 | 0.19 | 2.38 | 17 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 10.21 | 3.41 | 5.57 | 8.98 | 0.48 | 22.2 | 2.49 | 0.22 | 2.71 | 26.5 | 26 |

油車庄監測日報表

監測日期：2026/04/04

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|--|
| 00:00 | 11.22 | 5.62 | 8.03 | 13.65 | 0.46 | 11.8 | 2.31 | 0.21 | 2.53 | 26 | 26 | |
| 01:00 | 11.71 | 4.21 | 7.25 | 11.46 | 0.47 | 12.7 | 2.41 | 0.21 | 2.62 | 26 | 26 | |
| 02:00 | 11.96 | 3.15 | 6.24 | 9.39 | 0.47 | 13.7 | 2.46 | 0.2 | 2.66 | 27 | 26 | |
| 03:00 | 11.57 | 2.82 | 5.73 | 8.55 | 0.47 | 9.8 | 2.7 | 0.19 | 2.89 | 23 | 26.1 | |
| 04:00 | 12.15 | 3.34 | 5.64 | 8.98 | 0.48 | 7 | 3.15 | 0.17 | 3.32 | 24 | 26 | |
| 05:00 | 52.12 | 4 | 6.63 | 10.64 | 0.48 | 5 | 3.27 | 0.18 | 3.45 | 23 | 26 | |
| 06:00 | 12.04 | 5.09 | 6.19 | 11.28 | 0.52 | 5.1 | 3.58 | 0.17 | 3.75 | 26 | 26 | |
| 07:00 | 12.68 | 3.72 | 4.91 | 8.63 | 0.56 | 9.5 | 3.02 | 0.25 | 3.27 | 41 | 26 | |
| 08:00 | 12.65 | 2.72 | 2.31 | 5.03 | 0.47 | 16.8 | 2.29 | 0.22 | 2.51 | 21 | 26 | |
| 09:00 | 11.77 | 2.75 | 1.95 | 4.7 | 0.47 | 20.2 | 2.22 | 0.23 | 2.45 | 30 | 25.9 | |
| 10:00 | 12.21 | 2.71 | 2.19 | 4.9 | 0.47 | 22.6 | 2.22 | 0.22 | 2.45 | 24 | 26 | |
| 11:00 | 12.29 | 2.71 | 2.16 | 4.87 | 0.47 | 23.3 | 2.22 | 0.22 | 2.44 | 23 | 26 | |
| 12:00 | 11.77 | 2.62 | 2.12 | 4.74 | 0.48 | 29 | 2.22 | 0.2 | 2.42 | 32 | 26 | |
| 13:00 | 11.75 | 2.53 | 3.44 | 5.97 | 0.56 | 38.5 | 2.26 | 0.21 | 2.47 | 13 | 26 | |
| 14:00 | 11.98 | 2.6 | 4.31 | 6.91 | 0.56 | 31.6 | 2.31 | 0.21 | 2.52 | 16 | 26.1 | |
| 15:00 | 11.35 | 2.64 | 5.1 | 7.74 | 0.53 | 25.1 | 2.45 | 0.21 | 2.66 | 22 | 26 | |
| 16:00 | 11.09 | 2.58 | 4.6 | 7.18 | 0.5 | 27.5 | 2.38 | 0.19 | 2.57 | 21 | 26 | |
| 17:00 | 9.94 | 2.55 | 3.01 | 5.56 | 0.42 | 33.5 | 2.28 | 0.18 | 2.45 | 12 | 26 | |
| 18:00 | 9.4 | 2.49 | 3.85 | 6.33 | 0.42 | 30 | 2.26 | 0.19 | 2.45 | 21 | 26 | |
| 19:00 | 9.73 | 2.61 | 4.02 | 6.63 | 0.46 | 29.7 | 2.39 | 0.19 | 2.58 | 20 | 26 | |
| 20:00 | 8.89 | 2.54 | 3.07 | 5.61 | 0.47 | 35.2 | 2.31 | 0.18 | 2.49 | 14 | 26 | |
| 21:00 | 8.35 | 2.47 | 3.04 | 5.5 | 0.43 | 29 | 2.26 | 0.19 | 2.45 | 12 | 26 | |
| 22:00 | 9.52 | 2.54 | 2.98 | 5.52 | 0.43 | 23.7 | 2.36 | 0.19 | 2.55 | 15 | 26 | |
| 23:00 | 10.22 | 2.56 | 3.39 | 5.95 | 0.44 | 21.9 | 2.38 | 0.2 | 2.57 | 13 | 26 | |
| 最大值 | 12.68 | 5.62 | 8.03 | 13.65 | 0.56 | 38.5 | 3.58 | 0.25 | 3.75 | 41 | 26.1 | |
| 最小值 | 8.35 | 2.47 | 1.95 | 4.7 | 0.42 | 5 | 2.22 | 0.17 | 2.42 | 12 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | |
| 平均數 | 11.18 | 3.07 | 4.26 | 7.32 | 0.48 | 21.3 | 2.49 | 0.2 | 2.69 | 21.9 | 26 | |

油車庄監測日報表

監測日期：2026/04/05

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 10.53 | 2.56 | 3.53 | 6.09 | 0.46 | 23.9 | 2.39 | 0.19 | 2.59 | 9 | 26 |
| 01:00 | 11.29 | 2.48 | 3.23 | 5.71 | 0.5 | 27.5 | 2.37 | 0.2 | 2.58 | 14 | 26 |
| 02:00 | 11.57 | 2.58 | 3.08 | 5.66 | 0.49 | 25 | 2.41 | 0.2 | 2.61 | 9 | 25.9 |
| 03:00 | 11.43 | 2.54 | 2.99 | 5.53 | 0.48 | 23.4 | 2.32 | 0.2 | 2.52 | 10 | 26 |
| 04:00 | 12.12 | 2.66 | 3.2 | 5.86 | 0.49 | 17.7 | 2.39 | 0.2 | 2.59 | 15 | 26 |
| 05:00 | 12.35 | 2.72 | 4.02 | 6.74 | 0.47 | 14.5 | 2.41 | 0.21 | 2.62 | 11 | 26 |
| 06:00 | 12.38 | 3.04 | 4.45 | 7.49 | 0.49 | 12.5 | 2.45 | 0.21 | 2.66 | 14 | 26 |
| 07:00 | 13.13 | 3.31 | 4.54 | 7.85 | 0.51 | 17.1 | 2.45 | 0.22 | 2.68 | 14 | 26 |
| 08:00 | 13.14 | 2.9 | 3.67 | 6.57 | 0.49 | 23.3 | 2.39 | 0.22 | 2.62 | 22 | 26 |
| 09:00 | 2.83 | 2.71 | 2.99 | 5.7 | 0.48 | 28.4 | 2.26 | 0.23 | 2.49 | 21 | 26.1 |
| 10:00 | 3.42 | 2.57 | 1.82 | 4.39 | 0.43 | 30 | 2.22 | 0.22 | 2.44 | 18 | 26 |
| 11:00 | 3.67 | 2.64 | 1.88 | 4.51 | 0.44 | 29.4 | 2.21 | 0.22 | 2.43 | 19 | 26.1 |
| 12:00 | 3.59 | 2.7 | 1.82 | 4.52 | 0.44 | 29.2 | 2.2 | 0.21 | 2.41 | 18 | 26 |
| 13:00 | 4.45 | 2.67 | 2.01 | 4.69 | 0.44 | 28.1 | 2.2 | 0.22 | 2.42 | 23 | 26 |
| 14:00 | 4.87 | 2.69 | 2.06 | 4.76 | 0.44 | 26.1 | 2.2 | 0.22 | 2.42 | 22 | 26 |
| 15:00 | 4.23 | 2.73 | 2.1 | 4.83 | 0.43 | 25.4 | 2.2 | 0.21 | 2.41 | 20 | 26 |
| 16:00 | 4.66 | 2.67 | 2.07 | 4.74 | 0.43 | 24.8 | 2.2 | 0.21 | 2.41 | 21 | 26 |
| 17:00 | 4.51 | 2.73 | 2.25 | 4.98 | 0.44 | 21.6 | 2.2 | 0.21 | 2.41 | 23 | 26 |
| 18:00 | 4.31 | 2.64 | 2.89 | 5.53 | 0.46 | 17.7 | 2.22 | 0.21 | 2.43 | 20 | 26 |
| 19:00 | 4.93 | 2.74 | 3.64 | 6.38 | 0.46 | 15.8 | 2.25 | 0.21 | 2.46 | 26 | 26 |
| 20:00 | 5.52 | 2.76 | 3.89 | 6.65 | 0.47 | 15 | 2.27 | 0.21 | 2.48 | 24 | 26 |
| 21:00 | 4.93 | 2.67 | 4.88 | 7.55 | 0.48 | 13.3 | 2.28 | 0.22 | 2.5 | 22 | 26 |
| 22:00 | 5.49 | 3.05 | 7.44 | 10.49 | 0.49 | 9.7 | 2.37 | 0.23 | 2.6 | 25 | 26 |
| 23:00 | 5.72 | 3.01 | 7.15 | 10.16 | 0.49 | 9.8 | 2.42 | 0.23 | 2.64 | 25 | 25.9 |
| 最大值 | 13.14 | 3.31 | 7.44 | 10.49 | 0.51 | 30 | 2.45 | 0.23 | 2.68 | 26 | 26.1 |
| 最小值 | 2.83 | 2.48 | 1.82 | 4.39 | 0.43 | 9.7 | 2.2 | 0.19 | 2.41 | 9 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 7.29 | 2.74 | 3.4 | 6.14 | 0.47 | 21.2 | 2.3 | 0.21 | 2.52 | 18.5 | 26 |

油車庄監測日報表

監測日期：2026/04/06

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 5.73 | 3.22 | 7.1 | 10.32 | 0.48 | 8.1 | 2.48 | 0.23 | 2.7 | 27 | 26 |
| 01:00 | 6.39 | 3.02 | 5.23 | 8.25 | 0.45 | 10.1 | 2.36 | 0.22 | 2.59 | 26 | 26 |
| 02:00 | 6.09 | 2.73 | 2.17 | 4.9 | 0.41 | 16.9 | 2.27 | 0.21 | 2.48 | 18 | 26 |
| 03:00 | 5.58 | 2.57 | 2.09 | 4.66 | 0.41 | 16.7 | 2.23 | 0.2 | 2.43 | 17 | 26 |
| 04:00 | 6 | 2.7 | 1.94 | 4.63 | 0.41 | 17.3 | 2.23 | 0.2 | 2.43 | 18 | 26 |
| 05:00 | 6.02 | 2.62 | 2.06 | 4.68 | 0.41 | 17.7 | 2.23 | 0.2 | 2.43 | 15 | 26.1 |
| 06:00 | 5.75 | 2.67 | 2.9 | 5.56 | 0.43 | 16.1 | 2.24 | 0.21 | 2.45 | 22 | 26 |
| 07:00 | 6.26 | 4.85 | 6.08 | 10.92 | 0.5 | 8.2 | 2.43 | 0.22 | 2.66 | 25 | 26 |
| 08:00 | 6.1 | 3.98 | 6.58 | 10.56 | 0.49 | 8.4 | 2.61 | 0.22 | 2.83 | 21 | 26 |
| 09:00 | 5.85 | 3.15 | 3.66 | 6.81 | 0.45 | 14.1 | 2.37 | 0.22 | 2.59 | 27 | 26 |
| 10:00 | 6.13 | 2.8 | 1.91 | 4.7 | 0.43 | 17.5 | 2.22 | 0.22 | 2.44 | 13 | 26 |
| 11:00 | 6.32 | 2.79 | 1.8 | 4.6 | 0.42 | 17.2 | 2.21 | 0.21 | 2.43 | 18 | 26 |
| 12:00 | 6.13 | 2.74 | 1.94 | 4.68 | 0.41 | 17.1 | 2.21 | 0.21 | 2.43 | 14 | 26 |
| 13:00 | 6.6 | 2.65 | 1.85 | 4.5 | 0.4 | 18 | 2.21 | 0.23 | 2.44 | 15 | 26 |
| 14:00 | 6.49 | 2.77 | 1.95 | 4.71 | 0.41 | 18.5 | 2.21 | 0.22 | 2.43 | 16 | 26 |
| 15:00 | 5.97 | 2.78 | 2.24 | 5.02 | 0.42 | 18.4 | 2.2 | 0.22 | 2.42 | 18 | 26 |
| 16:00 | 6.32 | 2.8 | 2.35 | 5.15 | 0.43 | 17.4 | 2.21 | 0.21 | 2.42 | 12 | 26 |
| 17:00 | 6.24 | 2.8 | 2.86 | 5.66 | 0.44 | 16.4 | 2.25 | 0.21 | 2.46 | 14 | 26 |
| 18:00 | 5.74 | 2.73 | 3.53 | 6.26 | 0.45 | 14.2 | 2.25 | 0.21 | 2.46 | 22 | 26 |
| 19:00 | 6.33 | 2.7 | 4.46 | 7.16 | 0.47 | 11.9 | 2.31 | 0.21 | 2.52 | 16 | 26 |
| 20:00 | 6.41 | 2.83 | 5.25 | 8.08 | 0.5 | 10.4 | 2.34 | 0.22 | 2.57 | 17 | 26 |
| 21:00 | 6.08 | 3.25 | 7.59 | 10.84 | 0.54 | 7 | 2.79 | 0.22 | 3.01 | 21 | 26 |
| 22:00 | 6.86 | 3.31 | 10.3 | 13.61 | 0.59 | 6 | 2.65 | 0.24 | 2.89 | 23 | 26 |
| 23:00 | 7.07 | 4.43 | 9.49 | 13.92 | 0.59 | 4.7 | 3.38 | 0.22 | 3.6 | 21 | 26 |
| 最大值 | 7.07 | 4.85 | 10.3 | 13.92 | 0.59 | 18.5 | 3.38 | 0.24 | 3.6 | 27 | 26.1 |
| 最小值 | 5.58 | 2.57 | 1.8 | 4.5 | 0.4 | 4.7 | 2.2 | 0.2 | 2.42 | 12 | 26 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 6.19 | 3.04 | 4.06 | 7.09 | 0.46 | 13.7 | 2.37 | 0.22 | 2.59 | 19 | 26 |

油車庄監測日報表

監測日期：2026/04/07

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 6.59 | 3.68 | 8.19 | 11.87 | 0.53 | 4.9 | 3.39 | 0.19 | 3.58 | 22 | 26 |
| 01:00 | 6.82 | 4.38 | 7.94 | 12.32 | 0.6 | 4.8 | 3.9 | 0.2 | 4.1 | 21 | 26 |
| 02:00 | 6.89 | 4.18 | 6.9 | 11.08 | 0.56 | 5 | 4.13 | 0.19 | 4.32 | 18 | 26 |
| 03:00 | 6.34 | 4 | 6.96 | 10.96 | 0.5 | 4.7 | 3.91 | 0.18 | 4.09 | 23 | 25.9 |
| 04:00 | 6.44 | 3.88 | 7.21 | 11.09 | 0.43 | 4.8 | 3.15 | 0.18 | 3.32 | 21 | 26.1 |
| 05:00 | 6.04 | 3.42 | 4.69 | 8.11 | 0.44 | 4.9 | 2.98 | 0.17 | 3.16 | 22 | 26 |
| 06:00 | 5.54 | 5.39 | 5.69 | 11.08 | 0.49 | 4.9 | 2.98 | 0.18 | 3.16 | 28 | 26 |
| 07:00 | 6 | 5.61 | 5.89 | 11.51 | 0.53 | 5.2 | 2.84 | 0.2 | 3.04 | 27 | 26 |
| 08:00 | 6 | 8.11 | 7.62 | 15.73 | 0.56 | 6.1 | 2.65 | 0.23 | 2.88 | 34 | 26 |
| 09:00 | 5.78 | 5.59 | 9.06 | 14.65 | 0.6 | 12.4 | 2.51 | 0.28 | 2.79 | 35 | 26.1 |
| 10:00 | 6.56 | 4.86 | 11.05 | 15.91 | 0.66 | 17.5 | 2.41 | 0.33 | 2.74 | 31 | 26 |
| 11:00 | 6.75 | 3.29 | 4.64 | 7.93 | 0.49 | 16.5 | 2.27 | 0.35 | 2.62 | 22 | 26 |
| 12:00 | 6.67 | 2.88 | 2.42 | 5.3 | 0.44 | 16 | 2.2 | 0.24 | 2.44 | 18 | 26 |
| 13:00 | 6.97 | 2.98 | 3.16 | 6.14 | 0.5 | 15.6 | 2.2 | 0.23 | 2.44 | 18 | 26 |
| 14:00 | 7.06 | 3.19 | 4.04 | 7.23 | 0.46 | 16.1 | 2.23 | 0.27 | 2.51 | 17 | 25.9 |
| 15:00 | 6.3 | 2.92 | 2.74 | 5.66 | 0.48 | 15.4 | 2.2 | 0.26 | 2.46 | 16 | 26 |
| 16:00 | 6.74 | 2.75 | 2.3 | 5.06 | 0.45 | 16.7 | 2.19 | 0.23 | 2.41 | 14 | 26 |
| 17:00 | 6.74 | 2.98 | 3.38 | 6.37 | 0.47 | 14.5 | 2.2 | 0.24 | 2.44 | 18 | 26 |
| 18:00 | 6.76 | 2.87 | 3.93 | 6.8 | 0.47 | 12.8 | 2.21 | 0.22 | 2.42 | 14 | 26 |
| 19:00 | 7.57 | 3.17 | 3.37 | 6.54 | 0.46 | 11.1 | 2.22 | 0.21 | 2.42 | 13 | 26 |
| 20:00 | 7.66 | 3.11 | 3.35 | 6.46 | 0.45 | 11.5 | 2.22 | 0.2 | 2.42 | 17 | 26 |
| 21:00 | 7.25 | 3.08 | 2.55 | 5.63 | 0.44 | 12.6 | 2.21 | 0.2 | 2.41 | 17 | 26 |
| 22:00 | 7.81 | 3 | 2.64 | 5.65 | 0.47 | 16.8 | 2.22 | 0.2 | 2.42 | 12 | 26 |
| 23:00 | 7.96 | 2.97 | 3.12 | 6.09 | 0.48 | 16.1 | 2.25 | 0.2 | 2.45 | 7 | 26 |
| 最大值 | 7.96 | 8.11 | 11.05 | 15.91 | 0.66 | 17.5 | 4.13 | 0.35 | 4.32 | 35 | 26.1 |
| 最小值 | 5.54 | 2.75 | 2.3 | 5.06 | 0.43 | 4.7 | 2.19 | 0.17 | 2.41 | 7 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 6.72 | 3.85 | 5.12 | 8.97 | 0.5 | 11.1 | 2.65 | 0.22 | 2.88 | 20.2 | 26 |

油車庄監測日報表

監測日期：2026/04/08

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 7.86 | 2.96 | 3.94 | 6.9 | 0.48 | 13.4 | 2.29 | 0.21 | 2.49 | 5 | 26 |
| 01:00 | 8.48 | 3.07 | 3.87 | 6.94 | 0.49 | 15.1 | 2.32 | 0.21 | 2.53 | 9 | 26 |
| 02:00 | 8.45 | 3.43 | 3.91 | 7.35 | 0.5 | 13.8 | 2.3 | 0.21 | 2.51 | 6 | 26 |
| 03:00 | 7.92 | 9.34 | 7.82 | 17.17 | 0.51 | 7.5 | 2.48 | 0.21 | 2.69 | 13 | 26 |
| 04:00 | 8.44 | 3.23 | 4.74 | 7.96 | 0.49 | 6.3 | 2.9 | 0.19 | 3.09 | 13 | 26 |
| 05:00 | 8.17 | 5.65 | 5.71 | 11.36 | 0.49 | 5 | 3.18 | 0.18 | 3.36 | 12 | 26 |
| 06:00 | 7.64 | 3.56 | 4.37 | 7.93 | 0.5 | 5.7 | 2.87 | 0.2 | 3.07 | 10 | 26 |
| 07:00 | 7.8 | 6.19 | 5.4 | 11.59 | 0.53 | 5.4 | 2.77 | 0.21 | 2.98 | 14 | 26 |
| 08:00 | 7.69 | 4.14 | 6.61 | 10.75 | 0.58 | 7 | 2.65 | 0.23 | 2.89 | 14 | 26 |
| 09:00 | 7.47 | 3.98 | 7.45 | 11.43 | 0.65 | 10.2 | 2.51 | 0.25 | 2.76 | 20 | 26 |
| 10:00 | 7.69 | 4.3 | 7.73 | 12.03 | 0.6 | 12.6 | 2.48 | 0.26 | 2.74 | 17 | 26 |
| 11:00 | 8.11 | 4.11 | 6.92 | 11.02 | 0.65 | 17.7 | 2.43 | 0.27 | 2.7 | 19 | 26.1 |
| 12:00 | 8.07 | 3.33 | 6.06 | 9.39 | 0.68 | 27.1 | 2.39 | 0.27 | 2.66 | 24 | 26 |
| 13:00 | 8.44 | 3.05 | 7.13 | 10.19 | 0.68 | 38.9 | 2.35 | 0.32 | 2.68 | 24 | 26 |
| 14:00 | 8.11 | 2.83 | 5.85 | 8.68 | 0.62 | 43.4 | 2.33 | 0.3 | 2.63 | 22 | 26.1 |
| 15:00 | 7.52 | 2.73 | 6.46 | 9.19 | 0.62 | 48.2 | 2.32 | 0.27 | 2.59 | 26 | 26 |
| 16:00 | 7.96 | 2.63 | 5.39 | 8.02 | 0.61 | 49.9 | 2.34 | 0.26 | 2.61 | 28 | 26 |
| 17:00 | 8.24 | 2.63 | 5.7 | 8.34 | 0.61 | 47.1 | 2.36 | 0.26 | 2.61 | 21 | 26 |
| 18:00 | 8.05 | 2.63 | 5.76 | 8.38 | 0.64 | 42.8 | 2.47 | 0.25 | 2.71 | 24 | 26 |
| 19:00 | 8.82 | 2.61 | 5.5 | 8.11 | 0.6 | 37.3 | 2.45 | 0.27 | 2.72 | 19 | 26 |
| 20:00 | 9.11 | 2.65 | 5.01 | 7.65 | 0.6 | 32.1 | 2.77 | 0.22 | 2.99 | 17 | 26 |
| 21:00 | 8.68 | 2.63 | 4.86 | 7.5 | 0.59 | 31.6 | 2.77 | 0.21 | 2.98 | 19 | 26 |
| 22:00 | 9.22 | 2.66 | 5.19 | 7.86 | 0.62 | 21.8 | 2.82 | 0.23 | 3.05 | 26 | 26 |
| 23:00 | 9.5 | 2.72 | 6.46 | 9.18 | 0.58 | 22 | 2.65 | 0.25 | 2.9 | 29 | 26 |
| 最大值 | 9.5 | 9.34 | 7.82 | 17.17 | 0.68 | 49.9 | 3.18 | 0.32 | 3.36 | 29 | 26.1 |
| 最小值 | 7.47 | 2.61 | 3.87 | 6.9 | 0.48 | 5 | 2.29 | 0.18 | 2.49 | 5 | 26 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 8.23 | 3.63 | 5.74 | 9.37 | 0.58 | 23.4 | 2.55 | 0.24 | 2.79 | 18 | 26 |

油車庄監測日報表

監測日期：2026/04/09

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 5.37 | 2.99 | 7.44 | 10.44 | 0.58 | 16.6 | 2.55 | 0.24 | 2.79 | 25 | 26 |
| 01:00 | 5.8 | 2.85 | 5.9 | 8.74 | 0.6 | 16.8 | 3.01 | 0.22 | 3.23 | 26 | 26 |
| 02:00 | 6.09 | 2.93 | 6.97 | 9.91 | 0.6 | 15.8 | 2.89 | 0.24 | 3.13 | 27 | 26 |
| 03:00 | 5.61 | 2.95 | 6.45 | 9.4 | 0.61 | 11.6 | 3.22 | 0.23 | 3.44 | 31 | 26 |
| 04:00 | 6.12 | 3.13 | 7.36 | 10.49 | 0.62 | 8.4 | 3.31 | 0.24 | 3.55 | 34 | 26 |
| 05:00 | 6.1 | 3.52 | 8.21 | 11.74 | 0.62 | 6.3 | 3.4 | 0.24 | 3.64 | 36 | 26 |
| 06:00 | 5.85 | 4.13 | 7.68 | 11.8 | 0.63 | 6.7 | 3.03 | 0.24 | 3.27 | 31 | 26 |
| 07:00 | 6.56 | 3.64 | 6.41 | 10.05 | 0.65 | 13 | 2.76 | 0.25 | 3.01 | 32 | 26 |
| 08:00 | 6.3 | 2.92 | 4.21 | 7.12 | 0.63 | 23.4 | 2.52 | 0.27 | 2.79 | 33 | 26.1 |
| 09:00 | 5.38 | 2.75 | 3.13 | 5.88 | 0.57 | 28 | 2.36 | 0.25 | 2.61 | 23 | 26 |
| 10:00 | 5.48 | 2.75 | 2.66 | 5.41 | 0.53 | 25.8 | 2.27 | 0.31 | 2.58 | 22 | 26 |
| 11:00 | 4.11 | 2.79 | 2.29 | 5.08 | 0.51 | 23.4 | 2.22 | 0.25 | 2.48 | 15 | 26 |
| 12:00 | 4.7 | 2.77 | 2.52 | 5.29 | 0.51 | 24.3 | 2.21 | 0.24 | 2.45 | 18 | 26.1 |
| 13:00 | 4.98 | 2.86 | 2.39 | 5.26 | 0.52 | 22.1 | 2.2 | 0.23 | 2.43 | 21 | 26 |
| 14:00 | 4.79 | 3.2 | 2.77 | 5.97 | 0.52 | 19.9 | 2.2 | 0.23 | 2.43 | 17 | 26 |
| 15:00 | 4.41 | 2.97 | 2.56 | 5.53 | 0.52 | 18.9 | 2.2 | 0.25 | 2.45 | 21 | 26 |
| 16:00 | 4.43 | 3.01 | 2.89 | 5.9 | 0.52 | 19.6 | 2.2 | 0.22 | 2.42 | 17 | 26 |
| 17:00 | 4.65 | 3.07 | 2.97 | 6.04 | 0.52 | 18.1 | 2.2 | 0.23 | 2.44 | 13 | 26 |
| 18:00 | 4.5 | 3.3 | 3.71 | 7.01 | 0.51 | 15.4 | 2.21 | 0.21 | 2.42 | 20 | 26 |
| 19:00 | 5.08 | 3.49 | 4.92 | 8.41 | 0.51 | 11.6 | 2.27 | 0.2 | 2.47 | 18 | 26 |
| 20:00 | 5.42 | 3.26 | 5.49 | 8.75 | 0.51 | 11.7 | 2.31 | 0.21 | 2.51 | 14 | 26 |
| 21:00 | 5.11 | 3.48 | 6.42 | 9.89 | 0.54 | 9 | 2.39 | 0.22 | 2.61 | 23 | 26 |
| 22:00 | 5.7 | 3.76 | 7.49 | 11.25 | 0.55 | 5.9 | 2.65 | 0.21 | 2.87 | 18 | 26 |
| 23:00 | 5.93 | 3.26 | 7.33 | 10.59 | 0.55 | 5.3 | 2.53 | 0.22 | 2.75 | 27 | 26 |
| 最大值 | 6.53 | 4.13 | 8.21 | 11.8 | 0.65 | 28 | 3.4 | 0.31 | 3.64 | 36 | 26.1 |
| 最小值 | 4.41 | 2.75 | 2.29 | 5.08 | 0.51 | 5.3 | 2.2 | 0.2 | 2.42 | 13 | 26 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 5.35 | 3.16 | 5.01 | 8.16 | 0.56 | 15.7 | 2.55 | 0.24 | 2.78 | 23.4 | 26 |

油車庄監測日報表

監測日期：2026/04/10

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 5.82 | 4.32 | 7.8 | 12.12 | 0.53 | 4.9 | 2.46 | 0.22 | 2.68 | 25 | 26 |
| 01:00 | 6.41 | 3.57 | 5.4 | 8.97 | 0.53 | 5.2 | 3.21 | 0.17 | 3.38 | 25 | 26 |
| 02:00 | 6.41 | 3.46 | 6.55 | 10.01 | 0.51 | 4.8 | 3 | 0.18 | 3.18 | 30 | 26 |
| 03:00 | 5.89 | 5.1 | 6.86 | 11.96 | 0.49 | 5.6 | 2.81 | 0.2 | 3.01 | 25 | 26 |
| 04:00 | 6.06 | 30.97 | 7.61 | 38.58 | 0.44 | 8.3 | 2.64 | 0.2 | 2.84 | 50 | 26 |
| 05:00 | 6.19 | 3.06 | 6.18 | 9.24 | 0.41 | 11.3 | 2.48 | 0.19 | 2.67 | 19 | 26 |
| 06:00 | 4.27 | 3.92 | 6.8 | 10.73 | 0.45 | 9.2 | 2.86 | 0.18 | 3.04 | 18 | 26 |
| 07:00 | 4.17 | 6.31 | 8.06 | 14.38 | 0.53 | 9.9 | 2.85 | 0.22 | 3.07 | 31 | 26 |
| 08:00 | 4.18 | 4.55 | 6.9 | 11.45 | 0.54 | 15.4 | 2.57 | 0.23 | 2.8 | 49 | 26 |
| 09:00 | 3.85 | 5.65 | 9.71 | 15.36 | 0.62 | 19.3 | 2.38 | 0.27 | 2.66 | 53 | 26 |
| 10:00 | 4.63 | 12.28 | 12.88 | 25.15 | 0.58 | 32.9 | 2.3 | 0.3 | 2.6 | 32 | 26 |
| 11:00 | 4.38 | 3.18 | 8.55 | 11.73 | 0.54 | 45.3 | 2.29 | 0.29 | 2.58 | 33 | 26 |
| 12:00 | 4.13 | 3.67 | 9.28 | 12.95 | 0.62 | 39.3 | 2.28 | 0.3 | 2.58 | 39 | 26 |
| 13:00 | 5.12 | 4.93 | 11.49 | 16.42 | 0.71 | 26.7 | 2.28 | 0.31 | 2.59 | 41 | 26 |
| 14:00 | 4.73 | 4.8 | 11.01 | 15.81 | 0.61 | 25.2 | 2.28 | 0.27 | 2.55 | 35 | 26 |
| 15:00 | 3.89 | 4.48 | 8.49 | 12.97 | 0.48 | 20.7 | 2.28 | 0.26 | 2.54 | 27 | 25.9 |
| 16:00 | 4.45 | 3.64 | 7.51 | 11.15 | 0.42 | 20.2 | 2.3 | 0.24 | 2.53 | 25 | 26 |
| 17:00 | 4.36 | 5.43 | 16.72 | 22.16 | 0.79 | 12.4 | 2.34 | 0.29 | 2.63 | 34 | 26 |
| 18:00 | 4.34 | 3.73 | 14.79 | 18.51 | 0.67 | 10.5 | 2.29 | 0.37 | 2.66 | 34 | 26 |
| 19:00 | 5.44 | 3.44 | 9.89 | 13.33 | 0.51 | 13.4 | 2.31 | 0.29 | 2.6 | 48 | 26.1 |
| 20:00 | 5.84 | 3.02 | 8.35 | 11.38 | 0.52 | 11.1 | 2.37 | 0.29 | 2.66 | 22 | 26 |
| 21:00 | 5.72 | 8.93 | 13.34 | 22.27 | 0.62 | 5 | 2.42 | 0.31 | 2.73 | 28 | 26 |
| 22:00 | 6.61 | 3.96 | 11.25 | 15.2 | 0.53 | 5.8 | 2.63 | 0.26 | 2.89 | 23 | 26 |
| 23:00 | 7 | 4.74 | 11.26 | 15.99 | 0.54 | 5 | 2.75 | 0.25 | 3.01 | 20 | 26 |
| 最大值 | 7 | 30.97 | 16.72 | 38.58 | 0.79 | 45.3 | 3.21 | 0.37 | 3.38 | 53 | 26.1 |
| 最小值 | 3.85 | 3.02 | 5.4 | 8.97 | 0.41 | 4.8 | 2.28 | 0.17 | 2.53 | 18 | 25.9 |
| 資料數 | 5.16 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 60.12 | 5.88 | 9.44 | 15.33 | 0.55 | 15.3 | 2.52 | 0.25 | 2.77 | 31.9 | 26 |

油車庄監測日報表

監測日期：2026/04/11

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 5.69 | 5 | 11.04 | 16.03 | 0.57 | 4.7 | 2.78 | 0.27 | 3.06 | 27 | 26 |
| 01:00 | 6.23 | 3.05 | 8.63 | 11.68 | 0.48 | 6.6 | 2.64 | 0.25 | 2.88 | 22 | 26 |
| 02:00 | 5.77 | 3.48 | 9.65 | 13.12 | 0.5 | 5.1 | 3.06 | 0.22 | 3.28 | 25 | 26 |
| 03:00 | 5.45 | 3.74 | 9.03 | 12.78 | 0.47 | 5 | 3.47 | 0.2 | 3.67 | 29 | 26.1 |
| 04:00 | 6 | 4.08 | 9.83 | 13.9 | 0.49 | 4.9 | 3.48 | 0.2 | 3.68 | 29 | 26 |
| 05:00 | 6.22 | 9.07 | 10.94 | 20.01 | 0.44 | 5.2 | 3.08 | 0.21 | 3.29 | 22 | 26 |
| 06:00 | 5.67 | 5.73 | 8.95 | 14.68 | 0.44 | 6.2 | 2.92 | 0.23 | 3.15 | 20 | 26 |
| 07:00 | 6.34 | 6.64 | 8.71 | 15.35 | 0.49 | 9 | 2.78 | 0.24 | 3.02 | 21 | 26 |
| 08:00 | 6.63 | 4.32 | 7.58 | 11.9 | 0.5 | 16.7 | 2.67 | 0.28 | 2.95 | 33 | 26 |
| 09:00 | 6.22 | 2.89 | 3.98 | 6.87 | 0.48 | 25.1 | 2.28 | 0.26 | 2.54 | 20 | 26 |
| 10:00 | 6.4 | 2.81 | 3.06 | 5.87 | 0.46 | 26.3 | 2.21 | 0.25 | 2.46 | 23 | 26 |
| 11:00 | 6.52 | 2.71 | 2.6 | 5.31 | 0.45 | 28.6 | 2.2 | 0.25 | 2.45 | 21 | 26 |
| 12:00 | 5.87 | 2.73 | 2.6 | 5.32 | 0.45 | 28.2 | 2.21 | 0.24 | 2.45 | 21 | 25.9 |
| 13:00 | 6.43 | 2.77 | 2.63 | 5.41 | 0.46 | 25.9 | 2.2 | 0.24 | 2.44 | 21 | 25.9 |
| 14:00 | 6.66 | 2.86 | 2.65 | 5.52 | 0.46 | 19.6 | 2.19 | 0.23 | 2.41 | 19 | 26 |
| 15:00 | 6.28 | 2.92 | 2.65 | 5.57 | 0.45 | 20.7 | 2.18 | 0.22 | 2.41 | 15 | 26 |
| 16:00 | 7.03 | 2.97 | 3.23 | 6.2 | 0.46 | 19.6 | 2.19 | 0.22 | 2.42 | 19 | 26 |
| 17:00 | 7.38 | 2.85 | 2.88 | 5.74 | 0.44 | 20 | 2.2 | 0.22 | 2.42 | 21 | 26.1 |
| 18:00 | 7.16 | 2.73 | 3.62 | 6.35 | 0.5 | 15.9 | 2.23 | 0.25 | 2.47 | 28 | 26 |
| 19:00 | 7.97 | 2.79 | 4.83 | 7.62 | 0.54 | 12.4 | 2.3 | 0.27 | 2.57 | 18 | 26 |
| 20:00 | 8.37 | 2.96 | 6.22 | 9.18 | 0.52 | 10.1 | 2.58 | 0.23 | 2.81 | 24 | 26 |
| 21:00 | 7.96 | 4.47 | 9.73 | 14.2 | 0.55 | 6 | 2.76 | 0.22 | 2.98 | 28 | 26 |
| 22:00 | 8.87 | 8.66 | 10.71 | 19.36 | 0.63 | 4.7 | 2.53 | 0.25 | 2.78 | 30 | 26 |
| 23:00 | 9.23 | 6.79 | 9.33 | 16.12 | 0.61 | 4.5 | 2.63 | 0.26 | 2.89 | 30 | 26 |
| 最大值 | 9.23 | 9.07 | 11.04 | 20.01 | 0.63 | 28.6 | 3.48 | 0.28 | 3.68 | 33 | 26.1 |
| 最小值 | 5.45 | 2.71 | 2.6 | 5.31 | 0.44 | 4.5 | 2.18 | 0.2 | 2.41 | 15 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 6.76 | 4.13 | 6.46 | 10.59 | 0.49 | 13.8 | 2.57 | 0.24 | 2.81 | 23.6 | 26 |

油車庄監測日報表

監測日期：2026/04/12

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 7.87 | 4.51 | 7.01 | 11.52 | 0.52 | 4.9 | 2.79 | 0.22 | 3.02 | 25 | 26 |
| 01:00 | 8.59 | 3.29 | 5.37 | 8.67 | 0.47 | 5.7 | 2.62 | 0.22 | 2.83 | 25 | 26 |
| 02:00 | 8.46 | 3.01 | 5.58 | 8.59 | 0.47 | 6.2 | 2.48 | 0.21 | 2.69 | 28 | 25.9 |
| 03:00 | 8.77 | 3.02 | 5.51 | 8.54 | 0.46 | 6.8 | 2.37 | 0.22 | 2.58 | 28 | 26 |
| 04:00 | 8.24 | 3.09 | 5.57 | 8.66 | 0.45 | 6.8 | 2.51 | 0.21 | 2.72 | 21 | 26 |
| 05:00 | 8.59 | 3.56 | 5.63 | 9.2 | 0.47 | 5.6 | 2.89 | 0.19 | 3.08 | 30 | 26 |
| 06:00 | 7.92 | 4.84 | 6.22 | 11.06 | 0.48 | 5 | 3.39 | 0.18 | 3.57 | 24 | 26.1 |
| 07:00 | 8.36 | 5.56 | 5.48 | 11.04 | 0.52 | 6.4 | 3.26 | 0.19 | 3.45 | 28 | 25.9 |
| 08:00 | 7.56 | 4.02 | 5.25 | 9.27 | 0.56 | 17.5 | 2.5 | 0.25 | 2.74 | 27 | 26 |
| 09:00 | 6.27 | 2.79 | 3.27 | 6.07 | 0.52 | 28.2 | 2.27 | 0.24 | 2.51 | 24 | 26 |
| 10:00 | 6.54 | 2.76 | 2.79 | 5.55 | 0.48 | 28.5 | 2.24 | 0.24 | 2.48 | 24 | 26 |
| 11:00 | 5.1 | 2.84 | 2.48 | 5.32 | 0.49 | 26.8 | 2.22 | 0.24 | 2.46 | 29 | 26 |
| 12:00 | 4.99 | 2.69 | 2.44 | 5.13 | 0.47 | 27.4 | 2.21 | 0.24 | 2.45 | 21 | 26 |
| 13:00 | 4.38 | 2.85 | 2.53 | 5.38 | 0.46 | 26.6 | 2.2 | 0.23 | 2.43 | 32 | 26 |
| 14:00 | 4.46 | 2.77 | 2.63 | 5.41 | 0.44 | 25.7 | 2.2 | 0.23 | 2.42 | 16 | 26 |
| 15:00 | 4.09 | 2.78 | 2.53 | 5.31 | 0.42 | 25.1 | 2.19 | 0.23 | 2.42 | 19 | 26.1 |
| 16:00 | 4.92 | 3.43 | 3.73 | 7.16 | 0.43 | 23.9 | 2.21 | 0.23 | 2.44 | 19 | 26 |
| 17:00 | 5.43 | 2.95 | 4.81 | 7.76 | 0.43 | 21.8 | 2.24 | 0.22 | 2.46 | 22 | 26 |
| 18:00 | 4.81 | 3.13 | 5.24 | 8.37 | 0.47 | 17.9 | 2.24 | 0.24 | 2.48 | 27 | 26 |
| 19:00 | 5.44 | 2.66 | 3.9 | 6.57 | 0.48 | 16.2 | 2.47 | 0.21 | 2.68 | 17 | 26 |
| 20:00 | 5.89 | 2.93 | 4.92 | 7.85 | 0.49 | 12.5 | 2.35 | 0.23 | 2.58 | 20 | 26 |
| 21:00 | 5.55 | 3.94 | 8.37 | 12.31 | 0.53 | 6.9 | 2.34 | 0.23 | 2.58 | 17 | 26 |
| 22:00 | 6.38 | 8 | 10.03 | 18.03 | 0.55 | 5.3 | 2.45 | 0.24 | 2.69 | 49 | 26 |
| 23:00 | 6.69 | 5.3 | 8.83 | 14.13 | 0.53 | 4.7 | 2.8 | 0.22 | 3.02 | 27 | 26 |
| 最大值 | 8.77 | 8 | 10.03 | 18.03 | 0.56 | 28.5 | 3.39 | 0.25 | 3.57 | 49 | 26.1 |
| 最小值 | 4.09 | 2.66 | 2.44 | 5.13 | 0.42 | 4.7 | 2.19 | 0.18 | 2.42 | 16 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 6.47 | 3.61 | 5.01 | 8.62 | 0.48 | 15.1 | 2.48 | 0.22 | 2.7 | 25 | 26 |

油車庄監測日報表

監測日期：2026/04/13

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|------|
| 00:00 | | 6.31 | 3.84 | 9.08 | 12.92 | 0.51 | 4.9 | 2.87 | 0.2 | 3.08 | 26 | 26 |
| 01:00 | | 7.1 | 3.44 | 7.57 | 11.01 | 0.49 | 5.1 | 2.77 | 0.2 | 2.97 | 30 | 26 |
| 02:00 | | 7.18 | 3.71 | 7.6 | 11.31 | 0.49 | 5.5 | 2.78 | 0.21 | 2.99 | 28 | 26 |
| 03:00 | | 6.57 | 4.12 | 7.2 | 11.32 | 0.48 | 4.8 | 3.19 | 0.2 | 3.39 | 25 | 26.1 |
| 04:00 | | 7.13 | 6.61 | 7.83 | 14.44 | 0.5 | 4.7 | 3.25 | 0.2 | 3.45 | 30 | 26 |
| 05:00 | | 6.88 | 11.53 | 9.99 | 21.51 | 0.48 | 4.9 | 3.07 | 0.2 | 3.27 | 37 | 26.1 |
| 06:00 | | 6.24 | 5.11 | 9.04 | 14.15 | 0.49 | 8.5 | 2.74 | 0.2 | 2.95 | 49 | 26.1 |
| 07:00 | | 6.49 | 6.08 | 8.89 | 14.97 | 0.56 | 9.3 | 2.77 | 0.22 | 2.99 | 81 | 26 |
| 08:00 | | 6.2 | 3.96 | 6.45 | 10.41 | 0.52 | 19.9 | 2.5 | 0.23 | 2.74 | 42 | 26 |
| 09:00 | | 5.36 | 2.91 | 3.81 | 6.73 | 0.49 | 29.1 | 2.28 | 0.23 | 2.52 | 28 | 26 |
| 10:00 | | 5.64 | 2.92 | 5.18 | 8.11 | 0.64 | 38.9 | 2.27 | 0.24 | 2.52 | 37 | 26 |
| 11:00 | | 5.54 | 2.93 | 6.58 | 9.51 | 0.74 | 50.1 | 2.29 | 0.3 | 2.59 | 50 | 25.9 |
| 12:00 | | 5.34 | 2.75 | 4.1 | 6.84 | 0.46 | 39 | 2.23 | 0.35 | 2.58 | 22 | 25.9 |
| 13:00 | | 5.96 | 2.75 | 4.18 | 6.93 | 0.48 | 40.1 | 2.22 | 0.32 | 2.53 | 21 | 26 |
| 14:00 | | 5.56 | 2.82 | 4.13 | 6.95 | 0.48 | 40.1 | 2.22 | 0.28 | 2.5 | 54 | 26.1 |
| 15:00 | | 5.43 | 2.81 | 3.79 | 6.61 | 0.43 | 31.2 | 2.21 | 0.24 | 2.45 | 15 | 26 |
| 16:00 | | 5.89 | 2.99 | 3.8 | 6.8 | 0.43 | 25 | 2.19 | 0.24 | 2.43 | 15 | 26 |
| 17:00 | | 6.19 | 3.23 | 5.61 | 8.85 | 0.45 | 20.7 | 2.2 | 0.25 | 2.44 | 14 | 26 |
| 18:00 | | 6.25 | 2.86 | 5.31 | 8.17 | 0.48 | 18.6 | 2.22 | 0.23 | 2.45 | 13 | 26 |
| 19:00 | | 6.85 | 2.61 | 3.99 | 6.6 | 0.48 | 17.4 | 2.3 | 0.24 | 2.54 | 12 | 26 |
| 20:00 | | 6.89 | 2.81 | 5.16 | 7.97 | 0.49 | 12.7 | 2.5 | 0.24 | 2.74 | 10 | 26 |
| 21:00 | | 6.41 | 3.64 | 10.26 | 13.9 | 0.51 | 6.4 | 2.5 | 0.23 | 2.72 | 19 | 26 |
| 22:00 | | 7.32 | 3.69 | 9.84 | 13.53 | 0.57 | 6.2 | 2.7 | 0.22 | 2.92 | 23 | 26 |
| 23:00 | | 7.95 | 4.16 | 10.33 | 14.49 | 0.53 | 4.9 | 2.93 | 0.21 | 3.14 | 20 | 26 |
| 最大值 | | 7.95 | 11.53 | 10.33 | 21.51 | 0.74 | 50.1 | 3.25 | 0.35 | 3.45 | 81 | 26.1 |
| 最小值 | | 5.34 | 2.61 | 3.79 | 6.6 | 0.43 | 4.7 | 2.19 | 0.2 | 2.43 | 10 | 25.9 |
| 資料數 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | | 6.36 | 3.93 | 6.65 | 10.58 | 0.51 | 18.7 | 2.55 | 0.24 | 2.79 | 29.2 | 26 |

油車庄監測日報表

監測日期：2026/04/14

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 7.11 | 3.13 | 8.77 | 11.91 | 0.49 | 5.9 | 2.82 | 0.21 | 3.02 | 20 | 26 |
| 01:00 | 7.8 | 3.83 | 9.37 | 13.2 | 0.5 | 4.9 | 2.81 | 0.22 | 3.02 | 22 | 26 |
| 02:00 | 7.77 | 3.42 | 9.05 | 12.46 | 0.47 | 5.4 | 2.74 | 0.22 | 2.96 | 21 | 26 |
| 03:00 | 7.01 | 3.26 | 7.71 | 10.97 | 0.46 | 6.6 | 2.74 | 0.21 | 2.95 | 24 | 26 |
| 04:00 | 7.63 | 2.96 | 7.45 | 10.41 | 0.45 | 7.5 | 2.78 | 0.21 | 2.98 | 24 | 26 |
| 05:00 | 7.62 | 4.03 | 10 | 14.03 | 0.5 | 5 | 3.06 | 0.2 | 3.26 | 24 | 26 |
| 06:00 | 7.13 | 7.12 | 9.19 | 16.31 | 0.53 | 5.3 | 3.34 | 0.2 | 3.54 | 29 | 26 |
| 07:00 | 7.43 | 6.12 | 8.03 | 14.15 | 0.56 | 9 | 3.19 | 0.21 | 3.4 | 39 | 26.1 |
| 08:00 | 7.16 | 4.06 | 5.89 | 9.95 | 0.5 | 18 | 2.79 | 0.22 | 3.01 | 32 | 26 |
| 09:00 | 6.13 | 3.05 | 4.69 | 7.74 | 0.54 | 28.8 | 2.31 | 0.24 | 2.55 | 18 | 26 |
| 10:00 | 6.96 | 2.81 | 6.27 | 9.08 | 0.6 | 44.7 | 2.3 | 0.33 | 2.63 | 29 | 26 |
| 11:00 | 6.94 | 2.66 | 5.07 | 7.73 | 0.53 | 46.4 | 2.25 | 0.36 | 2.61 | 24 | 26 |
| 12:00 | 6.36 | 2.8 | 4.38 | 7.18 | 0.47 | 36.5 | 2.2 | 0.33 | 2.53 | 15 | 26 |
| 13:00 | 6.72 | 2.69 | 2.92 | 5.61 | 0.46 | 31.3 | 2.19 | 0.25 | 2.44 | 13 | 26 |
| 14:00 | 6.83 | 2.73 | 2.58 | 5.3 | 0.44 | 26.4 | 2.18 | 0.24 | 2.43 | 12 | 26 |
| 15:00 | 6.28 | 2.73 | 2.44 | 5.18 | 0.43 | 23.2 | 2.17 | 0.23 | 2.4 | 10 | 26 |
| 16:00 | 6.95 | 2.87 | 3.01 | 5.88 | 0.44 | 23.9 | 2.18 | 0.26 | 2.44 | 16 | 26 |
| 17:00 | 7.04 | 2.97 | 5.48 | 8.45 | 0.46 | 22.9 | 2.21 | 0.27 | 2.47 | 23 | 26 |
| 18:00 | 6.74 | 2.9 | 7.42 | 10.32 | 0.5 | 15.7 | 2.26 | 0.27 | 2.54 | 16 | 26 |
| 19:00 | 7.53 | 3.32 | 10.87 | 14.19 | 0.58 | 8.8 | 2.4 | 0.28 | 2.68 | 24 | 26 |
| 20:00 | 7.73 | 3.31 | 10.31 | 13.61 | 0.57 | 6.5 | 2.83 | 0.26 | 3.09 | 32 | 26 |
| 21:00 | 7.44 | 3.58 | 8.94 | 12.52 | 0.57 | 5.1 | 3.43 | 0.21 | 3.63 | 26 | 26 |
| 22:00 | 7.92 | 4.67 | 8.49 | 13.16 | 0.57 | 5 | 3.28 | 0.22 | 3.5 | 21 | 26 |
| 23:00 | 8.06 | 3.99 | 8.78 | 12.77 | 0.53 | 5 | 2.9 | 0.25 | 3.14 | 21 | 26 |
| 最大值 | 8.06 | 7.12 | 10.87 | 16.31 | 0.6 | 46.4 | 3.43 | 0.36 | 3.63 | 39 | 26.1 |
| 最小值 | 6.13 | 2.66 | 2.44 | 5.18 | 0.43 | 4.9 | 2.17 | 0.2 | 2.4 | 10 | 26 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 7.18 | 3.54 | 6.96 | 10.5 | 0.51 | 16.6 | 2.64 | 0.25 | 2.88 | 22.3 | 26 |

油車庄監測日報表

監測日期：2026/04/15

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 7.49 | 3.15 | 7.54 | 10.69 | 0.54 | 5.7 | 2.75 | 0.23 | 2.98 | 18 | 25.9 |
| 01:00 | 7.56 | 2.99 | 7.29 | 10.28 | 0.52 | 6.4 | 2.75 | 0.21 | 2.96 | 15 | 26 |
| 02:00 | 7.38 | 3.28 | 7.27 | 10.54 | 0.52 | 5.1 | 3.14 | 0.19 | 3.33 | 22 | 25.9 |
| 03:00 | 6.96 | 3.47 | 5.07 | 8.54 | 0.49 | 4.8 | 3.3 | 0.17 | 3.47 | 20 | 26 |
| 04:00 | 7.45 | 3.91 | 5.37 | 9.29 | 0.49 | 4.9 | 2.96 | 0.19 | 3.15 | 13 | 26 |
| 05:00 | 7.62 | 4.02 | 8.07 | 12.09 | 0.5 | 4.9 | 2.88 | 0.21 | 3.09 | 19 | 26 |
| 06:00 | 7.5 | 6.55 | 8.68 | 15.23 | 0.54 | 5.4 | 2.82 | 0.23 | 3.04 | 20 | 26 |
| 07:00 | 8.27 | 5.98 | 7.57 | 13.55 | 0.56 | 6.5 | 2.77 | 0.24 | 3.01 | 22 | 26 |
| 08:00 | 8.3 | 3.88 | 5.27 | 9.15 | 0.51 | 12.6 | 2.42 | 0.23 | 2.65 | 24 | 26 |
| 09:00 | 7.3 | 3.18 | 3.45 | 6.63 | 0.48 | 17.1 | 2.22 | 0.21 | 2.43 | 11 | 26 |
| 10:00 | 7.76 | 2.88 | 3 | 5.88 | 0.46 | 23.6 | 2.21 | 0.21 | 2.42 | 14 | 26.1 |
| 11:00 | 7.72 | 2.9 | 4.94 | 7.83 | 0.52 | 34 | 2.22 | 0.29 | 2.51 | 22 | 26 |
| 12:00 | 7.48 | 3.23 | 5.12 | 8.35 | 0.51 | 31.1 | 2.2 | 0.31 | 2.5 | 19 | 26 |
| 13:00 | 7.88 | 3.27 | 4.91 | 8.17 | 0.48 | 25.7 | 2.17 | 0.26 | 2.43 | 14 | 26 |
| 14:00 | 7.73 | 2.86 | 2.72 | 5.58 | 0.48 | 20.8 | 2.15 | 0.24 | 2.39 | 14 | 26 |
| 15:00 | 6.77 | 2.76 | 2.47 | 5.23 | 0.48 | 20.8 | 2.14 | 0.23 | 2.37 | 14 | 25.9 |
| 16:00 | 7.6 | 2.92 | 3.81 | 6.74 | 0.49 | 20.2 | 2.15 | 0.23 | 2.39 | 16 | 26 |
| 17:00 | 7.43 | 3.66 | 8.16 | 11.83 | 0.55 | 16.5 | 2.18 | 0.24 | 2.42 | 23 | 26 |
| 18:00 | 6.46 | 2.78 | 7.93 | 10.71 | 0.54 | 15.3 | 2.23 | 0.25 | 2.48 | 17 | 26 |
| 19:00 | 7.01 | 2.82 | 8.16 | 10.98 | 0.57 | 11.3 | 2.32 | 0.27 | 2.6 | 23 | 26 |
| 20:00 | 7.11 | 2.85 | 5.59 | 8.44 | 0.56 | 10.5 | 2.33 | 0.24 | 2.57 | 18 | 26 |
| 21:00 | 6.35 | 2.95 | 4.57 | 7.52 | 0.53 | 8.5 | 2.35 | 0.22 | 2.57 | 18 | 26 |
| 22:00 | 6.87 | 2.82 | 3.69 | 6.51 | 0.52 | 8.8 | 2.34 | 0.21 | 2.55 | 17 | 26.1 |
| 23:00 | 6.51 | 2.66 | 2.99 | 5.66 | 0.5 | 9.7 | 2.29 | 0.2 | 2.49 | 9 | 26 |
| 最大值 | 8.3 | 6.55 | 8.68 | 15.23 | 0.57 | 34 | 3.3 | 0.31 | 3.47 | 24 | 26.1 |
| 最小值 | 6.35 | 2.66 | 2.47 | 5.23 | 0.46 | 4.8 | 2.14 | 0.17 | 2.37 | 9 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 7.35 | 3.41 | 5.57 | 8.98 | 0.51 | 13.8 | 2.47 | 0.23 | 2.7 | 17.6 | 26 |

油車庄監測日報表

監測日期：2026/04/16

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|--|
| 00:00 | 5.96 | 2.76 | 3.56 | 6.32 | 0.5 | 8.8 | 2.39 | 0.19 | 2.57 | 11 | 26 | |
| 01:00 | 6.52 | 2.92 | 3.87 | 6.79 | 0.51 | 5.7 | 2.6 | 0.18 | 2.78 | 17 | 26 | |
| 02:00 | 6.73 | 3.04 | 3.63 | 6.66 | 0.5 | 5.2 | 2.67 | 0.2 | 2.87 | 16 | 26 | |
| 03:00 | 6.59 | 3.36 | 4.08 | 7.44 | 0.51 | 5.2 | 2.64 | 0.2 | 2.83 | 15 | 26 | |
| 04:00 | 7.57 | 3.74 | 4.54 | 8.28 | 0.51 | 4.9 | 3.16 | 0.17 | 3.33 | 17 | 26 | |
| 05:00 | 7.99 | 3.84 | 5.23 | 9.07 | 0.51 | 5.2 | 2.95 | 0.19 | 3.14 | 20 | 26 | |
| 06:00 | 8.08 | 5.3 | 6.41 | 11.72 | 0.54 | 5.4 | 2.76 | 0.21 | 2.97 | 43 | 26 | |
| 07:00 | 8.51 | 3.72 | 4.51 | 8.23 | 0.55 | 8 | 2.5 | 0.26 | 2.76 | 26 | 26 | |
| 08:00 | 8.38 | 3.93 | 6.03 | 9.96 | 0.58 | 13.1 | 2.32 | 0.29 | 2.61 | 24 | 26 | |
| 09:00 | 8.04 | 4.33 | 8.28 | 12.62 | 0.64 | 16.4 | 2.29 | 0.3 | 2.59 | 26 | 26 | |
| 10:00 | 8.15 | 3.25 | 6.02 | 9.27 | 0.69 | 26.4 | 2.26 | 0.28 | 2.54 | 28 | 26 | |
| 11:00 | 8.08 | 2.84 | 4.27 | 7.11 | 0.57 | 31.1 | 2.24 | 0.29 | 2.53 | 21 | 26 | |
| 12:00 | 7.59 | 2.76 | 3.23 | 5.99 | 0.57 | 34.6 | 2.22 | 0.27 | 2.49 | 26 | 26 | |
| 13:00 | 7.97 | 2.62 | 3.2 | 5.82 | 0.58 | 37.2 | 2.22 | 0.26 | 2.47 | 27 | 26 | |
| 14:00 | 7.91 | 2.86 | 5.24 | 8.09 | 0.56 | 37 | 2.24 | 0.26 | 2.5 | 24 | 26 | |
| 15:00 | 7.35 | 2.76 | 7.13 | 9.89 | 0.64 | 34.7 | 2.24 | 0.26 | 2.5 | 31 | 26 | |
| 16:00 | 7.78 | 3.16 | 14.99 | 18.16 | 1.03 | 26.1 | 2.31 | 0.29 | 2.6 | 40 | 26.1 | |
| 17:00 | 7.79 | 2.86 | 10.22 | 13.08 | 0.8 | 30.1 | 2.33 | 0.27 | 2.59 | 37 | 26 | |
| 18:00 | 7.02 | 2.57 | 6.29 | 8.86 | 0.7 | 32.2 | 2.39 | 0.23 | 2.62 | 32 | 26 | |
| 19:00 | 7.39 | 2.81 | 7.27 | 10.08 | 0.71 | 24.3 | 2.59 | 0.25 | 2.84 | 35 | 26 | |
| 20:00 | 7.55 | 2.83 | 7.24 | 10.07 | 0.71 | 22.4 | 2.51 | 0.28 | 2.78 | 35 | 26 | |
| 21:00 | 7.05 | 2.76 | 5.23 | 7.99 | 0.68 | 23.8 | 2.5 | 0.25 | 2.75 | 38 | 26 | |
| 22:00 | 7.45 | 2.76 | 4.81 | 7.57 | 0.66 | 19.9 | 2.57 | 0.22 | 2.79 | 31 | 26 | |
| 23:00 | 7.51 | 2.66 | 5 | 7.66 | 0.63 | 20.3 | 2.53 | 0.26 | 2.78 | 27 | 26 | |
| 最大值 | 8.51 | 5.3 | 14.99 | 18.16 | 1.03 | 37.2 | 3.16 | 0.3 | 3.33 | 43 | 26.1 | |
| 最小值 | 5.96 | 2.57 | 3.2 | 5.82 | 0.5 | 4.9 | 2.22 | 0.17 | 2.47 | 11 | 26 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | |
| 平均數 | 7.54 | 3.19 | 5.84 | 9.03 | 0.62 | 19.9 | 2.48 | 0.24 | 2.72 | 27 | 26 | |

油車庄監測日報表

監測日期：2026/04/17

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 6.86 | 2.67 | 4.76 | 7.43 | 0.61 | 17.5 | 2.65 | 0.25 | 2.89 | 38 | 26 |
| 01:00 | 7.81 | 2.71 | 4.99 | 7.7 | 0.62 | 16.4 | 2.62 | 0.28 | 2.9 | 28 | 26 |
| 02:00 | 7.5 | 3.13 | 7 | 10.13 | 0.64 | 10.9 | 2.69 | 0.26 | 2.95 | 33 | 26 |
| 03:00 | 7.14 | 2.79 | 6.18 | 8.97 | 0.65 | 12.5 | 2.83 | 0.26 | 3.1 | 35 | 26 |
| 04:00 | 7.74 | 2.89 | 6.21 | 9.1 | 0.66 | 10.1 | 2.91 | 0.26 | 3.16 | 43 | 26 |
| 05:00 | 8.04 | 3.33 | 8.58 | 11.91 | 0.68 | 7.6 | 3.17 | 0.26 | 3.43 | 43 | 26.1 |
| 06:00 | 7.7 | 4.24 | 8.74 | 12.99 | 0.7 | 6.7 | 3.33 | 0.26 | 3.59 | 42 | 26.1 |
| 07:00 | 8.3 | 4.5 | 9 | 13.51 | 0.72 | 10.7 | 2.96 | 0.31 | 3.27 | 43 | 26 |
| 08:00 | 8.09 | 4.3 | 7.93 | 12.23 | 0.7 | 16.3 | 2.66 | 0.28 | 2.93 | 43 | 26 |
| 09:00 | 7.48 | 3.24 | 5.35 | 8.59 | 0.63 | 26.1 | 2.56 | 0.24 | 2.81 | 32 | 26 |
| 10:00 | 7.84 | 2.73 | 3.21 | 5.94 | 0.59 | 36.6 | 2.32 | 0.24 | 2.56 | 29 | 26 |
| 11:00 | 7.96 | 2.68 | 5.2 | 7.88 | 0.63 | 54.3 | 2.3 | 0.28 | 2.58 | 38 | 26 |
| 12:00 | 7.61 | 2.59 | 6.04 | 8.63 | 0.67 | 63.9 | 2.34 | 0.27 | 2.61 | 48 | 26 |
| 13:00 | 8.05 | 2.83 | 8.25 | 11.08 | 0.83 | 57.7 | 2.35 | 0.35 | 2.7 | 41 | 26 |
| 14:00 | 8.2 | 3.28 | 11.35 | 14.63 | 0.74 | 47.3 | 2.31 | 0.39 | 2.7 | 50 | 26 |
| 15:00 | 7.36 | 4.21 | 14.36 | 18.57 | 0.98 | 33.9 | 2.27 | 0.3 | 2.57 | 43 | 26 |
| 16:00 | 7.16 | 2.96 | 6.65 | 9.61 | 0.55 | 37.9 | 2.25 | 0.25 | 2.49 | 26 | 26 |
| 17:00 | 7.46 | 2.82 | 8.36 | 11.18 | 0.6 | 36.8 | 2.32 | 0.25 | 2.57 | 31 | 26 |
| 18:00 | 6.68 | 2.64 | 5.51 | 8.16 | 0.61 | 30.1 | 2.29 | 0.25 | 2.54 | 24 | 26 |
| 19:00 | 7.01 | 2.56 | 4.6 | 7.17 | 0.61 | 30.3 | 2.29 | 0.24 | 2.53 | 20 | 26 |
| 20:00 | 7.2 | 2.74 | 4.6 | 7.34 | 0.63 | 28 | 2.38 | 0.22 | 2.59 | 21 | 26 |
| 21:00 | 6.73 | 2.65 | 5.49 | 8.14 | 0.62 | 23.9 | 2.38 | 0.21 | 2.6 | 19 | 26 |
| 22:00 | 7.67 | 2.82 | 6.1 | 8.92 | 0.63 | 17.7 | 2.49 | 0.22 | 2.71 | 30 | 26 |
| 23:00 | 7.93 | 2.98 | 6.14 | 9.12 | 0.63 | 14.5 | 2.59 | 0.23 | 2.82 | 24 | 26 |
| 最大值 | 8.3 | 4.5 | 14.36 | 18.57 | 0.98 | 63.9 | 3.33 | 0.39 | 3.59 | 50 | 26.1 |
| 最小值 | 6.68 | 2.56 | 3.21 | 5.94 | 0.55 | 6.7 | 2.25 | 0.21 | 2.49 | 19 | 26 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 7.56 | 3.1 | 6.86 | 9.96 | 0.66 | 27 | 2.55 | 0.26 | 2.82 | 34.3 | 26 |

油車庄監測日報表

監測日期：2026/04/18

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|------|
| 00:00 | 6.17 | 3.01 | 7.27 | 10.29 | 0.64 | 12.4 | 2.79 | 0.21 | | 3 | 29 | 26 |
| 01:00 | 6.84 | 3.03 | 7.99 | 11.02 | 0.65 | 13.4 | 2.99 | 0.21 | | 3.2 | 29 | 26 |
| 02:00 | 7.18 | 3 | 7.81 | 10.81 | 0.64 | 11.6 | 2.87 | 0.23 | | 3.1 | 31 | 26 |
| 03:00 | 6.55 | 3.06 | 6.95 | 10 | 0.63 | 10.4 | 2.8 | 0.23 | | 3.03 | 27 | 26 |
| 04:00 | 7.34 | 2.99 | 5.95 | 8.95 | 0.61 | 10.2 | 2.67 | 0.23 | | 2.9 | 27 | 26 |
| 05:00 | 7.82 | 2.92 | 6.1 | 9.02 | 0.62 | 8.3 | 2.86 | 0.22 | | 3.07 | 28 | 26 |
| 06:00 | 7.34 | 4.26 | 6.46 | 10.72 | 0.66 | 7 | 3.06 | 0.22 | | 3.28 | 32 | 26 |
| 07:00 | 8.03 | 4.6 | 7.15 | 11.75 | 0.67 | 9 | 3.09 | 0.23 | | 3.32 | 36 | 26 |
| 08:00 | 7.72 | 3.47 | 6.01 | 9.49 | 0.66 | 19.2 | 2.71 | 0.25 | | 2.95 | 29 | 26 |
| 09:00 | 6.9 | 2.8 | 4.31 | 7.1 | 0.64 | 33.1 | 2.53 | 0.25 | | 2.78 | 36 | 26 |
| 10:00 | 7.43 | 2.96 | 8.68 | 11.63 | 0.76 | 52.2 | 2.4 | 0.34 | | 2.73 | 44 | 26 |
| 11:00 | 7.67 | 2.75 | 5.56 | 8.31 | 0.71 | 51.8 | 2.32 | 0.29 | | 2.61 | 32 | 26 |
| 12:00 | 7.08 | 2.69 | 4.87 | 7.56 | 0.68 | 53.6 | 2.3 | 0.26 | | 2.56 | 38 | 25.9 |
| 13:00 | 7.59 | 2.96 | 6.78 | 9.74 | 0.68 | 53.8 | 2.29 | 0.29 | | 2.58 | 60 | 26 |
| 14:00 | 7.9 | 3.59 | 11.93 | 15.52 | 1 | 43.6 | 2.29 | 0.3 | | 2.58 | 51 | 26.1 |
| 15:00 | 6.1 | 3.07 | 7.3 | 10.37 | 0.67 | 39.4 | 2.26 | 0.22 | | 2.48 | 35 | 26 |
| 16:00 | 5.54 | 2.65 | 3.66 | 6.3 | 0.56 | 40 | 2.24 | 0.2 | | 2.44 | 29 | 26 |
| 17:00 | 5 | 2.66 | 4.22 | 6.87 | 0.59 | 38.2 | 2.25 | 0.21 | | 2.46 | 25 | 26 |
| 18:00 | 4.7 | 2.6 | 4.88 | 7.48 | 0.63 | 32.9 | 2.35 | 0.22 | | 2.57 | 26 | 26 |
| 19:00 | 5.5 | 2.82 | 6.21 | 9.03 | 0.66 | 25.6 | 2.56 | 0.22 | | 2.78 | 26 | 26 |
| 20:00 | 5.82 | 2.74 | 6.65 | 9.39 | 0.67 | 22.2 | 2.62 | 0.23 | | 2.85 | 27 | 26 |
| 21:00 | 5.76 | 2.83 | 6.58 | 9.42 | 0.69 | 22 | 2.62 | 0.25 | | 2.87 | 28 | 26 |
| 22:00 | 6.69 | 2.69 | 4.91 | 7.6 | 0.7 | 23.8 | 2.66 | 0.23 | | 2.89 | 30 | 26 |
| 23:00 | 7.03 | 2.78 | 4.64 | 7.41 | 0.72 | 21.7 | 2.76 | 0.22 | | 2.98 | 34 | 26 |
| 最大值 | 8.03 | 4.6 | 11.93 | 15.52 | 1 | 53.8 | 3.09 | 0.34 | | 3.32 | 60 | 26.1 |
| 最小值 | 4.7 | 2.6 | 3.66 | 6.3 | 0.56 | 7 | 2.24 | 0.2 | | 2.44 | 25 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | | 24 | 24 | 24 |
| 平均數 | 6.74 | 3.04 | 6.37 | 9.41 | 0.67 | 27.3 | 2.6 | 0.24 | | 2.83 | 32.9 | 26 |

油車庄監測日報表

監測日期：2026/04/19

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 5.59 | 2.73 | 4.8 | 7.53 | 0.73 | 22.4 | 2.68 | 0.22 | 2.9 | 40 | 26.1 |
| 01:00 | 5.97 | 2.74 | 4.6 | 7.34 | 0.73 | 19.9 | 2.65 | 0.23 | 2.88 | 46 | 26 |
| 02:00 | 6.16 | 2.7 | 3.97 | 6.67 | 0.7 | 21.1 | 2.7 | 0.22 | 2.92 | 47 | 26 |
| 03:00 | 5.6 | 2.74 | 3.73 | 6.47 | 0.71 | 17.5 | 2.8 | 0.21 | 3.01 | 43 | 25.9 |
| 04:00 | 6.6 | 2.8 | 3.92 | 6.72 | 0.7 | 15 | 2.79 | 0.21 | 3 | 46 | 26.1 |
| 05:00 | 6.72 | 2.85 | 3.66 | 6.51 | 0.71 | 9.1 | 3.11 | 0.2 | 3.31 | 42 | 26 |
| 06:00 | 6.38 | 3.5 | 4.39 | 7.89 | 0.73 | 6.9 | 3.29 | 0.19 | 3.49 | 43 | 26 |
| 07:00 | 7.33 | 3.31 | 4.45 | 7.76 | 0.76 | 11.3 | 3.02 | 0.22 | 3.24 | 48 | 26 |
| 08:00 | 6.97 | 2.97 | 4.1 | 7.07 | 0.73 | 23.5 | 2.75 | 0.23 | 2.98 | 49 | 26 |
| 09:00 | 6.24 | 2.67 | 3.04 | 5.7 | 0.7 | 38.6 | 2.52 | 0.22 | 2.74 | 32 | 26 |
| 10:00 | 6.68 | 2.6 | 2.94 | 5.54 | 0.67 | 46.5 | 2.45 | 0.23 | 2.67 | 32 | 26 |
| 11:00 | 6.72 | 2.69 | 5.67 | 8.36 | 0.76 | 62.3 | 2.36 | 0.27 | 2.63 | 32 | 26 |
| 12:00 | 6.39 | 2.62 | 6.28 | 8.91 | 0.78 | 73.6 | 2.36 | 0.28 | 2.63 | 35 | 26 |
| 13:00 | 7.02 | 2.54 | 4.66 | 7.2 | 0.76 | 74.7 | 2.32 | 0.26 | 2.58 | 34 | 26 |
| 14:00 | 7.06 | 2.53 | 3.74 | 6.26 | 0.66 | 65.2 | 2.27 | 0.24 | 2.52 | 27 | 26 |
| 15:00 | 6.69 | 2.57 | 3.39 | 5.97 | 0.6 | 58.3 | 2.24 | 0.23 | 2.47 | 21 | 25.9 |
| 16:00 | 7.42 | 2.5 | 3.28 | 5.78 | 0.6 | 59.4 | 2.26 | 0.23 | 2.48 | 19 | 26 |
| 17:00 | 7.8 | 2.51 | 4.75 | 7.26 | 0.63 | 58.5 | 2.26 | 0.22 | 2.49 | 21 | 26 |
| 18:00 | 7.28 | 2.61 | 6.7 | 9.31 | 0.68 | 55.6 | 2.32 | 0.22 | 2.54 | 25 | 26 |
| 19:00 | 8.22 | 2.52 | 5.31 | 7.83 | 0.67 | 51.5 | 2.36 | 0.23 | 2.59 | 29 | 26 |
| 20:00 | 8.33 | 2.45 | 4.15 | 6.6 | 0.69 | 47.9 | 2.38 | 0.22 | 2.6 | 30 | 26 |
| 21:00 | 8.16 | 2.63 | 4.85 | 7.48 | 0.67 | 39.9 | 2.41 | 0.21 | 2.63 | 26 | 26 |
| 22:00 | 9.03 | 2.68 | 6.69 | 9.37 | 0.66 | 27.7 | 2.46 | 0.22 | 2.69 | 160 | 26 |
| 23:00 | 9.47 | 2.81 | 7.82 | 10.63 | 0.69 | 19.5 | 2.48 | 0.23 | 2.71 | 25 | 26 |
| 最大值 | 9.47 | 3.5 | 7.82 | 10.63 | 0.78 | 74.7 | 3.29 | 0.28 | 3.49 | 160 | 26.1 |
| 最小值 | 5.59 | 2.45 | 2.94 | 5.54 | 0.6 | 6.9 | 2.24 | 0.19 | 2.47 | 19 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 7.08 | 2.72 | 4.62 | 7.34 | 0.7 | 38.6 | 2.55 | 0.23 | 2.78 | 39.7 | 26 |

油車庄監測日報表

監測日期：2026/04/20

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 5.08 | 2.72 | 7.47 | 10.19 | 0.68 | 25.7 | 2.5 | 0.22 | 2.72 | 33 | 26 |
| 01:00 | 5.24 | 2.75 | 5.96 | 8.71 | 0.65 | 21.2 | 2.72 | 0.2 | 2.92 | 32 | 26.1 |
| 02:00 | 5.28 | 2.68 | 4.46 | 7.13 | 0.64 | 21 | 2.53 | 0.2 | 2.73 | 25 | 26 |
| 03:00 | 4.29 | 2.68 | 4.53 | 7.21 | 0.64 | 20.7 | 2.54 | 0.2 | 2.74 | 24 | 25.9 |
| 04:00 | 4.11 | 2.7 | 4.71 | 7.41 | 0.65 | 21.2 | 2.69 | 0.19 | 2.88 | 28 | 25.9 |
| 05:00 | 4.13 | 2.94 | 6.27 | 9.21 | 0.66 | 12.3 | 2.99 | 0.19 | 3.18 | 29 | 26 |
| 06:00 | 4.57 | 3.69 | 7.6 | 11.29 | 0.68 | 11.4 | 3.27 | 0.18 | 3.45 | 27 | 26 |
| 07:00 | 4.82 | 3.68 | 7.68 | 11.36 | 0.72 | 22.2 | 2.74 | 0.22 | 2.96 | 28 | 25.9 |
| 08:00 | 4.5 | 2.93 | 4.38 | 7.31 | 0.7 | 40.1 | 2.48 | 0.22 | 2.7 | 29 | 26.1 |
| 09:00 | 4.48 | 2.78 | 4.25 | 7.03 | 0.73 | 47.9 | 2.42 | 0.28 | 2.7 | 26 | 26 |
| 10:00 | 4.92 | 2.98 | 8.92 | 11.9 | 0.81 | 58.2 | 2.47 | 0.31 | 2.78 | 38 | 26 |
| 11:00 | 4.4 | 3.06 | 8.83 | 11.88 | 0.83 | 57.3 | 2.35 | 0.34 | 2.7 | 33 | 26 |
| 12:00 | 4.79 | 2.79 | 6.06 | 8.85 | 0.77 | 57.6 | 2.33 | 0.33 | 2.66 | 30 | 26 |
| 13:00 | 4.16 | 2.6 | 3.55 | 6.15 | 0.72 | 58.7 | 2.3 | 0.29 | 2.59 | 18 | 26 |
| 14:00 | 4.14 | 2.64 | 3.71 | 6.35 | 0.69 | 53.8 | 2.29 | 0.29 | 2.59 | 21 | 26 |
| 15:00 | 4.43 | 2.65 | 3.1 | 5.75 | 0.65 | 49.9 | 2.28 | 0.27 | 2.55 | 19 | 26.1 |
| 16:00 | 4.41 | 2.69 | 4.2 | 6.89 | 0.66 | 51.7 | 2.29 | 0.23 | 2.52 | 22 | 26 |
| 17:00 | 4.72 | 2.67 | 4.56 | 7.23 | 0.68 | 49.6 | 2.3 | 0.24 | 2.55 | 21 | 26 |
| 18:00 | 4.18 | 2.51 | 4.2 | 6.72 | 0.69 | 45.6 | 2.32 | 0.24 | 2.56 | 24 | 26 |
| 19:00 | 5.02 | 2.49 | 4.12 | 6.61 | 0.69 | 42.6 | 2.39 | 0.28 | 2.67 | 16 | 26 |
| 20:00 | 5.2 | 2.56 | 4.83 | 7.39 | 0.69 | 38.9 | 2.47 | 0.21 | 2.68 | 23 | 26 |
| 21:00 | 4.44 | 2.63 | 5.34 | 7.97 | 0.69 | 33 | 2.42 | 0.21 | 2.62 | 15 | 26 |
| 22:00 | 4.3 | 2.61 | 6.39 | 9 | 0.7 | 27.4 | 2.54 | 0.21 | 2.76 | 24 | 26 |
| 23:00 | 4.73 | 2.74 | 9.17 | 11.91 | 0.71 | 20.7 | 2.63 | 0.21 | 2.84 | 30 | 26 |
| 最大值 | 5.28 | 3.69 | 9.17 | 11.91 | 0.83 | 58.7 | 3.27 | 0.34 | 3.45 | 38 | 26.1 |
| 最小值 | 4.11 | 2.49 | 3.1 | 5.75 | 0.64 | 11.4 | 2.28 | 0.18 | 2.52 | 15 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 4.6 | 2.8 | 5.6 | 8.39 | 0.7 | 37 | 2.51 | 0.24 | 2.75 | 25.6 | 26 |

油車庄監測日報表

監測日期：2026/04/21

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 4.27 | 2.82 | 9.6 | 12.42 | 0.69 | 15.4 | 2.6 | 0.21 | 2.8 | 29 | 26 |
| 01:00 | 4.98 | 2.98 | 7.41 | 10.4 | 0.68 | 13.8 | 2.64 | 0.21 | 2.85 | 21 | 26 |
| 02:00 | 4.99 | 2.99 | 8.7 | 11.69 | 0.67 | 12.1 | 2.64 | 0.21 | 2.84 | 16 | 26 |
| 03:00 | 4.43 | 3.13 | 9.18 | 12.31 | 0.66 | 10 | 2.82 | 0.19 | 3.02 | 28 | 26 |
| 04:00 | 5.04 | 2.8 | 5.81 | 8.6 | 0.64 | 13.5 | 2.66 | 0.2 | 2.86 | 18 | 26 |
| 05:00 | 5.24 | 3.01 | 6.32 | 9.34 | 0.66 | 11.7 | 2.73 | 0.2 | 2.93 | 22 | 26 |
| 06:00 | 5.49 | 3.89 | 7.15 | 11.05 | 0.67 | 11.1 | 2.82 | 0.2 | 3.02 | 28 | 26 |
| 07:00 | 5.77 | 3.74 | 5.66 | 9.4 | 0.71 | 16.6 | 3.05 | 0.2 | 3.25 | 25 | 26 |
| 08:00 | 5.21 | 3.07 | 5.3 | 8.37 | 0.73 | 33.1 | 2.65 | 0.22 | 2.87 | 29 | 26 |
| 09:00 | 5.57 | 2.72 | 4.18 | 6.9 | 0.76 | 44.6 | 2.44 | 0.25 | 2.69 | 30 | 26 |
| 10:00 | 5.73 | 2.69 | 4.5 | 7.18 | 0.78 | 53.9 | 2.45 | 0.31 | 2.76 | 39 | 26 |
| 11:00 | 3.26 | 2.62 | 4.68 | 7.3 | 0.78 | 64.2 | 2.43 | 0.27 | 2.69 | 40 | 26 |
| 12:00 | 3.02 | 2.62 | 3.87 | 6.49 | 0.62 | 47.8 | 2.31 | 0.23 | 2.53 | 16 | 26 |
| 13:00 | 2.86 | 2.56 | 2.79 | 5.36 | 0.58 | 46.7 | 2.27 | 0.22 | 2.49 | 14 | 26.1 |
| 14:00 | 2.75 | 2.57 | 2.26 | 4.83 | 0.53 | 46.2 | 2.26 | 0.21 | 2.46 | 19 | 26 |
| 15:00 | 2.69 | 2.47 | 2.04 | 4.52 | 0.52 | 49 | 2.25 | 0.19 | 2.44 | 23 | 26.1 |
| 16:00 | 2.6 | 2.41 | 2.24 | 4.64 | 0.52 | 48.6 | 2.25 | 0.19 | 2.44 | 15 | 25.9 |
| 17:00 | 2.65 | 2.53 | 5.81 | 8.34 | 0.69 | 59.6 | 2.34 | 0.22 | 2.56 | 42 | 25.9 |
| 18:00 | 2.59 | 2.61 | 5.69 | 8.31 | 0.68 | 51.4 | 2.36 | 0.22 | 2.58 | 31 | 26 |
| 19:00 | 2.64 | 2.54 | 6.12 | 8.66 | 0.67 | 40.3 | 2.43 | 0.22 | 2.65 | 26 | 26 |
| 20:00 | 2.42 | 2.58 | 5.93 | 8.51 | 0.7 | 36.9 | 2.55 | 0.22 | 2.77 | 30 | 25.9 |
| 21:00 | 2.38 | 2.6 | 6.84 | 9.44 | 0.7 | 33 | 2.62 | 0.22 | 2.84 | 24 | 26 |
| 22:00 | 2.38 | 2.67 | 6.05 | 8.72 | 0.72 | 23.6 | 2.93 | 0.22 | 3.15 | 29 | 26 |
| 23:00 | 2.38 | 2.99 | 7.83 | 10.82 | 0.71 | 16.6 | 3.05 | 0.22 | 3.26 | 35 | 26 |
| 最大值 | 5.77 | 3.89 | 9.6 | 12.42 | 0.78 | 64.2 | 3.05 | 0.31 | 3.26 | 42 | 26.1 |
| 最小值 | 2.38 | 2.41 | 2.04 | 4.52 | 0.52 | 10 | 2.25 | 0.19 | 2.44 | 14 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 3.81 | 2.82 | 5.67 | 8.48 | 0.67 | 33.3 | 2.56 | 0.22 | 2.78 | 26.2 | 26 |

油車庄監測日報表

監測日期：2026/04/22

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 2.38 | 3.07 | 8.74 | 11.82 | 0.7 | 12.4 | 3 | 0.22 | 3.22 | 29 | 26 |
| 01:00 | 2.38 | 3.23 | 11.36 | 14.59 | 0.68 | 10.2 | 2.89 | 0.22 | 3.12 | 22 | 26 |
| 02:00 | 2.38 | 2.83 | 7.73 | 10.55 | 0.64 | 13.6 | 2.81 | 0.22 | 3.04 | 28 | 26 |
| 03:00 | 2.38 | 3.04 | 8.48 | 11.52 | 0.64 | 8.4 | 2.92 | 0.21 | 3.13 | 25 | 26 |
| 04:00 | 2.38 | 2.92 | 7.07 | 9.99 | 0.65 | 11 | 2.99 | 0.2 | 3.19 | 17 | 26 |
| 05:00 | 2.38 | 3.01 | 8.72 | 11.73 | 0.65 | 9 | 3.05 | 0.2 | 3.24 | 21 | 26 |
| 06:00 | 2.38 | 3.67 | 8.19 | 11.87 | 0.66 | 11.8 | 2.82 | 0.21 | 3.04 | 21 | 26.1 |
| 07:00 | 2.38 | 3.29 | 6.5 | 9.78 | 0.68 | 22.3 | 2.55 | 0.23 | 2.78 | 28 | 26 |
| 08:00 | 2.38 | 2.93 | 4.3 | 7.23 | 0.65 | 31.6 | 2.42 | 0.25 | 2.67 | 28 | 26 |
| 09:00 | 2.38 | 2.61 | 2.53 | 5.14 | 0.58 | 33.7 | 2.27 | 0.22 | 2.49 | 26 | 26 |
| 10:00 | 2.38 | 2.61 | 2.31 | 4.92 | 0.58 | 32.1 | 2.23 | 0.22 | 2.44 | 21 | 25.9 |
| 11:00 | 2.38 | 2.67 | 2.25 | 4.92 | 0.59 | 30.5 | 2.22 | 0.22 | 2.43 | 20 | 26 |
| 12:00 | 2.38 | 2.74 | 2.38 | 5.12 | 0.6 | 28.9 | 2.21 | 0.22 | 2.43 | 22 | 26 |
| 13:00 | 2.38 | 2.77 | 2.36 | 5.13 | 0.61 | 27 | 2.21 | 0.21 | 2.42 | 20 | 26 |
| 14:00 | 2.38 | 2.81 | 2.46 | 5.27 | 0.61 | 24.9 | 2.21 | 0.21 | 2.42 | 23 | 26 |
| 15:00 | 2.38 | 2.94 | 2.82 | 5.77 | 0.62 | 22.8 | 2.2 | 0.2 | 2.41 | 23 | 26 |
| 16:00 | 2.38 | 2.94 | 3.03 | 5.98 | 0.62 | 21.5 | 2.2 | 0.2 | 2.41 | 24 | 26 |
| 17:00 | 2.38 | 2.83 | 2.63 | 5.46 | 0.61 | 21.4 | 2.21 | 0.2 | 2.41 | 20 | 26 |
| 18:00 | 2.38 | 2.8 | 3.12 | 5.92 | 0.63 | 19.1 | 2.22 | 0.21 | 2.44 | 20 | 26 |
| 19:00 | 2.38 | 2.52 | 3.35 | 5.88 | 0.64 | 18.7 | 2.26 | 0.2 | 2.47 | 14 | 26 |
| 20:00 | 2.38 | 2.64 | 3.53 | 6.17 | 0.66 | 15.3 | 2.43 | 0.19 | 2.63 | 24 | 26 |
| 21:00 | 2.38 | 3.01 | 6.04 | 9.05 | 0.68 | 10.7 | 2.78 | 0.18 | 2.96 | 20 | 26.1 |
| 22:00 | 2.38 | 3.54 | 9.36 | 12.9 | 0.68 | 6.1 | 2.68 | 0.2 | 2.89 | 41 | 26 |
| 23:00 | 2.38 | 4 | 8.87 | 12.87 | 0.67 | 5 | 2.96 | 0.2 | 3.16 | 37 | 26 |
| 最大值 | 2.38 | 4 | 11.36 | 14.59 | 0.7 | 33.7 | 3.05 | 0.25 | 3.24 | 41 | 26.1 |
| 最小值 | 2.38 | 2.52 | 2.25 | 4.92 | 0.58 | 5 | 2.2 | 0.18 | 2.41 | 14 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 2.38 | 2.98 | 5.34 | 8.32 | 0.64 | 18.7 | 2.53 | 0.21 | 2.74 | 23.9 | 26 |

油車庄監測日報表

監測日期：2026/04/23

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 2.38 | 3.3 | 6.85 | 10.15 | 0.66 | 5.5 | 3.05 | 0.18 | 3.23 | 25 | 26 |
| 01:00 | 2.38 | 3.5 | 7.16 | 10.66 | 0.68 | 5.2 | 3.46 | 0.17 | 3.63 | 26 | 26 |
| 02:00 | 2.38 | 2.97 | 6.03 | 9 | 0.67 | 6.6 | 2.93 | 0.19 | 3.12 | 31 | 26 |
| 03:00 | 2.38 | 3.41 | 6.88 | 10.28 | 0.68 | 4.8 | 3.43 | 0.17 | 3.6 | 31 | 26 |
| 04:00 | 2.38 | 3.84 | 6.86 | 10.7 | 0.69 | 4.8 | 3.64 | 0.16 | 3.8 | 30 | 26 |
| 05:00 | 2.38 | 3.97 | 7.76 | 11.73 | 0.63 | 5.1 | 3.32 | 0.17 | 3.49 | 29 | 26 |
| 06:00 | 2.38 | 4.39 | 6.26 | 10.65 | 0.63 | 5.5 | 3.19 | 0.19 | 3.38 | 29 | 26 |
| 07:00 | 2.38 | 4.93 | 6.6 | 11.53 | 0.69 | 6.9 | 3.05 | 0.2 | 3.25 | 32 | 26 |
| 08:00 | 2.38 | 4.04 | 6.18 | 10.22 | 0.71 | 12.1 | 2.76 | 0.24 | 3.01 | 42 | 26.1 |
| 09:00 | 2.38 | 3.27 | 5.09 | 8.36 | 0.66 | 24.3 | 2.39 | 0.29 | 2.68 | 37 | 26 |
| 10:00 | 2.38 | 3.19 | 7.04 | 10.23 | 0.71 | 34.2 | 2.27 | 0.27 | 2.54 | 35 | 26 |
| 11:00 | 2.38 | 2.97 | 5.88 | 8.85 | 0.68 | 39 | 2.25 | 0.28 | 2.52 | 32 | 26 |
| 12:00 | 2.38 | 2.88 | 4.77 | 7.65 | 0.61 | 38.9 | 2.24 | 0.23 | 2.46 | 34 | 26 |
| 13:00 | 2.38 | 3.49 | 6.82 | 10.31 | 0.82 | 31.4 | 2.23 | 0.22 | 2.45 | 33 | 26.1 |
| 14:00 | 2.38 | 3.06 | 5.11 | 8.18 | 0.64 | 32.8 | 2.23 | 0.21 | 2.44 | 34 | 26.1 |
| 15:00 | 2.38 | 3.33 | 6.91 | 10.23 | 0.73 | 29.4 | 2.24 | 0.22 | 2.45 | 32 | 26 |
| 16:00 | 2.38 | 3.48 | 8.21 | 11.69 | 0.72 | 24.6 | 2.25 | 0.22 | 2.47 | 41 | 26 |
| 17:00 | 2.38 | 2.89 | 6.54 | 9.43 | 0.63 | 24.5 | 2.26 | 0.22 | 2.48 | 32 | 26 |
| 18:00 | 2.38 | 2.65 | 4.87 | 7.53 | 0.66 | 20.2 | 2.34 | 0.21 | 2.56 | 35 | 26 |
| 19:00 | 2.38 | 2.93 | 5.81 | 8.74 | 0.71 | 11.6 | 2.46 | 0.21 | 2.67 | 33 | 26.1 |
| 20:00 | 2.38 | 2.91 | 5.51 | 8.41 | 0.7 | 7.7 | 2.72 | 0.22 | 2.94 | 34 | 26.1 |
| 21:00 | 2.38 | 3.01 | 6.47 | 9.48 | 0.72 | 7.5 | 2.98 | 0.21 | 3.19 | 34 | 26 |
| 22:00 | 2.38 | 3.4 | 5.98 | 9.38 | 0.71 | 5.8 | 3.27 | 0.19 | 3.46 | 36 | 26 |
| 23:00 | 2.38 | 3.53 | 5.41 | 8.93 | 0.68 | 5.3 | 3.17 | 0.19 | 3.36 | 34 | 26 |
| 最大值 | 2.38 | 4.93 | 8.21 | 11.73 | 0.82 | 39 | 3.64 | 0.29 | 3.8 | 42 | 26.1 |
| 最小值 | 2.38 | 2.65 | 4.77 | 7.53 | 0.61 | 4.8 | 2.23 | 0.16 | 2.44 | 25 | 26 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 2.38 | 3.39 | 6.29 | 9.68 | 0.68 | 16.4 | 2.76 | 0.21 | 2.97 | 33 | 26 |

油車庄監測日報表

監測日期：2026/04/24

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 2.38 | 3.61 | 5.38 | 8.99 | 0.68 | 5.3 | 3.2 | 0.19 | 3.39 | 33 | 25.9 |
| 01:00 | 2.38 | 3.43 | 5.34 | 8.77 | 0.66 | 5.5 | 3.48 | 0.18 | 3.66 | 27 | 26 |
| 02:00 | 2.38 | 3.43 | 4.76 | 8.19 | 0.63 | 5.3 | 3.57 | 0.17 | 3.75 | 32 | 25.9 |
| 03:00 | 2.38 | 3.15 | 4.5 | 7.64 | 0.59 | 5.6 | 3.15 | 0.18 | 3.33 | 25 | 26 |
| 04:00 | 2.38 | 3 | 5.35 | 8.35 | 0.58 | 6.8 | 2.81 | 0.21 | 3.02 | 24 | 26 |
| 05:00 | 2.38 | 3.74 | 7.14 | 10.88 | 0.61 | 6.2 | 2.83 | 0.22 | 3.05 | 26 | 26 |
| 06:00 | 2.38 | 5.23 | 8.98 | 14.21 | 0.65 | 6 | 3.03 | 0.22 | 3.25 | 36 | 26 |
| 07:00 | 2.38 | 4.98 | 7.83 | 12.81 | 0.68 | 8.2 | 2.89 | 0.24 | 3.13 | 46 | 26 |
| 08:00 | 2.38 | 3.39 | 5.05 | 8.44 | 0.65 | 14.7 | 2.45 | 0.24 | 2.69 | 38 | 26 |
| 09:00 | 2.38 | 3 | 3.67 | 6.67 | 0.64 | 23.6 | 2.3 | 0.25 | 2.55 | 26 | 26 |
| 10:00 | 2.38 | 2.7 | 2.77 | 5.47 | 0.64 | 29 | 2.26 | 0.24 | 2.5 | 26 | 26 |
| 11:00 | 2.38 | 2.7 | 2.84 | 5.54 | 0.67 | 28.3 | 2.24 | 0.24 | 2.48 | 32 | 26 |
| 12:00 | 2.38 | 2.69 | 2.53 | 5.22 | 0.68 | 25.7 | 2.24 | 0.23 | 2.47 | 29 | 26 |
| 13:00 | 2.38 | 2.76 | 2.27 | 5.03 | 0.67 | 21.8 | 2.23 | 0.22 | 2.45 | 29 | 26 |
| 14:00 | 2.38 | 2.69 | 2.21 | 4.9 | 0.67 | 17.4 | 2.24 | 0.21 | 2.45 | 29 | 26 |
| 15:00 | 2.38 | 2.67 | 2.19 | 4.85 | 0.67 | 21 | 2.23 | 0.21 | 2.44 | 23 | 26 |
| 16:00 | 2.38 | 2.76 | 4.82 | 7.57 | 0.7 | 26.7 | 2.3 | 0.23 | 2.54 | 25 | 26 |
| 17:00 | 2.38 | 2.82 | 5.58 | 8.4 | 0.65 | 28.5 | 2.41 | 0.22 | 2.63 | 37 | 26 |
| 18:00 | 2.38 | 2.67 | 7.12 | 9.79 | 0.69 | 22 | 2.48 | 0.22 | 2.71 | 34 | 26 |
| 19:00 | 2.38 | 3.02 | 8.86 | 11.88 | 0.74 | 11.9 | 2.78 | 0.22 | 3 | 37 | 26 |
| 20:00 | 2.38 | 3.11 | 9.43 | 12.54 | 0.75 | 8.7 | 2.86 | 0.23 | 3.09 | 42 | 26 |
| 21:00 | 2.38 | 2.98 | 7.62 | 10.6 | 0.73 | 8.1 | 2.88 | 0.21 | 3.09 | 29 | 26 |
| 22:00 | 2.38 | 3.13 | 7.38 | 10.52 | 0.74 | 7.5 | 2.76 | 0.23 | 2.99 | 29 | 26 |
| 23:00 | 2.38 | 3.38 | 8.92 | 12.3 | 0.81 | 5.6 | 2.76 | 0.27 | 3.03 | 27 | 26 |
| 最大值 | 2.38 | 5.23 | 9.43 | 14.21 | 0.81 | 29 | 3.57 | 0.27 | 3.75 | 46 | 26 |
| 最小值 | 2.38 | 2.67 | 2.19 | 4.85 | 0.58 | 5.3 | 2.23 | 0.17 | 2.44 | 23 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 2.38 | 3.21 | 5.52 | 8.73 | 0.67 | 14.6 | 2.68 | 0.22 | 2.9 | 30.9 | 26 |

油車庄監測日報表

監測日期：2026/04/25

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 2.38 | 3.34 | 8.53 | 11.87 | 0.79 | 5.5 | 2.75 | 0.29 | 3.03 | 31 | 26 |
| 01:00 | 2.38 | 3.11 | 6.75 | 9.85 | 0.72 | 7.1 | 2.56 | 0.28 | 2.84 | 24 | 26 |
| 02:00 | 2.38 | 2.8 | 3.73 | 6.52 | 0.64 | 13.4 | 2.36 | 0.23 | 2.59 | 24 | 26 |
| 03:00 | 2.38 | 2.97 | 4.85 | 7.82 | 0.67 | 10.2 | 2.41 | 0.22 | 2.62 | 23 | 26 |
| 04:00 | 2.38 | 2.79 | 3.92 | 6.71 | 0.67 | 12.3 | 2.44 | 0.22 | 2.66 | 7 | 26 |
| 05:00 | 2.38 | 2.84 | 4.26 | 7.09 | 0.66 | 7.7 | 2.68 | 0.2 | 2.88 | 19 | 26 |
| 06:00 | 2.38 | 3.53 | 5.04 | 8.57 | 0.69 | 5.3 | 2.92 | 0.22 | 3.14 | 28 | 26 |
| 07:00 | 2.38 | 4.32 | 5.26 | 9.58 | 0.72 | 5 | 2.85 | 0.22 | 3.06 | 26 | 26.1 |
| 08:00 | 2.38 | 4.21 | 5.89 | 10.11 | 0.72 | 7.2 | 2.64 | 0.22 | 2.86 | 27 | 26 |
| 09:00 | 2.38 | 4.29 | 6.75 | 11.04 | 0.73 | 7.9 | 2.6 | 0.23 | 2.83 | 27 | 25.9 |
| 10:00 | 2.38 | 3.99 | 6.54 | 10.53 | 0.74 | 12.6 | 2.55 | 0.24 | 2.78 | 27 | 26 |
| 11:00 | 2.38 | 3.56 | 5.92 | 9.48 | 0.74 | 16.6 | 2.51 | 0.23 | 2.74 | 22 | 26 |
| 12:00 | 2.38 | 3.36 | 7.77 | 11.13 | 0.77 | 19.6 | 2.43 | 0.24 | 2.67 | 27 | 26 |
| 13:00 | 2.38 | 3.46 | 8.97 | 12.42 | 0.74 | 24.5 | 2.37 | 0.25 | 2.62 | 18 | 26 |
| 14:00 | 2.38 | 2.9 | 5.56 | 8.47 | 0.71 | 30.4 | 2.38 | 0.24 | 2.62 | 14 | 26 |
| 15:00 | 2.38 | 3.37 | 9.1 | 12.46 | 0.77 | 24.3 | 2.44 | 0.26 | 2.7 | 21 | 26 |
| 16:00 | 2.38 | 2.71 | 5.32 | 8.03 | 0.7 | 29.7 | 2.41 | 0.23 | 2.65 | 12 | 26 |
| 17:00 | 2.38 | 2.58 | 4.59 | 7.17 | 0.68 | 26.8 | 2.41 | 0.2 | 2.61 | 15 | 25.9 |
| 18:00 | 2.38 | 2.52 | 5.07 | 7.59 | 0.68 | 24.2 | 2.38 | 0.19 | 2.57 | 12 | 25.9 |
| 19:00 | 2.38 | 2.55 | 4.71 | 7.26 | 0.67 | 20.4 | 2.37 | 0.19 | 2.56 | 13 | 26 |
| 20:00 | 2.38 | 2.73 | 4.64 | 7.38 | 0.69 | 14.1 | 2.66 | 0.18 | 2.85 | 10 | 26 |
| 21:00 | 2.38 | 2.67 | 4.33 | 7.01 | 0.67 | 14.3 | 2.62 | 0.19 | 2.8 | 21 | 26.1 |
| 22:00 | 2.38 | 2.66 | 4.43 | 7.09 | 0.67 | 13.3 | 2.43 | 0.2 | 2.63 | 13 | 26 |
| 23:00 | 2.38 | 2.83 | 4.73 | 7.56 | 0.69 | 9.8 | 2.54 | 0.21 | 2.75 | 18 | 26 |
| 最大值 | 2.38 | 4.32 | 9.1 | 12.46 | 0.79 | 30.4 | 2.92 | 0.29 | 3.14 | 31 | 26.1 |
| 最小值 | 2.38 | 2.52 | 3.73 | 6.52 | 0.64 | 5 | 2.36 | 0.18 | 2.56 | 7 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 2.38 | 3.17 | 5.69 | 8.86 | 0.71 | 15.1 | 2.53 | 0.22 | 2.75 | 20 | 26 |

油車庄監測日報表

監測日期：2026/04/26

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 2.38 | 2.8 | 3.81 | 6.61 | 0.68 | 7.9 | 2.67 | 0.21 | 2.88 | 16 | 25.9 |
| 01:00 | 2.38 | 2.71 | 3.68 | 6.39 | 0.67 | 9.1 | 2.62 | 0.23 | 2.85 | 19 | 26 |
| 02:00 | 2.38 | 2.78 | 3.53 | 6.31 | 0.67 | 10.2 | 2.64 | 0.24 | 2.87 | 17 | 26 |
| 03:00 | 2.38 | 2.77 | 3.66 | 6.43 | 0.68 | 9.6 | 2.75 | 0.33 | 3.07 | 23 | 26 |
| 04:00 | 2.38 | 2.84 | 4.24 | 7.08 | 0.67 | 8.4 | 2.92 | 0.3 | 3.22 | 18 | 26 |
| 05:00 | 2.38 | 3.01 | 4.02 | 7.04 | 0.65 | 8.2 | 2.79 | 0.19 | 2.98 | 15 | 26 |
| 06:00 | 2.38 | 3.45 | 4.09 | 7.54 | 0.66 | 7.1 | 2.89 | 0.18 | 3.07 | 18 | 26 |
| 07:00 | 2.38 | 3.38 | 4.29 | 7.68 | 0.69 | 15.1 | 2.71 | 0.26 | 2.97 | 22 | 26 |
| 08:00 | 2.38 | 3.13 | 4.22 | 7.35 | 0.66 | 23.6 | 2.45 | 0.25 | 2.7 | 21 | 26 |
| 09:00 | 2.38 | 2.85 | 3.37 | 6.22 | 0.67 | 29.9 | 2.39 | 0.23 | 2.62 | 23 | 26 |
| 10:00 | 2.38 | 2.69 | 3.43 | 6.12 | 0.68 | 41.3 | 2.36 | 0.24 | 2.6 | 20 | 26 |
| 11:00 | 2.38 | 2.58 | 4.24 | 6.82 | 0.69 | 51.4 | 2.38 | 0.26 | 2.64 | 19 | 26 |
| 12:00 | 2.38 | 2.79 | 6.99 | 9.78 | 0.78 | 62.5 | 2.41 | 0.27 | 2.68 | 27 | 26 |
| 13:00 | 2.38 | 2.69 | 6.56 | 9.26 | 0.79 | 71.3 | 2.42 | 0.27 | 2.69 | 36 | 26 |
| 14:00 | 2.38 | 2.59 | 4.75 | 7.34 | 0.71 | 66.1 | 2.37 | 0.24 | 2.61 | 27 | 26 |
| 15:00 | 2.38 | 2.69 | 4.7 | 7.39 | 0.67 | 59.5 | 2.34 | 0.23 | 2.57 | 27 | 25.9 |
| 16:00 | 2.38 | 2.55 | 4.42 | 6.96 | 0.66 | 59.7 | 2.32 | 0.22 | 2.54 | 25 | 26 |
| 17:00 | 2.38 | 2.51 | 4.33 | 6.84 | 0.65 | 58.1 | 2.32 | 0.21 | 2.53 | 26 | 26 |
| 18:00 | 2.38 | 2.5 | 4.53 | 7.04 | 0.68 | 51.3 | 2.33 | 0.21 | 2.54 | 28 | 26 |
| 19:00 | 2.38 | 2.48 | 3.84 | 6.32 | 0.67 | 47.5 | 2.36 | 0.21 | 2.58 | 26 | 26 |
| 20:00 | 2.38 | 2.53 | 3.88 | 6.4 | 0.66 | 44.9 | 2.38 | 0.2 | 2.59 | 23 | 26 |
| 21:00 | 2.38 | 2.66 | 5.17 | 7.83 | 0.67 | 38.3 | 2.51 | 0.2 | 2.71 | 19 | 26 |
| 22:00 | 2.38 | 2.78 | 9.51 | 12.29 | 0.71 | 23.9 | 2.74 | 0.19 | 2.93 | 26 | 26 |
| 23:00 | 2.38 | 2.89 | 9.86 | 12.75 | 0.7 | 20.8 | 2.81 | 0.19 | 3.01 | 25 | 26 |
| 最大值 | 2.38 | 3.45 | 9.86 | 12.75 | 0.79 | 71.3 | 2.92 | 0.33 | 3.22 | 36 | 26 |
| 最小值 | 2.38 | 2.48 | 3.37 | 6.12 | 0.65 | 7.1 | 2.32 | 0.18 | 2.53 | 15 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 2.38 | 2.78 | 4.8 | 7.57 | 0.68 | 34.4 | 2.54 | 0.23 | 2.77 | 22.8 | 26 |

油車庄監測日報表

監測日期：2026/04/27

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 2.38 | 3.46 | 11.43 | 14.89 | 0.68 | 11 | 2.72 | 0.2 | 2.92 | 17 | 26 |
| 01:00 | 2.38 | 3.43 | 9.86 | 13.29 | 0.66 | 10.3 | 2.78 | 0.2 | 2.97 | 25 | 26 |
| 02:00 | 2.38 | 3.01 | 8.68 | 11.68 | 0.65 | 13.5 | 2.59 | 0.2 | 2.79 | 23 | 26 |
| 03:00 | 2.38 | 3.4 | 8.41 | 11.81 | 0.66 | 10.4 | 2.73 | 0.2 | 2.93 | 24 | 26 |
| 04:00 | 2.38 | 3.29 | 8.99 | 12.28 | 0.66 | 9.6 | 2.71 | 0.2 | 2.9 | 20 | 26 |
| 05:00 | 2.38 | 2.9 | 8.07 | 10.98 | 0.67 | 16.7 | 2.61 | 0.21 | 2.82 | 28 | 26 |
| 06:00 | 2.38 | 4.23 | 8.05 | 12.28 | 0.69 | 11.5 | 2.76 | 0.2 | 2.96 | 24 | 26 |
| 07:00 | 2.38 | 4.36 | 7.31 | 11.67 | 0.71 | 15.8 | 3.03 | 0.2 | 3.23 | 30 | 26 |
| 08:00 | 2.38 | 3.37 | 6.12 | 9.49 | 0.7 | 29.6 | 2.82 | 0.22 | 3.04 | 33 | 26 |
| 09:00 | 2.38 | 2.78 | 4.78 | 7.56 | 0.67 | 43.3 | 2.55 | 0.22 | 2.77 | 26 | 26 |
| 10:00 | 2.38 | 2.6 | 3.85 | 6.45 | 0.58 | 51.5 | 2.41 | 0.22 | 2.63 | 26 | 26 |
| 11:00 | 2.38 | 2.54 | 3.92 | 6.46 | 0.52 | 57.9 | 2.35 | 0.25 | 2.61 | 30 | 26 |
| 12:00 | 2.38 | 2.5 | 5.16 | 7.66 | 0.64 | 69.6 | 2.34 | 0.28 | 2.62 | 28 | 26 |
| 13:00 | 2.38 | 2.5 | 4.33 | 6.82 | 0.6 | 65.1 | 2.32 | 0.3 | 2.62 | 29 | 26 |
| 14:00 | 2.38 | 2.52 | 4.11 | 6.64 | 0.48 | 60.9 | 2.28 | 0.33 | 2.62 | 29 | 26 |
| 15:00 | 2.38 | 2.47 | 4.44 | 6.92 | 0.45 | 57.8 | 2.26 | 0.26 | 2.52 | 30 | 25.9 |
| 16:00 | 2.38 | 2.59 | 6.57 | 9.16 | 0.62 | 62.2 | 2.3 | 0.24 | 2.54 | 25 | 25.9 |
| 17:00 | 2.38 | 2.65 | 6.5 | 9.15 | 0.63 | 58.4 | 2.33 | 0.23 | 2.55 | 31 | 26 |
| 18:00 | 2.38 | 2.46 | 6.55 | 9.01 | 0.66 | 52.7 | 2.37 | 0.25 | 2.62 | 31 | 26 |
| 19:00 | 2.38 | 2.5 | 7.93 | 10.43 | 0.67 | 42.3 | 2.41 | 0.3 | 2.71 | 27 | 26 |
| 20:00 | 2.38 | 2.54 | 7.48 | 10.02 | 0.69 | 38.6 | 2.56 | 0.25 | 2.8 | 31 | 26 |
| 21:00 | 2.38 | 3.42 | 14.53 | 17.94 | 0.73 | 14.1 | 2.71 | 0.24 | 2.95 | 28 | 26 |
| 22:00 | 2.38 | 3.24 | 12.9 | 16.14 | 0.71 | 16.3 | 2.83 | 0.22 | 3.05 | 37 | 26 |
| 23:00 | 2.38 | 2.82 | 11.39 | 14.21 | 0.68 | 18.3 | 2.61 | 0.22 | 2.83 | 68 | 25.9 |
| 最大值 | 2.38 | 4.36 | 14.53 | 17.94 | 0.73 | 69.6 | 3.03 | 0.33 | 3.23 | 68 | 26 |
| 最小值 | 2.38 | 2.46 | 3.85 | 6.45 | 0.45 | 9.6 | 2.26 | 0.2 | 2.52 | 17 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 2.38 | 2.98 | 7.56 | 10.54 | 0.64 | 34.9 | 2.56 | 0.23 | 2.79 | 29.2 | 26 |

油車庄監測日報表

監測日期：2026/04/28

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 2.38 | 2.95 | 8.71 | 11.66 | 0.67 | 18.5 | 2.69 | 0.21 | 2.89 | 41 | 26 |
| 01:00 | 2.38 | 2.72 | 8.39 | 11.11 | 0.67 | 20.2 | 2.74 | 0.2 | 2.95 | 31 | 26 |
| 02:00 | 2.38 | 2.82 | 10.14 | 12.96 | 0.7 | 15.8 | 3.18 | 0.19 | 3.37 | 34 | 26 |
| 03:00 | 2.38 | 3.05 | 10.6 | 13.65 | 0.7 | 9.9 | 3.34 | 0.19 | 3.53 | 32 | 26 |
| 04:00 | 2.38 | 3.28 | 10.1 | 13.38 | 0.66 | 8.2 | 3.74 | 0.18 | 3.92 | 34 | 26 |
| 05:00 | 2.38 | 3.66 | 10.77 | 14.44 | 0.68 | 9.6 | 3.5 | 0.2 | 3.7 | 32 | 26 |
| 06:00 | 2.38 | 5.44 | 11.19 | 16.63 | 0.67 | 10.2 | 3.56 | 0.2 | 3.76 | 32 | 26 |
| 07:00 | 2.38 | 4.85 | 8.84 | 13.7 | 0.68 | 15.4 | 3.39 | 0.21 | 3.6 | 32 | 25.9 |
| 08:00 | 2.38 | 4.14 | 8.63 | 12.77 | 0.67 | 21.7 | 2.94 | 0.23 | 3.17 | 38 | 26 |
| 09:00 | 2.38 | 2.95 | 7.22 | 10.17 | 0.63 | 46.1 | 2.56 | 0.24 | 2.8 | 28 | 25.9 |
| 10:00 | 2.38 | 2.59 | 4.89 | 7.47 | 0.61 | 57.1 | 2.44 | 0.27 | 2.71 | 34 | 26 |
| 11:00 | 2.38 | 2.81 | 9.82 | 12.63 | 0.69 | 66.7 | 2.41 | 0.47 | 2.88 | 34 | 26 |
| 12:00 | 2.38 | 2.62 | 8.07 | 10.69 | 0.7 | 71.7 | 2.36 | 0.41 | 2.78 | 38 | 26 |
| 13:00 | 2.38 | 2.58 | 6.09 | 8.67 | 0.71 | 68.5 | 2.34 | 0.29 | 2.63 | 36 | 26 |
| 14:00 | 2.38 | 2.55 | 4.8 | 7.36 | 0.69 | 60.3 | 2.31 | 0.35 | 2.65 | 27 | 26 |
| 15:00 | 2.38 | 2.65 | 4.3 | 6.95 | 0.68 | 55.1 | 2.29 | 0.28 | 2.57 | 27 | 26.1 |
| 16:00 | 2.38 | 2.64 | 4.49 | 7.14 | 0.67 | 53.6 | 2.3 | 0.25 | 2.55 | 28 | 26 |
| 17:00 | 2.38 | 2.61 | 5.11 | 7.72 | 0.68 | 49.9 | 2.31 | 0.24 | 2.56 | 27 | 26 |
| 18:00 | 2.38 | 2.53 | 5.35 | 7.89 | 0.71 | 42.3 | 2.4 | 0.22 | 2.62 | 27 | 26 |
| 19:00 | 2.38 | 2.66 | 6.69 | 9.35 | 0.73 | 28.8 | 2.56 | 0.23 | 2.78 | 39 | 26 |
| 20:00 | 2.38 | 2.94 | 9.2 | 12.14 | 0.74 | 15 | 2.56 | 0.31 | 2.88 | 30 | 25.9 |
| 21:00 | 2.38 | 2.96 | 11.12 | 14.07 | 0.77 | 14.2 | 2.84 | 0.3 | 3.14 | 33 | 26 |
| 22:00 | 2.38 | 3.1 | 11.68 | 14.78 | 0.79 | 10.5 | 3.44 | 0.26 | 3.7 | 33 | 26 |
| 23:00 | 2.38 | 3.21 | 11.91 | 15.12 | 0.78 | 11 | 3.19 | 0.26 | 3.45 | 35 | 26 |
| 最大值 | 2.38 | 5.44 | 11.91 | 16.63 | 0.79 | 71.7 | 3.74 | 0.47 | 3.92 | 41 | 26.1 |
| 最小值 | 2.38 | 2.53 | 4.3 | 6.95 | 0.61 | 8.2 | 2.29 | 0.18 | 2.55 | 27 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 2.38 | 3.1 | 8.25 | 11.35 | 0.69 | 32.5 | 2.81 | 0.26 | 3.07 | 32.6 | 26 |

油車庄監測日報表

監測日期：2026/04/29

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 2.38 | 3.21 | 10.93 | 14.13 | 0.75 | 12.5 | 2.91 | 0.25 | 3.16 | 27 | 26 |
| 01:00 | 2.38 | 3.59 | 11.18 | 14.77 | 0.7 | 10.2 | 2.8 | 0.24 | 3.04 | 26 | 26 |
| 02:00 | 2.38 | 3.45 | 10.28 | 13.73 | 0.72 | 7.9 | 3.21 | 0.2 | 3.41 | 27 | 26 |
| 03:00 | 2.38 | 3.69 | 10.76 | 14.46 | 0.72 | 6.1 | 3.94 | 0.18 | 4.12 | 32 | 26 |
| 04:00 | 2.38 | 3.4 | 10.4 | 13.8 | 0.66 | 6.9 | 3.13 | 0.21 | 3.33 | 20 | 26.1 |
| 05:00 | 2.38 | 5.91 | 9.91 | 15.82 | 0.67 | 5.6 | 3.32 | 0.2 | 3.51 | 23 | 26 |
| 06:00 | 2.38 | 9.61 | 10.65 | 20.26 | 0.72 | 5.8 | 3.34 | 0.21 | 3.54 | 26 | 26 |
| 07:00 | 2.38 | 5.22 | 9.37 | 14.58 | 0.75 | 12.9 | 3.27 | 0.23 | 3.49 | 30 | 26 |
| 08:00 | 2.38 | 3.8 | 7.56 | 11.37 | 0.72 | 23.1 | 2.69 | 0.25 | 2.94 | 35 | 26 |
| 09:00 | 2.38 | 3.17 | 3.45 | 6.62 | 0.63 | 18.5 | 2.3 | 0.23 | 2.52 | 16 | 26 |
| 10:00 | 2.38 | 3.01 | 2.79 | 5.8 | 0.64 | 16.8 | 2.2 | 0.21 | 2.41 | 22 | 26 |
| 11:00 | 2.38 | 3 | 2.4 | 5.4 | 0.63 | 16.3 | 2.19 | 0.2 | 2.39 | 14 | 26 |
| 12:00 | 2.38 | 3.03 | 2.23 | 5.27 | 0.63 | 14.7 | 2.18 | 0.21 | 2.39 | 16 | 26 |
| 13:00 | 2.38 | 3.08 | 2.11 | 5.2 | 0.63 | 13.5 | 2.18 | 0.21 | 2.39 | 9 | 26.1 |
| 14:00 | 2.38 | 3.16 | 2.13 | 5.29 | 0.62 | 14.8 | 2.18 | 0.21 | 2.38 | 14 | 26 |
| 15:00 | 2.38 | 2.94 | 2.26 | 5.2 | 0.63 | 18.4 | 2.17 | 0.2 | 2.38 | 11 | 26.1 |
| 16:00 | 2.38 | 3.05 | 2.31 | 5.36 | 0.63 | 19.3 | 2.18 | 0.2 | 2.39 | 15 | 26 |
| 17:00 | 2.38 | 3.1 | 2.89 | 5.99 | 0.63 | 18.6 | 2.19 | 0.2 | 2.4 | 15 | 26 |
| 18:00 | 2.38 | 3.02 | 3.83 | 6.84 | 0.63 | 16.4 | 2.21 | 0.21 | 2.42 | 11 | 26 |
| 19:00 | 2.38 | 3.38 | 5.56 | 8.93 | 0.63 | 12.1 | 2.31 | 0.21 | 2.51 | 10 | 26 |
| 20:00 | 2.38 | 2.89 | 5.44 | 8.33 | 0.65 | 10.7 | 2.67 | 0.2 | 2.87 | 17 | 26 |
| 21:00 | 2.38 | 3.3 | 7.4 | 10.7 | 0.67 | 7.9 | 2.69 | 0.19 | 2.88 | 16 | 26 |
| 22:00 | 2.38 | 4.18 | 9.4 | 13.58 | 0.69 | 5.3 | 2.94 | 0.18 | 3.12 | 15 | 26 |
| 23:00 | 2.38 | 3.36 | 6.4 | 9.77 | 0.68 | 5.3 | 2.75 | 0.2 | 2.94 | 15 | 26 |
| 最大值 | 2.38 | 9.61 | 11.18 | 20.26 | 0.75 | 23.1 | 3.94 | 0.25 | 4.12 | 35 | 26.1 |
| 最小值 | 2.38 | 2.89 | 2.11 | 5.2 | 0.62 | 5.3 | 2.17 | 0.18 | 2.38 | 9 | 26 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 2.38 | 3.73 | 6.32 | 10.05 | 0.67 | 12.5 | 2.66 | 0.21 | 2.87 | 19.2 | 26 |

油車庄監測日報表

監測日期：2026/04/30

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 2.38 | 3.96 | 8.05 | 12.01 | 0.72 | 4.7 | 3.11 | 0.18 | 3.3 | 13 | 26 |
| 01:00 | 2.38 | 3.72 | 6.84 | 10.57 | 0.71 | 4.7 | 3.15 | 0.19 | 3.34 | 11 | 26 |
| 02:00 | 2.38 | 4.74 | 7.3 | 12.03 | 0.7 | 4.7 | 3.31 | 0.18 | 3.49 | 13 | 26 |
| 03:00 | 2.38 | 8.57 | 7.6 | 16.17 | 0.7 | 4.7 | 3.3 | 0.19 | 3.49 | 13 | 26 |
| 04:00 | 2.38 | 9.02 | 7.32 | 16.33 | 0.71 | 4.9 | 3.64 | 0.19 | 3.83 | 21 | 26 |
| 05:00 | 2.38 | 9.96 | 6.21 | 16.17 | 0.7 | 4.9 | 3.5 | 0.2 | 3.7 | 18 | 26 |
| 06:00 | 2.38 | 4.99 | 6.29 | 11.28 | 0.72 | 4.7 | 2.83 | 0.21 | 3.04 | 23 | 26 |
| 07:00 | 2.38 | 5.17 | 5.29 | 10.46 | 0.72 | 5.3 | 2.82 | 0.22 | 3.04 | 24 | 26.1 |
| 08:00 | 2.38 | 3.67 | 4.57 | 8.24 | 0.72 | 10.3 | 2.47 | 0.23 | 2.7 | 22 | 26.1 |
| 09:00 | 2.38 | 3.2 | 4.14 | 7.34 | 0.72 | 15.8 | 2.34 | 0.24 | 2.58 | 19 | 26 |
| 10:00 | 2.38 | 2.95 | 3.4 | 6.35 | 0.69 | 19.1 | 2.28 | 0.24 | 2.52 | 20 | 26 |
| 11:00 | 2.38 | 2.98 | 3.35 | 6.33 | 0.68 | 22.2 | 2.24 | 0.24 | 2.49 | 15 | 26 |
| 12:00 | 2.38 | 2.85 | 3.49 | 6.33 | 0.68 | 26.6 | 2.27 | 0.24 | 2.51 | 24 | 26 |
| 13:00 | 2.38 | 2.88 | 3.53 | 6.42 | 0.68 | 27.5 | 2.27 | 0.24 | 2.51 | 21 | 25.9 |
| 14:00 | 2.38 | 2.93 | 4.06 | 7 | 0.69 | 29.9 | 2.26 | 0.24 | 2.51 | 22 | 26 |
| 15:00 | 2.38 | 2.85 | 3.88 | 6.74 | 0.67 | 29.8 | 2.24 | 0.25 | 2.49 | 19 | 26 |
| 16:00 | 2.38 | 2.83 | 3.19 | 6.02 | 0.66 | 25.7 | 2.24 | 0.23 | 2.47 | 22 | 26 |
| 17:00 | 2.38 | 2.89 | 4.12 | 7.01 | 0.67 | 23.1 | 2.25 | 0.26 | 2.51 | 22 | 26 |
| 18:00 | 2.38 | 2.71 | 4.87 | 7.57 | 0.7 | 21.9 | 2.29 | 0.23 | 2.51 | 22 | 26 |
| 19:00 | 2.38 | 3.19 | 13.39 | 16.57 | 0.82 | 12.7 | 2.51 | 0.3 | 2.81 | 39 | 26 |
| 20:00 | 2.38 | 3.39 | 13.13 | 16.53 | 0.81 | 8 | 2.62 | 0.32 | 2.94 | 32 | 26 |
| 21:00 | 2.38 | 3.23 | 10.92 | 14.15 | 0.77 | 7.3 | 2.63 | 0.29 | 2.92 | 23 | 26 |
| 22:00 | 2.38 | 3.28 | 10.54 | 13.81 | 0.78 | 6.8 | 2.61 | 0.3 | 2.91 | 24 | 26 |
| 23:00 | 2.38 | 3.46 | 10.4 | 13.86 | 0.78 | 5.8 | 2.71 | 0.3 | 3.01 | 29 | 26 |
| 最大值 | 2.38 | 9.96 | 13.39 | 16.57 | 0.82 | 29.9 | 3.64 | 0.32 | 3.83 | 39 | 26.1 |
| 最小值 | 2.38 | 2.71 | 3.19 | 6.02 | 0.66 | 4.7 | 2.24 | 0.18 | 2.47 | 11 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 2.38 | 4.14 | 6.49 | 10.64 | 0.72 | 13.8 | 2.66 | 0.24 | 2.9 | 21.3 | 26 |

溪北國小監測日報表

監測日期：2026/04/01

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 0.20* | | 2.21 | 4.18 | 6.39 | 0.84 | 15.8 | 2.49 | 0.08 | 2.58 100000m | 26 |
| 01:00 | 0.11* | | 1.99 | 2.77 | 4.76 | 0.84 | 19.2 | 2.35 | 0.08 | 2.42 100000m | 26 |
| 02:00 | 0.16* | | 2.09 | 3.34 | 5.44 | 0.85 | 17.3 | 2.54 | 0.09 | 2.62 100000m | 26 |
| 03:00 | 0.19* | | 2.12 | 3.31 | 5.43 | 0.87 | 16.3 | 2.61 | 0.09 | 2.71 100000m | 26 |
| 04:00 | 0.17* | | 2.22 | 4.3 | 6.53 | 0.87 | 16.9 | 2.57 | 0.14 | 2.71 100000m | 26 |
| 05:00 | | 0.68 | 3.22 | 6.96 | 10.17 | 0.89 | 14.9 | 2.76 | 0.19 | 2.95 100000m | 26.1 |
| 06:00 | | 0.39 | 3.94 | 4.97 | 8.91 | 0.89 | 14.6 | 2.69 | 0.15 | 2.84 100000m | 26 |
| 07:00 | | 0.33 | 5.05 | 4.92 | 9.97 | 0.92 | 16 | 2.66 | 0.14 | 2.8 100000m | 25.9 |
| 08:00 | | 0.27 | 4.36 | 5.81 | 10.17 | 0.93 | 19.3 | 2.51 | 0.14 | 2.65 100000m | 26 |
| 09:00 | 0.12* | | 2.66 | 3.03 | 5.69 | 0.84 | 25.2 | 2.16 | 0.11 | 2.27 100000m | 26 |
| 10:00 | | 1.26 | 1.77 | 1.78 | 3.55 | 0.84 | 30.7 | 2.08 | 0.11 | 2.19 100000m | 26.1 |
| 11:00 | | 1.49 | 1.7 | 2.32 | 4.01 | 0.84 | 29.6 | 2.09 | 0.14 | 2.22 21 | 26.1 |
| 12:00 | | 1.83 | 1.68 | 3.84 | 5.52 | 0.91 | 29.9 | 2.09 | 0.08 | 2.18 23 | 26 |
| 13:00 | | 1.74 | 1.67 | 3.64 | 5.31 | 0.88 | 29.1 | 2.09 | 0.08 | 2.17 28 | 26 |
| 14:00 | | 1.62 | 1.7 | 3.21 | 4.91 | 0.86 | 30.9 | 2.09 | 0.08 | 2.17 39 | 26 |
| 15:00 | | 1.6 | 1.67 | 2.88 | 4.55 | 0.87 | 29 | 2.12 | 0.07 | 2.19 34 | 26 |
| 16:00 | | 1.64 | 1.83 | 4.43 | 6.26 | 0.9 | 24 | 2.2 | 0.1 | 2.3 44 | 26 |
| 17:00 | | 1.81 | 2.07 | 5.15 | 7.22 | 0.92 | 22.2 | 2.24 | 0.12 | 2.36 46 | 25.9 |
| 18:00 | | 1.73 | 2.18 | 5.24 | 7.42 | 0.94 | 20.8 | 2.24 | 0.12 | 2.37 44 | 26 |
| 19:00 | | 1.78 | 2.7 | 6.32 | 9.02 | 0.96 | 16.9 | 2.3 | 0.12 | 2.42 41 | 26 |
| 20:00 | | 1.75 | 2.73 | 6.77 | 9.51 | 0.94 | 18.1 | 2.33 | 0.13 | 2.46 36 | 26 |
| 21:00 | | 1.79 | 2.65 | 6.43 | 9.08 | 0.94 | 18.3 | 2.27 | 0.16 | 2.42 60 | 26 |
| 22:00 | | 1.71 | 2.46 | 5.47 | 7.93 | 0.92 | 20.6 | 2.19 | 0.12 | 2.31 59 | 26 |
| 23:00 | | 1.8 | 3.87 | 6.2 | 10.07 | 0.92 | 15.8 | 2.58 | 0.13 | 2.71 44 | 26 |
| 最大值 | | 1.83 | 5.05 | 6.96 | 10.17 | 0.96 | 30.9 | 2.76 | 0.19 | 2.95 60 | 26.1 |
| 最小值 | | 0.27 | 1.67 | 1.78 | 3.55 | 0.84 | 14.6 | 2.08 | 0.07 | 2.17 21 | 25.9 |
| 資料數 | | 18 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 13 | 24 |
| 平均數 | | 1.4 | 2.52 | 4.47 | 6.99 | 0.89 | 21.3 | 2.34 | 0.12 | 2.46 39.9 | 26 |

溪北國小監測日報表

監測日期：2026/04/02

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 1.51 | 4.13 | 4.98 | 9.11 | 0.86 | 15.7 | 2.62 | 0.09 | 2.71 | 43 | 26 |
| 01:00 | 1.32 | 3.76 | 4.3 | 8.06 | 0.88 | 14.9 | 2.79 | 0.11 | 2.89 | 52 | 26 |
| 02:00 | 1.56 | 4.04 | 4.37 | 8.41 | 0.92 | 15.1 | 3.15 | 0.12 | 3.27 | 58 | 26.1 |
| 03:00 | 1.44 | 4.13 | 4.11 | 8.24 | 0.9 | 14.5 | 2.87 | 0.11 | 2.98 | 57 | 26 |
| 04:00 | 1.52 | 4.17 | 3.88 | 8.05 | 0.88 | 15.3 | 2.86 | 0.1 | 2.96 | 54 | 26 |
| 05:00 | 1.56 | 4.4 | 3.42 | 7.82 | 0.85 | 14.4 | 2.9 | 0.1 | 2.99 | 47 | 26 |
| 06:00 | 1.45 | 5.09 | 3.31 | 8.39 | 0.87 | 14.3 | 2.86 | 0.11 | 2.96 | 44 | 26 |
| 07:00 | 1.48 | 7.4 | 3.92 | 11.32 | 0.9 | 15 | 2.77 | 0.12 | 2.89 | 43 | 26 |
| 08:00 | 1.54 | 4.66 | 4.7 | 9.35 | 0.88 | 18.7 | 2.44 | 0.11 | 2.55 | 42 | 26 |
| 09:00 | 1.78 | 1.97 | 4.44 | 6.41 | 0.91 | 30.9 | 2.31 | 0.15 | 2.45 | 40 | 26 |
| 10:00 | 1.72 | 1.72 | 4.1 | 5.82 | 0.89 | 38.5 | 2.23 | 0.16 | 2.38 | 47 | 26 |
| 11:00 | 1.82 | 1.63 | 4.04 | 5.66 | 0.91 | 42.4 | 2.2 | 0.13 | 2.33 | 36 | 26 |
| 12:00 | 1.96 | 1.58 | 2.84 | 4.42 | 0.93 | 45.8 | 2.16 | 0.09 | 2.25 | 36 | 26 |
| 13:00 | 2.05 | 1.49 | 1.81 | 3.31 | 0.91 | 46 | 2.16 | 0.07 | 2.23 | 21 | 26.1 |
| 14:00 | 2.03 | 1.52 | 1.57 | 3.09 | 0.9 | 44.4 | 2.14 | 0.07 | 2.21 | 17 | 26 |
| 15:00 | 2 | 1.52 | 2.27 | 3.79 | 0.92 | 41.2 | 2.16 | 0.12 | 2.27 | 20 | 26 |
| 16:00 | 2 | 1.58 | 2.79 | 4.38 | 0.94 | 41 | 2.17 | 0.13 | 2.3 | 24 | 26 |
| 17:00 | 2.17 | 1.63 | 5.59 | 7.22 | 1.05 | 36.5 | 2.2 | 0.13 | 2.33 | 28 | 26 |
| 18:00 | 2.17 | 1.73 | 6.59 | 8.32 | 0.98 | 35.3 | 2.2 | 0.1 | 2.3 | 30 | 26 |
| 19:00 | 1.97 | 1.74 | 5.62 | 7.36 | 0.97 | 34.2 | 2.23 | 0.1 | 2.33 | 34 | 26.1 |
| 20:00 | 1.89 | 1.74 | 5.23 | 6.96 | 0.95 | 32.4 | 2.27 | 0.09 | 2.36 | 40 | 26.1 |
| 21:00 | 1.95 | 1.8 | 5.05 | 6.85 | 0.95 | 30.7 | 2.51 | 0.09 | 2.6 | 39 | 26 |
| 22:00 | 2.12 | 1.84 | 5.13 | 6.98 | 0.96 | 27.4 | 2.66 | 0.09 | 2.76 | 35 | 26 |
| 23:00 | 1.89 | 2.02 | 5.89 | 7.91 | 0.97 | 23.9 | 2.6 | 0.11 | 2.71 | 40 | 26 |
| 最大值 | 2.17 | 7.4 | 6.59 | 11.32 | 1.05 | 46 | 3.15 | 0.16 | 3.27 | 58 | 26.1 |
| 最小值 | 1.32 | 1.49 | 1.57 | 3.09 | 0.85 | 14.3 | 2.14 | 0.07 | 2.21 | 17 | 26 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 1.79 | 2.8 | 4.16 | 6.97 | 0.92 | 28.7 | 2.48 | 0.11 | 2.58 | 38.6 | 26 |

溪北國小監測日報表

監測日期：2026/04/03

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 1.79 | 2.19 | 6.9 | 9.08 | 0.98 | 20 | 2.73 | 0.13 | 2.86 | 34 | 26 |
| 01:00 | 1.8 | 2.2 | 6 | 8.2 | 0.96 | 21.7 | 2.48 | 0.14 | 2.61 | 40 | 26 |
| 02:00 | 1.89 | 2.27 | 5.35 | 7.62 | 0.95 | 19.4 | 2.64 | 0.15 | 2.8 | 37 | 25.9 |
| 03:00 | 1.81 | 2.27 | 5.12 | 7.39 | 0.92 | 21 | 2.79 | 0.11 | 2.9 | 35 | 26 |
| 04:00 | 1.79 | 2.8 | 6.2 | 9 | 0.93 | 16.3 | 2.85 | 0.12 | 2.96 | 28 | 26 |
| 05:00 | 1.87 | 2.79 | 5.8 | 8.6 | 0.96 | 18.4 | 2.83 | 0.12 | 2.94 | 22 | 26 |
| 06:00 | 1.83 | 2.52 | 4.71 | 7.23 | 0.97 | 19.6 | 2.58 | 0.11 | 2.69 | 21 | 26 |
| 07:00 | 1.84 | 2.38 | 4.93 | 7.31 | 0.98 | 21.2 | 2.43 | 0.12 | 2.55 | 27 | 26 |
| 08:00 | 2 | 2.11 | 5.14 | 7.25 | 0.96 | 26.1 | 2.3 | 0.11 | 2.41 | 32 | 26 |
| 09:00 | 2.14 | 1.74 | 3.7 | 5.44 | 0.95 | 33.6 | 2.23 | 0.1 | 2.33 | 44 | 26 |
| 10:00 | 2.08 | 1.65 | 3.16 | 4.81 | 0.89 | 36 | 2.13 | 0.07 | 2.2 | 44 | 26 |
| 11:00 | 1.98 | 1.54 | 1.34 | 2.88 | 0.87 | 38.3 | 2.1 | 0.06 | 2.16 | 49 | 26 |
| 12:00 | 1.95 | 1.54 | 0.81 | 2.35 | 0.86 | 38 | 2.09 | 0.05 | 2.15 | 48 | 26 |
| 13:00 | 1.99 | 1.62 | 1.09 | 2.71 | 0.86 | 35.8 | 2.09 | 0.05 | 2.13 | 56 | 26 |
| 14:00 | 1.99 | 1.59 | 0.89 | 2.48 | 0.85 | 35 | 2.08 | 0.05 | 2.13 | 65 | 26 |
| 15:00 | 2.01 | 1.57 | 0.47 | 2.04 | 0.86 | 34.8 | 2.08 | 0.05 | 2.13 | 58 | 26 |
| 16:00 | 2.49 | 1.66 | 1.41 | 3.07 | 0.87 | 33.6 | 2.08 | 0.05 | 2.13 | 53 | 26 |
| 17:00 | 2.51 | 1.54 | 1.51 | 3.05 | 0.88 | 32.9 | 2.08 | 0.05 | 2.13 | 42 | 26 |
| 18:00 | 2.1 | 1.67 | 0.96 | 2.64 | 0.86 | 31.4 | 2.07 | 0.04 | 2.11 | 37 | 26 |
| 19:00 | 1.93 | 1.67 | 0.98 | 2.64 | 0.84 | 30.9 | 2.07 | 0.04 | 2.11 | 34 | 26 |
| 20:00 | 1.89 | 1.69 | 0.66 | 2.35 | 0.83 | 29.5 | 2.07 | 0.03 | 2.1 | 44 | 26 |
| 21:00 | 1.85 | 1.68 | 0.93 | 2.61 | 0.83 | 26.9 | 2.08 | 0.03 | 2.11 | 35 | 26 |
| 22:00 | 1.74 | 1.72 | 1.01 | 2.72 | 0.84 | 27 | 2.1 | 0.04 | 2.14 | 37 | 26 |
| 23:00 | 1.78 | 1.73 | 1.75 | 3.48 | 0.85 | 24 | 2.17 | 0.05 | 2.22 | 38 | 26 |
| 最大值 | 2.51 | 2.8 | 6.9 | 9.08 | 0.98 | 38.3 | 2.85 | 0.15 | 2.96 | 65 | 26 |
| 最小值 | 1.74 | 1.54 | 0.47 | 2.04 | 0.83 | 16.3 | 2.07 | 0.03 | 2.1 | 21 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 1.96 | 1.92 | 2.95 | 4.87 | 0.9 | 28 | 2.3 | 0.08 | 2.38 | 40 | 26 |

溪北國小監測日報表

監測日期：2026/04/04

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 1.74 | 1.8 | 2.15 | 3.95 | 0.87 | 23.8 | 2.17 | 0.04 | 2.21 | 37 | 26 |
| 01:00 | 1.75 | 1.92 | 2.76 | 4.67 | 0.86 | 22.1 | 2.32 | 0.05 | 2.37 | 28 | 26 |
| 02:00 | 1.64 | 1.86 | 2.2 | 4.07 | 0.86 | 23.4 | 2.31 | 0.04 | 2.35 | 21 | 26 |
| 03:00 | 1.64 | 2.01 | 2.58 | 4.59 | 0.87 | 20.5 | 2.52 | 0.05 | 2.57 | 19 | 26 |
| 04:00 | 2 | 2.22 | 2.96 | 5.17 | 0.88 | 19.5 | 3 | 0.06 | 3.06 | 17 | 25.9 |
| 05:00 | 1.95 | 2.44 | 3.07 | 5.51 | 0.88 | 17.6 | 2.92 | 0.07 | 2.98 | 22 | 26 |
| 06:00 | 1.76 | 2.66 | 2.94 | 5.6 | 0.93 | 19.1 | 2.69 | 0.13 | 2.82 | 25 | 26 |
| 07:00 | 1.59 | 3.02 | 3.6 | 6.62 | 0.97 | 19.2 | 2.53 | 0.12 | 2.64 | 26 | 26 |
| 08:00 | 1.32 | 1.82 | 1.59 | 3.41 | 0.87 | 24.9 | 2.07 | 0.04 | 2.11 | 30 | 26 |
| 09:00 | 1.27 | 1.72 | 0.93 | 2.66 | 0.87 | 25.8 | 2.06 | 0.04 | 2.1 | 35 | 26 |
| 10:00 | 1.24 | 1.64 | 0.78 | 2.42 | 0.88 | 29 | 2.07 | 0.04 | 2.11 | 33 | 26 |
| 11:00 | 1.32 | 1.61 | 0.67 | 2.28 | 0.88 | 29.9 | 2.07 | 0.04 | 2.11 | 40 | 26 |
| 12:00 | 1.31 | 1.71 | 0.81 | 2.52 | 0.9 | 31.2 | 2.08 | 0.05 | 2.13 | 58 | 26 |
| 13:00 | 1.27 | 1.68 | 1.52 | 3.21 | 0.97 | 34.6 | 2.14 | 0.05 | 2.19 | 50 | 26 |
| 14:00 | 1.25 | 1.74 | 2.4 | 4.13 | 0.97 | 30.6 | 2.18 | 0.06 | 2.24 | 53 | 26 |
| 15:00 | 1.42 | 1.86 | 3.01 | 4.87 | 0.94 | 26.3 | 2.22 | 0.06 | 2.28 | 56 | 26 |
| 16:00 | 1.38 | 1.81 | 3.07 | 4.89 | 0.92 | 28.2 | 2.19 | 0.06 | 2.25 | 56 | 26 |
| 17:00 | 1.24 | 1.79 | 2.28 | 4.07 | 0.86 | 30.6 | 2.11 | 0.05 | 2.16 | 61 | 26 |
| 18:00 | 1.18 | 1.87 | 2.42 | 4.29 | 0.86 | 27.7 | 2.13 | 0.05 | 2.18 | 59 | 26 |
| 19:00 | 1.22 | 1.91 | 2.91 | 4.81 | 0.9 | 28.8 | 2.21 | 0.06 | 2.27 | 60 | 26 |
| 20:00 | 1.28 | 1.81 | 1.9 | 3.7 | 0.89 | 32.8 | 2.15 | 0.04 | 2.19 | 55 | 26 |
| 21:00 | 1.23 | 1.89 | 1.94 | 3.83 | 0.85 | 27.6 | 2.15 | 0.04 | 2.19 | 45 | 26 |
| 22:00 | 1.25 | 2.11 | 1.97 | 4.08 | 0.85 | 23.8 | 2.25 | 0.05 | 2.3 | 41 | 26.1 |
| 23:00 | 1.2 | 2.15 | 2.29 | 4.45 | 0.86 | 22.7 | 2.22 | 0.05 | 2.27 | 38 | 26.1 |
| 最大值 | 2 | 3.02 | 3.6 | 6.62 | 0.97 | 34.6 | 3 | 0.13 | 3.06 | 61 | 26.1 |
| 最小值 | 1.18 | 1.61 | 0.67 | 2.28 | 0.85 | 17.6 | 2.06 | 0.04 | 2.1 | 17 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 1.44 | 1.96 | 2.2 | 4.16 | 0.89 | 25.8 | 2.28 | 0.06 | 2.34 | 40 | 26 |

溪北國小監測日報表

監測日期：2026/04/05

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|------|
| 00:00 | | 0.98 | 2.11 | 2.32 | 4.44 | 0.85 | 26.8 | 2.17 | 0.05 | 2.22 | 19 | 26 |
| 01:00 | | 1.11 | 2.15 | 2.33 | 4.48 | 0.86 | 26.3 | 2.22 | 0.05 | 2.27 | 18 | 26 |
| 02:00 | | 1.15 | 2.11 | 2.31 | 4.42 | 0.85 | 25.5 | 2.21 | 0.05 | 2.26 | 18 | 26 |
| 03:00 | | 1.11 | 2.17 | 2.31 | 4.48 | 0.83 | 25.4 | 2.14 | 0.05 | 2.18 | 22 | 26 |
| 04:00 | | 1.37 | 2.29 | 2.37 | 4.66 | 0.83 | 22.6 | 2.21 | 0.05 | 2.26 | 18 | 26 |
| 05:00 | | 1.29 | 2.53 | 2.46 | 4.99 | 0.83 | 20 | 2.26 | 0.07 | 2.32 | 22 | 26 |
| 06:00 | | 1.45 | 2.71 | 2.86 | 5.57 | 0.82 | 19.2 | 2.29 | 0.07 | 2.36 | 23 | 26 |
| 07:00 | | 1.45 | 3 | 3.27 | 6.27 | 0.82 | 18.4 | 2.37 | 0.07 | 2.44 | 25 | 26 |
| 08:00 | | 1.42 | 2.8 | 3.31 | 6.1 | 0.8 | 22 | 2.25 | 0.06 | 2.3 | 23 | 26 |
| 09:00 | | 1.44 | 2.15 | 2.74 | 4.89 | 0.79 | 26.5 | 2.1 | 0.06 | 2.16 | 30 | 26 |
| 10:00 | | 1.49 | 2.05 | 2.16 | 4.21 | 0.79 | 28 | 2.07 | 0.06 | 2.13 | 35 | 26 |
| 11:00 | | 1.79 | 1.9 | 2.34 | 4.24 | 0.82 | 27.8 | 2.07 | 0.06 | 2.13 | 36 | 26 |
| 12:00 | | 2.09 | 1.85 | 2.17 | 4.03 | 0.85 | 28.1 | 2.07 | 0.05 | 2.12 | 37 | 26 |
| 13:00 | | 2.21 | 1.87 | 1.74 | 3.61 | 0.84 | 28 | 2.07 | 0.05 | 2.11 | 41 | 26 |
| 14:00 | | 2.24 | 1.77 | 1.59 | 3.36 | 0.83 | 27.3 | 2.06 | 0.05 | 2.11 | 40 | 26 |
| 15:00 | | 2.35 | 1.75 | 1.44 | 3.19 | 0.84 | 27.3 | 2.06 | 0.05 | 2.11 | 39 | 26 |
| 16:00 | | 2.5 | 1.84 | 1.41 | 3.25 | 0.84 | 27.3 | 2.06 | 0.05 | 2.11 | 38 | 26 |
| 17:00 | | 2.48 | 1.86 | 1.62 | 3.48 | 0.85 | 25.8 | 2.06 | 0.05 | 2.11 | 37 | 26 |
| 18:00 | | 2.63 | 1.95 | 2.08 | 4.03 | 0.87 | 24.9 | 2.06 | 0.05 | 2.11 | 39 | 26 |
| 19:00 | | 2.78 | 1.97 | 2.8 | 4.78 | 0.86 | 23.2 | 2.09 | 0.05 | 2.14 | 38 | 25.9 |
| 20:00 | | 2.93 | 2.01 | 2.52 | 4.53 | 0.87 | 22.5 | 2.15 | 0.06 | 2.2 | 26 | 26 |
| 21:00 | | 3.12 | 2.14 | 2.98 | 5.13 | 0.88 | 20.8 | 2.19 | 0.07 | 2.26 | 23 | 26 |
| 22:00 | | 3.16 | 2.28 | 3.6 | 5.88 | 0.87 | 19.9 | 2.2 | 0.07 | 2.27 | 22 | 26 |
| 23:00 | | 3.23 | 2.5 | 3.84 | 6.34 | 0.84 | 17.9 | 2.35 | 0.07 | 2.41 | 28 | 26 |
| 最大值 | | 3.23 | 3 | 3.84 | 6.34 | 0.88 | 28.1 | 2.37 | 0.07 | 2.44 | 41 | 26 |
| 最小值 | | 0.98 | 1.75 | 1.41 | 3.19 | 0.79 | 17.9 | 2.06 | 0.05 | 2.11 | 18 | 25.9 |
| 資料數 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | | 1.99 | 2.16 | 2.44 | 4.6 | 0.84 | 24.2 | 2.16 | 0.06 | 2.21 | 29 | 26 |

溪北國小監測日報表

監測日期：2026/04/06

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 3.07 | 2.64 | 3.81 | 6.45 | 0.82 | 18.4 | 2.26 | 0.07 | 2.33 | 21 | 26 |
| 01:00 | 3.04 | 2.52 | 3.21 | 5.73 | 0.8 | 19.1 | 2.2 | 0.06 | 2.26 | 20 | 26 |
| 02:00 | 2.94 | 2.3 | 2.14 | 4.45 | 0.76 | 21 | 2.09 | 0.04 | 2.13 | 19 | 26 |
| 03:00 | 2.88 | 2.23 | 1.71 | 3.94 | 0.75 | 19.7 | 2.18 | 0.05 | 2.23 | 16 | 26 |
| 04:00 | 2.93 | 2.35 | 2.05 | 4.4 | 0.75 | 21.6 | 2.11 | 0.04 | 2.15 | 23 | 26 |
| 05:00 | 2.91 | 2.07 | 1.6 | 3.67 | 0.74 | 21.4 | 2.11 | 0.04 | 2.15 | 17 | 26 |
| 06:00 | 2.97 | 2.33 | 2.11 | 4.45 | 0.77 | 19.7 | 2.18 | 0.05 | 2.23 | 22 | 26 |
| 07:00 | 3.04 | 3.71 | 3.92 | 7.63 | 0.83 | 15.5 | 2.5 | 0.08 | 2.58 | 29 | 26 |
| 08:00 | 2.99 | 3.97 | 4.21 | 8.18 | 0.81 | 15.8 | 2.3 | 0.08 | 2.38 | 34 | 25.9 |
| 09:00 | 3.07 | 2.66 | 3.39 | 6.05 | 0.79 | 21.1 | 2.12 | 0.06 | 2.19 | 42 | 26 |
| 10:00 | 2.91 | 1.99 | 1.64 | 3.63 | 0.75 | 23 | 2.05 | 0.05 | 2.1 | 39 | 26.1 |
| 11:00 | 3.19 | 1.91 | 1.49 | 3.41 | 0.77 | 23 | 2.05 | 0.05 | 2.11 | 39 | 25.9 |
| 12:00 | 3.44 | 1.85 | 1.37 | 3.21 | 0.81 | 23.2 | 2.06 | 0.05 | 2.1 | 38 | 26 |
| 13:00 | 3.55 | 1.85 | 0.76 | 2.61 | 0.81 | 24.4 | 2.05 | 0.05 | 2.1 | 35 | 26 |
| 14:00 | 3.54 | 1.8 | 0.72 | 2.52 | 0.82 | 22.8 | 2.05 | 0.06 | 2.11 | 30 | 26 |
| 15:00 | 3.59 | 1.74 | 0.66 | 2.4 | 0.84 | 24.1 | 2.05 | 0.05 | 2.11 | 27 | 26 |
| 16:00 | 3.59 | 1.72 | 0.83 | 2.55 | 0.84 | 24.9 | 2.06 | 0.05 | 2.11 | 31 | 26 |
| 17:00 | 3.7 | 1.81 | 1.38 | 3.19 | 0.86 | 22.5 | 2.07 | 0.05 | 2.12 | 39 | 26 |
| 18:00 | 3.68 | 2.01 | 1.73 | 3.74 | 0.87 | 22.4 | 2.08 | 0.05 | 2.13 | 30 | 26 |
| 19:00 | 3.77 | 2.87 | 4.37 | 7.24 | 0.87 | 16 | 2.14 | 0.05 | 2.19 | 31 | 26 |
| 20:00 | 3.97 | 3.05 | 5.11 | 8.16 | 0.9 | 16.3 | 2.28 | 0.07 | 2.35 | 34 | 26 |
| 21:00 | 3.94 | 2.98 | 4.51 | 7.49 | 0.91 | 16.4 | 2.33 | 0.08 | 2.4 | 30 | 26 |
| 22:00 | 4.07 | 3.87 | 4.77 | 8.64 | 0.94 | 13.8 | 2.41 | 0.09 | 2.5 | 36 | 26 |
| 23:00 | 3.98 | 4.35 | 4.52 | 8.87 | 0.95 | 14.9 | 2.42 | 0.11 | 2.54 | 38 | 26 |
| 最大值 | 4.07 | 4.35 | 5.11 | 8.87 | 0.95 | 24.9 | 2.5 | 0.11 | 2.58 | 42 | 26.1 |
| 最小值 | 2.88 | 1.72 | 0.66 | 2.4 | 0.74 | 13.8 | 2.05 | 0.04 | 2.1 | 17 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 3.37 | 2.52 | 2.58 | 5.11 | 0.82 | 20 | 2.17 | 0.06 | 2.23 | 30 | 26 |

溪北國小監測日報表

監測日期：2026/04/07

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 3.94 | 4.72 | 4.03 | 8.75 | 0.88 | 14 | 3.07 | 0.1 | 3.17 | 42 | 26 |
| 01:00 | 3.99 | 5.19 | 3.38 | 8.56 | 0.92 | 13.7 | 3.36 | 0.13 | 3.48 | 41 | 26 |
| 02:00 | 3.78 | 4.59 | 2.73 | 7.32 | 0.87 | 14.1 | 3.12 | 0.1 | 3.22 | 45 | 26 |
| 03:00 | 3.79 | 4.33 | 2.87 | 7.2 | 0.85 | 14.9 | 3.09 | 0.09 | 3.19 | 51 | 26 |
| 04:00 | 3.77 | 3.83 | 2.65 | 6.47 | 0.79 | 15 | 2.81 | 0.07 | 2.87 | 56 | 26 |
| 05:00 | 3.94 | 3.58 | 2.81 | 6.39 | 0.79 | 15.3 | 2.82 | 0.08 | 2.9 | 55 | 26 |
| 06:00 | 3.75 | 3.79 | 3.06 | 6.85 | 0.81 | 15.1 | 2.69 | 0.09 | 2.79 | 51 | 26 |
| 07:00 | 3.77 | 4.19 | 3.77 | 7.96 | 0.87 | 15.6 | 2.55 | 0.1 | 2.65 | 59 | 26 |
| 08:00 | 3.8 | 4.37 | 4.91 | 9.28 | 0.89 | 16.8 | 2.46 | 0.11 | 2.57 | 64 | 25.9 |
| 09:00 | 3.77 | 3.04 | 5.2 | 8.24 | 0.87 | 20 | 2.26 | 0.11 | 2.37 | 53 | 25.9 |
| 10:00 | 4.06 | 2.5 | 6.61 | 9.12 | 0.93 | 22.5 | 2.2 | 0.18 | 2.38 | 31 | 26 |
| 11:00 | 4.12 | 2.08 | 5.11 | 7.2 | 0.84 | 23.9 | 2.08 | 0.23 | 2.31 | 27 | 26 |
| 12:00 | 4.44 | 1.8 | 1.56 | 3.36 | 0.82 | 24.2 | 2.05 | 0.12 | 2.17 | 18 | 26 |
| 13:00 | 4.58 | 1.82 | 1.64 | 3.46 | 0.86 | 23.5 | 2.06 | 0.09 | 2.15 | 23 | 26 |
| 14:00 | 4.54 | 1.93 | 2.3 | 4.22 | 0.83 | 22.3 | 2.06 | 0.11 | 2.17 | 25 | 25.9 |
| 15:00 | 4.55 | 1.87 | 1.72 | 3.59 | 0.85 | 22.9 | 2.05 | 0.08 | 2.13 | 27 | 25.9 |
| 16:00 | 4.54 | 1.81 | 1.49 | 3.29 | 0.84 | 23.8 | 2.05 | 0.07 | 2.12 | 26 | 26 |
| 17:00 | 4.47 | 1.85 | 1.62 | 3.47 | 0.85 | 21.9 | 2.06 | 0.05 | 2.1 | 33 | 26 |
| 18:00 | 4.47 | 1.92 | 1.52 | 3.44 | 0.86 | 21.7 | 2.06 | 0.04 | 2.11 | 35 | 26 |
| 19:00 | 4.45 | 2.13 | 1.62 | 3.75 | 0.85 | 19.1 | 2.07 | 0.05 | 2.12 | 46 | 25.9 |
| 20:00 | 4.45 | 2.03 | 1.29 | 3.32 | 0.83 | 20 | 2.07 | 0.04 | 2.11 | 48 | 26 |
| 21:00 | 4.34 | 1.96 | 0.93 | 2.89 | 0.83 | 20.9 | 2.06 | 0.03 | 2.09 | 28 | 26 |
| 22:00 | 4.32 | 1.9 | 0.88 | 2.78 | 0.84 | 23.6 | 2.07 | 0.04 | 2.11 | 26 | 26 |
| 23:00 | 4.14 | 2.01 | 1.33 | 3.34 | 0.82 | 21.7 | 2.09 | 0.05 | 2.14 | 36 | 26.1 |
| 最大值 | 4.58 | 5.19 | 6.61 | 9.28 | 0.93 | 24.2 | 3.36 | 0.23 | 3.48 | 64 | 26.1 |
| 最小值 | 3.75 | 1.8 | 0.88 | 2.78 | 0.79 | 13.7 | 2.05 | 0.03 | 2.09 | 18 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 4.16 | 2.89 | 2.71 | 5.59 | 0.85 | 19.4 | 2.39 | 0.09 | 2.48 | 39 | 26 |

溪北國小監測日報表

監測日期：2026/04/08

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 3.85 | 2.23 | 1.91 | 4.13 | 0.8 | 18.5 | 2.19 | 0.06 | 2.25 | 36 | 26 |
| 01:00 | 3.81 | 2.23 | 1.94 | 4.17 | 0.8 | 20 | 2.17 | 0.05 | 2.23 | 34 | 26 |
| 02:00 | 3.71 | 2.13 | 2.04 | 4.18 | 0.81 | 20.2 | 2.23 | 0.05 | 2.28 | 29 | 26 |
| 03:00 | 3.77 | 2.41 | 2.27 | 4.68 | 0.81 | 18.1 | 2.43 | 0.05 | 2.49 | 25 | 26 |
| 04:00 | 3.82 | 2.81 | 2.04 | 4.85 | 0.81 | 15.3 | 2.6 | 0.06 | 2.67 | 21 | 26 |
| 05:00 | 3.87 | 3.14 | 2.08 | 5.22 | 0.81 | 15.3 | 2.76 | 0.06 | 2.82 | 19 | 26 |
| 06:00 | 3.76 | 2.85 | 2.29 | 5.14 | 0.83 | 15.9 | 2.46 | 0.07 | 2.53 | 36 | 26 |
| 07:00 | 3.73 | 3.4 | 2.4 | 5.8 | 0.83 | 15.5 | 2.56 | 0.07 | 2.62 | 49 | 26 |
| 08:00 | 3.65 | 3.19 | 2.92 | 6.11 | 0.87 | 16.9 | 2.43 | 0.08 | 2.51 | 50 | 26 |
| 09:00 | 3.6 | 2.69 | 3.48 | 6.18 | 0.88 | 18.5 | 2.27 | 0.09 | 2.36 | 52 | 26 |
| 10:00 | 3.59 | 2.41 | 4.41 | 6.83 | 0.9 | 19.9 | 2.22 | 0.1 | 2.33 | 36 | 26 |
| 11:00 | 3.84 | 2.29 | 4.58 | 6.87 | 0.94 | 22.9 | 2.2 | 0.1 | 2.3 | 37 | 26.1 |
| 12:00 | 4.21 | 1.81 | 4.5 | 6.31 | 1.02 | 28.6 | 2.2 | 0.11 | 2.31 | 30 | 26 |
| 13:00 | 4.17 | 1.64 | 4.33 | 5.97 | 1.04 | 38.2 | 2.17 | 0.14 | 2.31 | 31 | 26 |
| 14:00 | 4.18 | 1.58 | 4.11 | 5.69 | 1.02 | 46.3 | 2.16 | 0.12 | 2.28 | 30 | 26 |
| 15:00 | 4.18 | 1.64 | 4.07 | 5.71 | 1.01 | 46.7 | 2.17 | 0.09 | 2.26 | 30 | 26.1 |
| 16:00 | 4.13 | 1.59 | 3.59 | 5.19 | 1 | 48.3 | 2.17 | 0.1 | 2.27 | 28 | 26 |
| 17:00 | 4.02 | 1.6 | 3.43 | 5.03 | 1 | 44.6 | 2.17 | 0.09 | 2.26 | 24 | 26.1 |
| 18:00 | 4.03 | 1.67 | 2.9 | 4.57 | 1.01 | 40.1 | 2.19 | 0.1 | 2.29 | 21 | 26 |
| 19:00 | 4.02 | 1.71 | 2.92 | 4.63 | 0.98 | 37.7 | 2.19 | 0.08 | 2.28 | 43 | 26 |
| 20:00 | 3.99 | 1.67 | 2.65 | 4.32 | 0.99 | 34.3 | 2.24 | 0.08 | 2.32 | 38 | 26 |
| 21:00 | 3.87 | 1.66 | 2.81 | 4.47 | 0.97 | 32.3 | 2.25 | 0.07 | 2.33 | 27 | 26 |
| 22:00 | 3.86 | 1.75 | 3.42 | 5.17 | 0.98 | 28.7 | 2.37 | 0.1 | 2.47 | 46 | 26 |
| 23:00 | 3.72 | 1.82 | 3.49 | 5.32 | 0.95 | 27.5 | 2.4 | 0.09 | 2.49 | 51 | 26 |
| 最大值 | 4.21 | 3.4 | 4.58 | 6.87 | 1.04 | 48.3 | 2.76 | 0.14 | 2.82 | 52 | 26.1 |
| 最小值 | 3.59 | 1.58 | 1.91 | 4.13 | 0.8 | 15.3 | 2.16 | 0.05 | 2.23 | 19 | 26 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 3.89 | 2.16 | 3.11 | 5.27 | 0.92 | 27.9 | 2.3 | 0.08 | 2.39 | 34 | 26 |

溪北國小監測日報表

監測日期：2026/04/09

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 3.31 | 1.96 | 3.4 | 5.36 | 0.92 | 24.8 | 2.44 | 0.09 | 2.53 | 42 | 26 |
| 01:00 | 3.25 | 1.95 | 3.53 | 5.49 | 0.91 | 25 | 2.4 | 0.1 | 2.5 | 30 | 26 |
| 02:00 | 3.23 | 2.02 | 3.5 | 5.53 | 0.9 | 23.9 | 2.55 | 0.11 | 2.66 | 32 | 26.1 |
| 03:00 | 3.34 | 2.1 | 3.89 | 5.99 | 0.92 | 22.4 | 2.71 | 0.13 | 2.84 | 25 | 26 |
| 04:00 | 3.29 | 2.37 | 4.12 | 6.49 | 0.91 | 19.1 | 2.95 | 0.13 | 3.08 | 28 | 26 |
| 05:00 | 3.16 | 2.54 | 4.45 | 6.98 | 0.91 | 18 | 2.72 | 0.11 | 2.83 | 29 | 26 |
| 06:00 | 3.09 | 2.64 | 4.19 | 6.83 | 0.91 | 17.9 | 2.62 | 0.1 | 2.72 | 33 | 26 |
| 07:00 | 2.97 | 2.22 | 4.12 | 6.33 | 0.94 | 21.7 | 2.4 | 0.11 | 2.52 | 30 | 26.1 |
| 08:00 | 2.95 | 1.99 | 3.2 | 5.18 | 0.92 | 27.8 | 2.29 | 0.11 | 2.4 | 37 | 26 |
| 09:00 | 2.96 | 1.75 | 2.36 | 4.11 | 0.86 | 32.4 | 2.16 | 0.07 | 2.24 | 23 | 26 |
| 10:00 | 2.78 | 1.81 | 1.4 | 3.21 | 0.8 | 32 | 2.08 | 0.05 | 2.13 | 27 | 26 |
| 11:00 | 2.84 | 1.65 | 0.95 | 2.6 | 0.82 | 29.9 | 2.06 | 0.05 | 2.11 | 33 | 26 |
| 12:00 | 3.11 | 1.6 | 0.52 | 2.12 | 0.87 | 31.5 | 2.06 | 0.03 | 2.1 | 38 | 26.1 |
| 13:00 | 3.12 | 1.63 | 0.42 | 2.05 | 0.88 | 29.6 | 2.06 | 0.04 | 2.1 | 44 | 26 |
| 14:00 | 3.13 | 1.63 | 0.32 | 1.96 | 0.89 | 29 | 2.06 | 0.04 | 2.1 | 46 | 26 |
| 15:00 | 3.14 | 1.66 | 0.41 | 2.07 | 0.9 | 26.8 | 2.06 | 0.05 | 2.11 | 41 | 26 |
| 16:00 | 3.1 | 1.66 | 0.7 | 2.36 | 0.89 | 27.8 | 2.06 | 0.04 | 2.1 | 40 | 26.1 |
| 17:00 | 3.05 | 1.7 | 1.04 | 2.75 | 0.9 | 25.2 | 2.06 | 0.04 | 2.1 | 33 | 26 |
| 18:00 | 3 | 1.75 | 1.02 | 2.77 | 0.91 | 23.7 | 2.07 | 0.04 | 2.11 | 32 | 26 |
| 19:00 | 2.95 | 1.82 | 1.55 | 3.37 | 0.91 | 22.4 | 2.09 | 0.05 | 2.14 | 38 | 26 |
| 20:00 | 2.94 | 1.9 | 1.47 | 3.38 | 0.89 | 21.2 | 2.11 | 0.05 | 2.16 | 28 | 26 |
| 21:00 | 2.95 | 2.23 | 3.05 | 5.28 | 0.91 | 17.4 | 2.37 | 0.06 | 2.43 | 26 | 26 |
| 22:00 | 2.81 | 2.72 | 3.61 | 6.33 | 0.91 | 14.8 | 2.41 | 0.07 | 2.48 | 25 | 26 |
| 23:00 | 2.73 | 2.92 | 3.39 | 6.31 | 0.9 | 16 | 2.29 | 0.07 | 2.37 | 24 | 26 |
| 最大值 | 3.34 | 2.92 | 4.45 | 6.98 | 0.94 | 32.4 | 2.95 | 0.13 | 3.08 | 46 | 26.1 |
| 最小值 | 2.73 | 1.6 | 0.32 | 1.96 | 0.8 | 14.8 | 2.06 | 0.03 | 2.1 | 23 | 26 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 3.05 | 2.01 | 2.36 | 4.37 | 0.89 | 24.2 | 2.3 | 0.07 | 2.37 | 33 | 26 |

溪北國小監測日報表

監測日期：2026/04/10

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 2.75 | 3.08 | 3.48 | 6.55 | 0.88 | 16.7 | 2.4 | 0.06 | 2.46 | 49 | 25.9 |
| 01:00 | 2.64 | 2.78 | 2.85 | 5.64 | 0.88 | 16.1 | 2.55 | 0.06 | 2.61 | 51 | 26 |
| 02:00 | 2.59 | 2.86 | 2.98 | 5.84 | 0.88 | 15.8 | 2.59 | 0.07 | 2.65 | 50 | 25.9 |
| 03:00 | 2.5 | 2.99 | 3.1 | 6.09 | 0.88 | 14.9 | 2.48 | 0.07 | 2.55 | 45 | 26 |
| 04:00 | 2.42 | 3.34 | 3.47 | 6.81 | 0.85 | 16.1 | 2.4 | 0.07 | 2.47 | 43 | 26 |
| 05:00 | 2.34 | 2.46 | 3.07 | 5.54 | 0.84 | 18.8 | 2.22 | 0.06 | 2.27 | 41 | 26 |
| 06:00 | 2.37 | 2.6 | 3.59 | 6.19 | 0.86 | 17.6 | 2.66 | 0.07 | 2.73 | 39 | 26 |
| 07:00 | 2.54 | 3.06 | 4.05 | 7.11 | 0.91 | 17.5 | 2.51 | 0.09 | 2.6 | 40 | 26 |
| 08:00 | 2.53 | 2.47 | 3.9 | 6.37 | 0.93 | 21.3 | 2.31 | 0.09 | 2.39 | 35 | 25.9 |
| 09:00 | 2.67 | 2.17 | 5.43 | 7.6 | 0.97 | 23.7 | 2.17 | 0.11 | 2.28 | 33 | 26 |
| 10:00 | 2.87 | 1.79 | 5.86 | 7.65 | 0.96 | 31.8 | 2.12 | 0.13 | 2.25 | 33 | 26 |
| 11:00 | 2.9 | 1.62 | 4.1 | 5.73 | 0.94 | 41.1 | 2.13 | 0.12 | 2.24 | 37 | 26 |
| 12:00 | 3.1 | 1.5 | 3.4 | 4.9 | 0.91 | 45.1 | 2.12 | 0.11 | 2.22 | 26 | 26 |
| 13:00 | 3.09 | 1.61 | 5.9 | 7.5 | 0.99 | 32.9 | 2.08 | 0.14 | 2.22 | 28 | 26 |
| 14:00 | 3.1 | 1.76 | 6.21 | 7.97 | 0.89 | 29.6 | 2.08 | 0.15 | 2.23 | 49 | 26 |
| 15:00 | 2.96 | 1.71 | 4.29 | 6 | 0.84 | 26.7 | 2.08 | 0.12 | 2.19 | 56 | 26 |
| 16:00 | 2.88 | 1.77 | 3.73 | 5.5 | 0.85 | 24.6 | 2.09 | 0.1 | 2.19 | 38 | 26 |
| 17:00 | 3.29 | 2.11 | 5.21 | 7.32 | 1.08 | 20.3 | 2.13 | 0.15 | 2.28 | 47 | 26 |
| 18:00 | 3.77 | 2.97 | 9.46 | 12.43 | 1.13 | 17.4 | 2.12 | 0.23 | 2.34 | 68 | 25.9 |
| 19:00 | 3.25 | 2.42 | 6.52 | 8.95 | 0.93 | 18.7 | 2.12 | 0.15 | 2.27 | 54 | 26 |
| 20:00 | 3.26 | 2.43 | 5.87 | 8.3 | 0.97 | 17.8 | 2.22 | 0.17 | 2.39 | 51 | 26 |
| 21:00 | 3.24 | 5.38 | 7.11 | 12.48 | 0.99 | 13.9 | 2.37 | 0.15 | 2.52 | 46 | 26 |
| 22:00 | 3.21 | 5.15 | 6.2 | 11.35 | 0.92 | 14.6 | 2.58 | 0.12 | 2.7 | 39 | 26 |
| 23:00 | 2.99 | 4.73 | 5.58 | 10.31 | 0.93 | 14.2 | 2.44 | 0.12 | 2.56 | 29 | 26 |
| 最大值 | 3.77 | 5.38 | 9.46 | 12.48 | 1.13 | 45.1 | 2.66 | 0.23 | 2.73 | 68 | 26 |
| 最小值 | 2.34 | 1.5 | 2.85 | 4.9 | 0.84 | 13.9 | 2.08 | 0.06 | 2.19 | 26 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 2.89 | 2.7 | 4.81 | 7.51 | 0.93 | 22 | 2.29 | 0.11 | 2.4 | 43 | 26 |

溪北國小監測日報表

監測日期：2026/04/11

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 3.13 | 4.72 | 5.33 | 10.05 | 0.94 | 14.9 | 2.32 | 0.11 | 2.44 | 38 | 26 |
| 01:00 | 3.15 | 6.67 | 5.4 | 12.07 | 0.93 | 14 | 2.38 | 0.12 | 2.5 | 37 | 26 |
| 02:00 | 3.16 | 5.09 | 4.99 | 10.08 | 0.9 | 14.9 | 2.54 | 0.11 | 2.65 | 42 | 26.1 |
| 03:00 | 3.19 | 4.16 | 5.11 | 9.27 | 0.89 | 14.7 | 3.22 | 0.11 | 3.34 | 40 | 26 |
| 04:00 | 3.15 | 4.25 | 5.15 | 9.4 | 0.87 | 14.1 | 2.92 | 0.1 | 3.02 | 46 | 26 |
| 05:00 | 3.06 | 4.18 | 4.72 | 8.91 | 0.86 | 15 | 2.63 | 0.1 | 2.73 | 51 | 26 |
| 06:00 | 2.98 | 4.78 | 5.07 | 9.84 | 0.87 | 14.8 | 2.51 | 0.11 | 2.61 | 54 | 26 |
| 07:00 | 3.09 | 5.46 | 6.11 | 11.57 | 0.88 | 16.8 | 2.53 | 0.1 | 2.63 | 46 | 26 |
| 08:00 | 3.39 | 2.97 | 5.28 | 8.25 | 0.91 | 20 | 2.33 | 0.1 | 2.43 | 31 | 26 |
| 09:00 | 3.38 | 1.9 | 2.84 | 4.73 | 0.87 | 26 | 2.07 | 0.06 | 2.13 | 28 | 26 |
| 10:00 | 3.28 | 1.64 | 1.37 | 3.01 | 0.86 | 28.2 | 2.05 | 0.05 | 2.11 | 33 | 26 |
| 11:00 | 3.22 | 1.61 | 0.79 | 2.4 | 0.85 | 27.9 | 2.05 | 0.05 | 2.09 | 36 | 26 |
| 12:00 | 3.15 | 1.58 | 0.38 | 1.96 | 0.86 | 31 | 2.05 | 0.04 | 2.09 | 39 | 26 |
| 13:00 | 3.22 | 1.47 | 0.45 | 1.93 | 0.86 | 31.5 | 2.04 | 0.04 | 2.09 | 49 | 26 |
| 14:00 | 3.16 | 1.62 | 0.18 | 1.8 | 0.85 | 26.5 | 2.03 | 0.04 | 2.07 | 43 | 26 |
| 15:00 | 3.22 | 1.6 | 0.3 | 1.9 | 0.85 | 26.2 | 2.04 | 0.05 | 2.08 | 45 | 26 |
| 16:00 | 3.16 | 1.6 | 0.23 | 1.83 | 0.86 | 26.6 | 2.03 | 0.04 | 2.07 | 42 | 26 |
| 17:00 | 3.25 | 1.66 | 0.55 | 2.21 | 0.87 | 25.2 | 2.04 | 0.04 | 2.08 | 38 | 26 |
| 18:00 | 3.21 | 1.71 | 1.33 | 3.04 | 0.88 | 23.6 | 2.05 | 0.05 | 2.1 | 29 | 26 |
| 19:00 | 3.19 | 1.87 | 1.66 | 3.53 | 0.88 | 21.4 | 2.15 | 0.06 | 2.21 | 26 | 26 |
| 20:00 | 3.19 | 2.18 | 3.12 | 5.3 | 0.92 | 18.4 | 2.2 | 0.08 | 2.28 | 28 | 26 |
| 21:00 | 3.2 | 2.41 | 3.71 | 6.12 | 0.96 | 16.4 | 2.24 | 0.08 | 2.32 | 32 | 26 |
| 22:00 | 3.33 | 3.77 | 5.41 | 9.18 | 0.98 | 15.1 | 2.38 | 0.11 | 2.5 | 34 | 26 |
| 23:00 | 3.28 | 4.75 | 4.88 | 9.62 | 0.89 | 14.2 | 2.7 | 0.09 | 2.79 | 25 | 26 |
| 最大值 | 3.39 | 6.67 | 6.11 | 12.07 | 0.98 | 31.5 | 3.22 | 0.12 | 3.34 | 54 | 26.1 |
| 最小值 | 2.98 | 1.47 | 0.18 | 1.8 | 0.85 | 14 | 2.03 | 0.04 | 2.07 | 25 | 26 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 3.2 | 3.07 | 3.1 | 6.17 | 0.89 | 20.7 | 2.31 | 0.08 | 2.39 | 38 | 26 |

溪北國小監測日報表

監測日期：2026/04/12

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|--|
| 00:00 | 2.82 | 3.4 | 3.69 | 7.09 | 0.82 | 16.3 | 2.48 | 0.07 | 2.55 | 21 | 26 | |
| 01:00 | 2.75 | 2.66 | 2.74 | 5.4 | 0.8 | 16.9 | 2.41 | 0.06 | 2.48 | 24 | 26 | |
| 02:00 | 2.69 | 2.53 | 2.71 | 5.24 | 0.81 | 16.6 | 2.21 | 0.07 | 2.28 | 33 | 26 | |
| 03:00 | 2.6 | 2.49 | 2.71 | 5.2 | 0.81 | 17.4 | 2.17 | 0.06 | 2.22 | 31 | 26 | |
| 04:00 | 2.58 | 2.46 | 2.62 | 5.08 | 0.8 | 16.9 | 2.16 | 0.06 | 2.22 | 42 | 26 | |
| 05:00 | 2.66 | 2.62 | 2.8 | 5.42 | 0.82 | 16.4 | 2.43 | 0.06 | 2.5 | 30 | 26 | |
| 06:00 | 2.73 | 4.59 | 3.33 | 7.92 | 0.83 | 14.8 | 3.02 | 0.09 | 3.11 | 35 | 26 | |
| 07:00 | 2.69 | 5.79 | 3.39 | 9.18 | 0.87 | 15.1 | 2.6 | 0.11 | 2.7 | 42 | 26 | |
| 08:00 | 2.77 | 3.04 | 3.38 | 6.42 | 0.87 | 20.5 | 2.13 | 0.08 | 2.21 | 45 | 26 | |
| 09:00 | 2.7 | 1.94 | 2.23 | 4.17 | 0.83 | 26.5 | 2.1 | 0.07 | 2.17 | 24 | 26 | |
| 10:00 | 2.51 | 1.74 | 1.45 | 3.19 | 0.82 | 27.6 | 2.07 | 0.06 | 2.13 | 21 | 26 | |
| 11:00 | 2.71 | 1.66 | 0.89 | 2.55 | 0.82 | 28.9 | 2.06 | 0.05 | 2.11 | 29 | 26 | |
| 12:00 | 3.01 | 1.58 | 0.45 | 2.02 | 0.84 | 30.1 | 2.05 | 0.05 | 2.09 | 31 | 26 | |
| 13:00 | 3.04 | 1.55 | 0.43 | 1.98 | 0.86 | 28.4 | 2.04 | 0.05 | 2.09 | 38 | 26 | |
| 14:00 | 3.04 | 1.53 | 0.37 | 1.89 | 0.85 | 27.3 | 2.04 | 0.06 | 2.09 | 28 | 26 | |
| 15:00 | 3.12 | 1.5 | 0.43 | 1.93 | 0.84 | 26.8 | 2.04 | 0.06 | 2.1 | 29 | 26 | |
| 16:00 | 3.1 | 1.62 | 0.53 | 2.15 | 0.85 | 26.6 | 2.05 | 0.06 | 2.11 | 42 | 25.9 | |
| 17:00 | 3.21 | 1.67 | 1.29 | 2.96 | 0.87 | 24.7 | 2.06 | 0.06 | 2.12 | 43 | 26 | |
| 18:00 | 3.3 | 1.76 | 1.52 | 3.27 | 0.87 | 23.8 | 2.05 | 0.05 | 2.1 | 50 | 26 | |
| 19:00 | 3.44 | 1.81 | 1.54 | 3.35 | 0.87 | 22.5 | 2.09 | 0.06 | 2.15 | 49 | 26 | |
| 20:00 | 3.51 | 1.84 | 1.57 | 3.41 | 0.87 | 21.6 | 2.14 | 0.06 | 2.2 | 58 | 26 | |
| 21:00 | 3.58 | 2.6 | 3.3 | 5.89 | 0.93 | 16.3 | 2.29 | 0.09 | 2.38 | 34 | 26 | |
| 22:00 | 3.95 | 4.33 | 5.26 | 9.59 | 0.92 | 14.5 | 2.63 | 0.09 | 2.71 | 31 | 26 | |
| 23:00 | 3.97 | 3.56 | 4.19 | 7.75 | 0.9 | 16 | 2.73 | 0.08 | 2.82 | 40 | 25.9 | |
| 最大值 | 3.97 | 5.79 | 5.26 | 9.59 | 0.93 | 30.1 | 3.02 | 0.11 | 3.11 | 58 | 26 | |
| 最小值 | 2.51 | 1.5 | 0.37 | 1.89 | 0.8 | 14.5 | 2.04 | 0.05 | 2.09 | 21 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | |
| 平均數 | 3.02 | 2.51 | 2.2 | 4.71 | 0.85 | 21.4 | 2.25 | 0.07 | 2.32 | 35 | 26 | |

溪北國小監測日報表

監測日期：2026/04/13

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|------|
| 00:00 | | 3.51 | 3.2 | 3.79 | 6.99 | 0.85 | 15.3 | 2.6 | 0.09 | 2.68 | 32 | 26 |
| 01:00 | | 3.39 | 3.02 | 3.52 | 6.54 | 0.82 | 15.1 | 2.51 | 0.08 | 2.58 | 30 | 26 |
| 02:00 | | 3.49 | 3.17 | 3.48 | 6.65 | 0.82 | 14.9 | 2.66 | 0.09 | 2.74 | 28 | 26 |
| 03:00 | | 3.36 | 3.33 | 3.42 | 6.76 | 0.82 | 15.7 | 2.72 | 0.09 | 2.82 | 32 | 25.9 |
| 04:00 | | 3.33 | 4.58 | 3.42 | 7.99 | 0.82 | 14.1 | 2.94 | 0.09 | 3.03 | 38 | 26 |
| 05:00 | | 3.26 | 4.11 | 3.83 | 7.94 | 0.81 | 15.3 | 2.63 | 0.08 | 2.71 | 41 | 26 |
| 06:00 | | 3.09 | 3.02 | 4.02 | 7.05 | 0.83 | 17.1 | 2.37 | 0.08 | 2.45 | 48 | 26 |
| 07:00 | | 3.02 | 3.05 | 4.61 | 7.65 | 0.86 | 18.2 | 2.43 | 0.09 | 2.52 | 35 | 26 |
| 08:00 | | 2.99 | 2.36 | 3.75 | 6.11 | 0.84 | 21.7 | 2.18 | 0.08 | 2.25 | 39 | 26.1 |
| 09:00 | | 2.98 | 1.98 | 2.85 | 4.83 | 0.81 | 26 | 2.11 | 0.07 | 2.18 | 36 | 26 |
| 10:00 | | 3.11 | 1.78 | 2.34 | 4.12 | 0.88 | 31.7 | 2.11 | 0.08 | 2.19 | 35 | 26 |
| 11:00 | | 3.81 | 1.57 | 3.13 | 4.7 | 1.05 | 42.7 | 2.13 | 0.11 | 2.23 | 43 | 26 |
| 12:00 | | 3.7 | 1.59 | 2.21 | 3.8 | 0.89 | 36.9 | 2.08 | 0.09 | 2.16 | 48 | 26 |
| 13:00 | | 3.55 | 1.63 | 2.01 | 3.64 | 0.88 | 35.4 | 2.07 | 0.06 | 2.14 | 51 | 26 |
| 14:00 | | 3.48 | 1.51 | 2.2 | 3.71 | 0.89 | 36.6 | 2.08 | 0.07 | 2.15 | 49 | 26 |
| 15:00 | | 3.43 | 1.5 | 1.69 | 3.19 | 0.86 | 33.2 | 2.07 | 0.06 | 2.14 | 44 | 26 |
| 16:00 | | 3.36 | 1.57 | 1.17 | 2.74 | 0.85 | 28.6 | 2.05 | 0.06 | 2.11 | 42 | 26 |
| 17:00 | | 3.4 | 1.67 | 1.28 | 2.95 | 0.86 | 25.2 | 2.05 | 0.06 | 2.1 | 38 | 26 |
| 18:00 | | 3.46 | 1.71 | 1.56 | 3.27 | 0.87 | 24 | 2.06 | 0.05 | 2.11 | 36 | 26 |
| 19:00 | | 3.42 | 1.78 | 1.75 | 3.52 | 0.87 | 23.1 | 2.08 | 0.07 | 2.15 | 37 | 26 |
| 20:00 | | 3.43 | 1.86 | 2.1 | 3.96 | 0.89 | 20.3 | 2.15 | 0.09 | 2.24 | 51 | 26 |
| 21:00 | | 3.59 | 2.32 | 4.38 | 6.71 | 0.95 | 17.4 | 2.39 | 0.09 | 2.48 | 52 | 26 |
| 22:00 | | 3.65 | 2.63 | 4.64 | 7.27 | 0.93 | 15.2 | 2.55 | 0.09 | 2.64 | 43 | 26 |
| 23:00 | | 3.6 | 3.53 | 4.92 | 8.45 | 0.95 | 15.2 | 2.72 | 0.1 | 2.82 | 52 | 26 |
| 最大值 | | 3.81 | 4.58 | 4.92 | 8.45 | 1.05 | 42.7 | 2.94 | 0.11 | 3.03 | 52 | 26.1 |
| 最小值 | | 2.98 | 1.5 | 1.17 | 2.74 | 0.81 | 14.1 | 2.05 | 0.05 | 2.1 | 28 | 25.9 |
| 資料數 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | | 3.39 | 2.44 | 3 | 5.44 | 0.87 | 23.3 | 2.32 | 0.08 | 2.4 | 41 | 26 |

溪北國小監測日報表

監測日期：2026/04/14

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 3.26 | 3.2 | 4.16 | 7.36 | 0.84 | 15.6 | 2.57 | 0.08 | 2.65 | 39 | 26 |
| 01:00 | 3.09 | 3.01 | 3.91 | 6.92 | 0.82 | 14.6 | 2.58 | 0.09 | 2.67 | 41 | 26 |
| 02:00 | 2.98 | 3.17 | 4.02 | 7.19 | 0.81 | 15.9 | 2.4 | 0.09 | 2.49 | 37 | 26 |
| 03:00 | 2.95 | 3.08 | 3.81 | 6.89 | 0.8 | 14.6 | 2.39 | 0.08 | 2.48 | 36 | 26 |
| 04:00 | 2.97 | 3.42 | 4.11 | 7.53 | 0.81 | 15.1 | 2.45 | 0.09 | 2.54 | 43 | 26 |
| 05:00 | 2.98 | 3.5 | 4.53 | 8.03 | 0.83 | 15.3 | 2.8 | 0.1 | 2.9 | 53 | 26 |
| 06:00 | 2.92 | 5.25 | 4.86 | 10.12 | 0.9 | 14.5 | 2.97 | 0.11 | 3.09 | 56 | 26 |
| 07:00 | 2.88 | 5.54 | 5.28 | 10.82 | 0.91 | 16.5 | 2.7 | 0.1 | 2.8 | 59 | 26 |
| 08:00 | 2.65 | 2.93 | 4.74 | 7.67 | 0.85 | 20.5 | 2.34 | 0.09 | 2.43 | 61 | 26 |
| 09:00 | 3.21 | 2.1 | 3.74 | 5.85 | 0.95 | 23.5 | 2.14 | 0.11 | 2.25 | 63 | 26 |
| 10:00 | 3.44 | 1.76 | 4.17 | 5.93 | 0.95 | 32.6 | 2.15 | 0.17 | 2.32 | 58 | 25.9 |
| 11:00 | 3.12 | 1.62 | 2.98 | 4.59 | 0.89 | 39.7 | 2.1 | 0.16 | 2.26 | 57 | 26 |
| 12:00 | 3.25 | 1.57 | 2.66 | 4.23 | 0.87 | 34.6 | 2.06 | 0.07 | 2.14 | 60 | 26 |
| 13:00 | 3.19 | 1.53 | 1.22 | 2.74 | 0.85 | 31.6 | 2.05 | 0.07 | 2.12 | 65 | 26 |
| 14:00 | 3.19 | 1.61 | 0.71 | 2.32 | 0.84 | 30.4 | 2.04 | 0.07 | 2.12 | 75 | 26 |
| 15:00 | 3.18 | 1.61 | 0.43 | 2.03 | 0.84 | 27.2 | 2.03 | 0.09 | 2.12 | 59 | 26 |
| 16:00 | 3.31 | 1.6 | 0.6 | 2.19 | 0.85 | 27 | 2.04 | 0.09 | 2.14 | 52 | 26 |
| 17:00 | 3.46 | 1.61 | 1.72 | 3.33 | 0.88 | 25.8 | 2.06 | 0.12 | 2.19 | 48 | 26 |
| 18:00 | 3.67 | 1.85 | 3.66 | 5.51 | 0.92 | 21 | 2.11 | 0.13 | 2.24 | 46 | 26 |
| 19:00 | 3.82 | 2.57 | 5.37 | 7.93 | 0.93 | 17 | 2.19 | 0.12 | 2.32 | 41 | 26 |
| 20:00 | 3.98 | 4.75 | 7.08 | 11.83 | 0.92 | 15.3 | 2.37 | 0.11 | 2.48 | 49 | 26 |
| 21:00 | 4.46 | 6.93 | 6.16 | 13.09 | 0.94 | 13.9 | 2.82 | 0.13 | 2.94 | 52 | 26 |
| 22:00 | 4.05 | 7.67 | 5.01 | 12.68 | 0.93 | 14.4 | 2.74 | 0.13 | 2.87 | 56 | 26 |
| 23:00 | 3.86 | 4.57 | 4.54 | 9.11 | 0.89 | 14.5 | 2.49 | 0.13 | 2.61 | 50 | 26 |
| 最大值 | 4.46 | 7.67 | 7.08 | 13.09 | 0.95 | 39.7 | 2.97 | 0.17 | 3.09 | 75 | 26 |
| 最小值 | 2.65 | 1.53 | 0.43 | 2.03 | 0.8 | 13.9 | 2.03 | 0.07 | 2.12 | 36 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 3.33 | 3.19 | 3.73 | 6.91 | 0.88 | 21.3 | 2.36 | 0.11 | 2.47 | 52 | 26 |

溪北國小監測日報表

監測日期：2026/04/15

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 3.53 | 11.36 | 5.28 | 16.64 | 0.86 | 14.2 | 2.4 | 0.11 | 2.51 | 46 | 26 |
| 01:00 | 3.41 | 5.66 | 4.16 | 9.82 | 0.82 | 15.6 | 2.34 | 0.09 | 2.43 | 52 | 26 |
| 02:00 | 3.57 | 3.25 | 3.42 | 6.68 | 0.82 | 15.7 | 2.64 | 0.08 | 2.72 | 43 | 26 |
| 03:00 | 3.68 | 3.44 | 2.71 | 6.15 | 0.81 | 14.9 | 2.89 | 0.08 | 2.97 | 43 | 26 |
| 04:00 | 3.39 | 3.33 | 2.43 | 5.76 | 0.81 | 14.7 | 2.67 | 0.09 | 2.75 | 34 | 26 |
| 05:00 | 3.36 | 3.63 | 3.2 | 6.83 | 0.81 | 14.2 | 2.79 | 0.1 | 2.88 | 47 | 26 |
| 06:00 | 3.16 | 4.92 | 4.01 | 8.93 | 0.85 | 14.2 | 2.57 | 0.11 | 2.68 | 44 | 26 |
| 07:00 | 3.05 | 5.1 | 4.45 | 9.55 | 0.86 | 15.4 | 2.38 | 0.11 | 2.49 | 38 | 26.1 |
| 08:00 | 3.02 | 3.04 | 3.57 | 6.61 | 0.81 | 18 | 2.17 | 0.07 | 2.23 | 48 | 25.9 |
| 09:00 | 2.88 | 2.2 | 2.48 | 4.68 | 0.78 | 20.1 | 2.08 | 0.05 | 2.13 | 49 | 26 |
| 10:00 | 2.73 | 1.96 | 1.62 | 3.58 | 0.78 | 22.5 | 2.08 | 0.06 | 2.14 | 46 | 26 |
| 11:00 | 3.01 | 1.68 | 2.25 | 3.93 | 0.84 | 30.4 | 2.09 | 0.08 | 2.17 | 44 | 26 |
| 12:00 | 3.33 | 1.58 | 2.83 | 4.42 | 0.89 | 31.8 | 2.07 | 0.07 | 2.14 | 32 | 26 |
| 13:00 | 3.37 | 1.71 | 4.68 | 6.39 | 0.87 | 28.1 | 2.06 | 0.05 | 2.11 | 30 | 26 |
| 14:00 | 3.32 | 1.59 | 1.65 | 3.23 | 0.86 | 26.4 | 2.04 | 0.04 | 2.08 | 38 | 26 |
| 15:00 | 3.3 | 1.68 | 0.55 | 2.23 | 0.86 | 25.5 | 2.03 | 0.04 | 2.07 | 42 | 26 |
| 16:00 | 3.3 | 1.69 | 1.08 | 2.77 | 0.88 | 25.3 | 2.04 | 0.08 | 2.12 | 30 | 25.9 |
| 17:00 | 3.5 | 1.86 | 3.77 | 5.63 | 0.92 | 21.1 | 2.06 | 0.09 | 2.15 | 26 | 26 |
| 18:00 | 3.45 | 1.89 | 4.05 | 5.95 | 0.92 | 21.4 | 2.09 | 0.1 | 2.19 | 37 | 26 |
| 19:00 | 3.53 | 2.12 | 4.49 | 6.61 | 0.95 | 17.9 | 2.18 | 0.11 | 2.29 | 46 | 26 |
| 20:00 | 3.54 | 2.42 | 4.95 | 7.37 | 0.93 | 17.9 | 2.2 | 0.08 | 2.28 | 40 | 26 |
| 21:00 | 3.56 | 2.34 | 4.16 | 6.5 | 0.9 | 18.4 | 2.18 | 0.08 | 2.27 | 38 | 26 |
| 22:00 | 3.37 | 2.04 | 2.97 | 5.01 | 0.87 | 19.3 | 2.12 | 0.06 | 2.17 | 40 | 26 |
| 23:00 | 3.17 | 2.07 | 2.56 | 4.63 | 0.84 | 19.1 | 2.12 | 0.05 | 2.17 | 42 | 26 |
| 最大值 | 3.68 | 11.36 | 5.28 | 16.64 | 0.95 | 31.8 | 2.89 | 0.11 | 2.97 | 52 | 26.1 |
| 最小值 | 2.73 | 1.58 | 0.55 | 2.23 | 0.78 | 14.2 | 2.03 | 0.04 | 2.07 | 26 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 3.31 | 3.02 | 3.22 | 6.25 | 0.86 | 20.1 | 2.26 | 0.08 | 2.34 | 41 | 26 |

溪北國小監測日報表

監測日期：2026/04/16

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 2.82 | 2.05 | 2.03 | 4.07 | 0.81 | 18.8 | 2.16 | 0.05 | 2.21 | 28 | 26 |
| 01:00 | 2.91 | 2.13 | 1.56 | 3.68 | 0.86 | 18.6 | 2.26 | 0.07 | 2.33 | 30 | 25.9 |
| 02:00 | 2.77 | 2.27 | 1.48 | 3.74 | 0.83 | 17.4 | 2.33 | 0.06 | 2.39 | 29 | 25.9 |
| 03:00 | 2.69 | 2.37 | 1.65 | 4.02 | 0.81 | 17.4 | 2.33 | 0.06 | 2.39 | 31 | 26 |
| 04:00 | 2.82 | 2.59 | 2.21 | 4.8 | 0.81 | 15.8 | 2.49 | 0.06 | 2.55 | 32 | 26.1 |
| 05:00 | 2.8 | 3.73 | 3.46 | 7.19 | 0.81 | 14.2 | 2.56 | 0.07 | 2.63 | 27 | 26.1 |
| 06:00 | 2.66 | 4.06 | 3.36 | 7.42 | 0.84 | 16 | 2.4 | 0.1 | 2.51 | 29 | 26 |
| 07:00 | 3.03 | 2.69 | 2.82 | 5.51 | 0.83 | 17.2 | 2.21 | 0.15 | 2.36 | 23 | 26 |
| 08:00 | 3.18 | 2.19 | 3.05 | 5.24 | 0.86 | 20.3 | 2.15 | 0.13 | 2.28 | 24 | 26 |
| 09:00 | 3.06 | 2.06 | 4.04 | 6.1 | 0.87 | 22.1 | 2.11 | 0.11 | 2.22 | 30 | 26.1 |
| 10:00 | 2.95 | 1.78 | 3.03 | 4.81 | 0.89 | 27.1 | 2.1 | 0.1 | 2.2 | 34 | 25.9 |
| 11:00 | 3.06 | 1.71 | 2.41 | 4.12 | 0.89 | 30.1 | 2.09 | 0.1 | 2.19 | 42 | 26 |
| 12:00 | 3.19 | 1.5 | 1.49 | 3 | 0.93 | 33.5 | 2.08 | 0.08 | 2.16 | 43 | 26 |
| 13:00 | 3.22 | 1.57 | 0.56 | 2.13 | 0.93 | 37.5 | 2.07 | 0.06 | 2.13 | 45 | 26 |
| 14:00 | 3.22 | 1.52 | 1.65 | 3.17 | 0.92 | 36.7 | 2.09 | 0.12 | 2.21 | 45 | 25.9 |
| 15:00 | 3.35 | 1.67 | 2.56 | 4.23 | 0.98 | 32.9 | 2.1 | 0.11 | 2.22 | 37 | 26 |
| 16:00 | 4.46 | 1.78 | 6.79 | 8.56 | 1.29 | 27.8 | 2.15 | 0.14 | 2.29 | 40 | 26 |
| 17:00 | 4 | 1.72 | 5.8 | 7.52 | 1.09 | 30.1 | 2.17 | 0.1 | 2.26 | 46 | 26 |
| 18:00 | 3.62 | 1.69 | 3.5 | 5.19 | 1.04 | 30.5 | 2.19 | 0.09 | 2.27 | 36 | 26 |
| 19:00 | 3.8 | 1.73 | 3.82 | 5.55 | 1.06 | 29.1 | 2.27 | 0.11 | 2.38 | 28 | 26 |
| 20:00 | 3.88 | 1.69 | 3.92 | 5.61 | 1.05 | 28.6 | 2.31 | 0.14 | 2.45 | 24 | 26 |
| 21:00 | 3.57 | 1.78 | 3.51 | 5.29 | 1.04 | 28.7 | 2.26 | 0.1 | 2.36 | 25 | 26 |
| 22:00 | 3.69 | 1.73 | 3.15 | 4.88 | 1.01 | 25.8 | 2.3 | 0.08 | 2.38 | 32 | 26 |
| 23:00 | 3.57 | 1.78 | 2.58 | 4.36 | 0.98 | 25 | 2.29 | 0.11 | 2.4 | 36 | 26 |
| 最大值 | 4.46 | 4.06 | 6.79 | 8.56 | 1.29 | 37.5 | 2.56 | 0.15 | 2.63 | 45 | 26.1 |
| 最小值 | 2.66 | 1.5 | 0.56 | 2.13 | 0.81 | 14.2 | 2.07 | 0.05 | 2.13 | 23 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 3.26 | 2.07 | 2.93 | 5.01 | 0.93 | 25.1 | 2.23 | 0.1 | 2.32 | 33 | 26 |

溪北國小監測日報表

監測日期：2026/04/17

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|------|
| 00:00 | | 3.57 | 1.92 | 2.96 | 4.88 | 0.98 | 23.3 | 2.33 | 0.11 | 2.44 | 30 | 26 |
| 01:00 | | 3.64 | 1.98 | 2.99 | 4.98 | 0.98 | 20.8 | 2.53 | 0.15 | 2.68 | 28 | 26 |
| 02:00 | | 3.73 | 2.01 | 3.07 | 5.08 | 0.98 | 19.9 | 2.49 | 0.13 | 2.62 | 24 | 26 |
| 03:00 | | 3.42 | 1.99 | 3.09 | 5.08 | 1.01 | 21.4 | 2.44 | 0.14 | 2.58 | 18 | 26 |
| 04:00 | | 3.44 | 2.05 | 3.25 | 5.3 | 1.02 | 20.3 | 2.48 | 0.15 | 2.63 | 26 | 26.1 |
| 05:00 | | 3.34 | 2.18 | 3.54 | 5.72 | 1.03 | 18.4 | 2.6 | 0.16 | 2.75 | 23 | 26 |
| 06:00 | | 3.39 | 3.82 | 5.29 | 9.11 | 1.03 | 16.3 | 2.84 | 0.15 | 2.99 | 25 | 26 |
| 07:00 | | 3.41 | 3 | 5.62 | 8.62 | 1.07 | 19.4 | 2.55 | 0.19 | 2.74 | 33 | 26 |
| 08:00 | | 3.39 | 2.22 | 5.35 | 7.57 | 1.05 | 21.2 | 2.54 | 0.14 | 2.68 | 29 | 26 |
| 09:00 | | 3.31 | 1.83 | 4.01 | 5.84 | 1 | 26.3 | 2.34 | 0.1 | 2.44 | 27 | 26.1 |
| 10:00 | | 3.12 | 1.62 | 2.37 | 3.99 | 0.96 | 30 | 2.16 | 0.1 | 2.26 | 34 | 26 |
| 11:00 | | 3.31 | 1.58 | 2.57 | 4.14 | 1 | 39.2 | 2.16 | 0.14 | 2.3 | 41 | 26 |
| 12:00 | | 3.1 | 1.47 | 2.77 | 4.24 | 1.02 | 45.4 | 2.18 | 0.13 | 2.31 | 43 | 26 |
| 13:00 | | 3.13 | 1.47 | 3.41 | 4.87 | 1.15 | 47.5 | 2.21 | 0.19 | 2.4 | 45 | 26 |
| 14:00 | | 3.53 | 1.58 | 6.91 | 8.49 | 1.16 | 42.6 | 2.16 | 0.26 | 2.42 | 49 | 26 |
| 15:00 | | 5.17 | 1.7 | 8.38 | 10.08 | 1.3 | 32.6 | 2.13 | 0.14 | 2.27 | 41 | 26.1 |
| 16:00 | | 3.64 | 1.63 | 4.7 | 6.32 | 0.95 | 32.4 | 2.1 | 0.1 | 2.21 | 43 | 26 |
| 17:00 | | 3.59 | 1.62 | 3.66 | 5.28 | 0.97 | 32.8 | 2.14 | 0.11 | 2.25 | 30 | 26 |
| 18:00 | | 3.52 | 1.64 | 3.48 | 5.12 | 0.98 | 28.5 | 2.12 | 0.09 | 2.21 | 33 | 26 |
| 19:00 | | 3.58 | 1.78 | 3.19 | 4.97 | 0.98 | 26.4 | 2.17 | 0.08 | 2.24 | 28 | 26 |
| 20:00 | | 3.77 | 1.69 | 3.09 | 4.78 | 0.98 | 26.3 | 2.18 | 0.07 | 2.26 | 26 | 26 |
| 21:00 | | 3.98 | 1.76 | 3.02 | 4.78 | 0.99 | 26.8 | 2.21 | 0.08 | 2.29 | 34 | 26 |
| 22:00 | | 4.08 | 1.8 | 3.07 | 4.87 | 0.99 | 25.3 | 2.31 | 0.09 | 2.4 | 32 | 26 |
| 23:00 | | 4.16 | 1.87 | 3.19 | 5.06 | 0.99 | 23.9 | 2.41 | 0.09 | 2.5 | 28 | 26.1 |
| 最大值 | | 5.17 | 3.82 | 8.38 | 10.08 | 1.3 | 47.5 | 2.84 | 0.26 | 2.99 | 49 | 26.1 |
| 最小值 | | 3.1 | 1.47 | 2.37 | 3.99 | 0.95 | 16.3 | 2.1 | 0.07 | 2.21 | 18 | 26 |
| 資料數 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | | 3.6 | 1.93 | 3.87 | 5.8 | 1.02 | 27.8 | 2.32 | 0.13 | 2.45 | 32 | 26 |

溪北國小監測日報表

監測日期：2026/04/18

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 4.02 | 2.14 | 5.39 | 7.54 | 0.99 | 20.5 | 2.48 | 0.09 | 2.58 | 38 | 26 |
| 01:00 | 4.07 | 2.1 | 4.11 | 6.21 | 1 | 19.7 | 2.66 | 0.1 | 2.76 | 44 | 26 |
| 02:00 | 4.09 | 2.11 | 3.7 | 5.8 | 0.98 | 19.2 | 2.73 | 0.1 | 2.83 | 35 | 26 |
| 03:00 | 3.99 | 2.26 | 3.53 | 5.79 | 0.98 | 18 | 2.55 | 0.09 | 2.65 | 31 | 26 |
| 04:00 | 3.98 | 2.27 | 2.98 | 5.25 | 0.96 | 17.9 | 2.43 | 0.09 | 2.52 | 39 | 26 |
| 05:00 | 4 | 2.28 | 2.85 | 5.14 | 0.98 | 18 | 2.65 | 0.1 | 2.75 | 37 | 25.9 |
| 06:00 | 3.92 | 2.59 | 3.08 | 5.67 | 1 | 17 | 2.75 | 0.12 | 2.87 | 35 | 26 |
| 07:00 | 4.02 | 2.86 | 4.22 | 7.09 | 1.01 | 17.6 | 2.69 | 0.11 | 2.81 | 38 | 26 |
| 08:00 | 3.93 | 2.09 | 4.05 | 6.14 | 1.01 | 21.2 | 2.42 | 0.11 | 2.53 | 42 | 26 |
| 09:00 | 3.76 | 1.62 | 2.9 | 4.52 | 0.99 | 28.5 | 2.29 | 0.09 | 2.39 | 46 | 26 |
| 10:00 | 4.01 | 1.57 | 3.94 | 5.51 | 1.1 | 42.8 | 2.22 | 0.18 | 2.4 | 42 | 26 |
| 11:00 | 3.9 | 1.5 | 3.78 | 5.28 | 1.09 | 44.5 | 2.16 | 0.12 | 2.28 | 28 | 26 |
| 12:00 | 3.93 | 1.58 | 2.79 | 4.36 | 1.07 | 46.6 | 2.15 | 0.1 | 2.25 | 38 | 26 |
| 13:00 | 3.81 | 1.49 | 2.6 | 4.08 | 1.04 | 45.2 | 2.14 | 0.14 | 2.27 | 52 | 26 |
| 14:00 | 5.03 | 1.5 | 6 | 7.5 | 1.31 | 38.5 | 2.13 | 0.15 | 2.27 | 48 | 26 |
| 15:00 | 4.41 | 1.56 | 4.32 | 5.89 | 1.01 | 36.5 | 2.1 | 0.09 | 2.19 | 30 | 26 |
| 16:00 | 3.8 | 1.52 | 2.12 | 3.64 | 0.96 | 33.5 | 2.1 | 0.07 | 2.17 | 38 | 26 |
| 17:00 | 3.77 | 1.62 | 2.26 | 3.88 | 0.96 | 31.8 | 2.11 | 0.07 | 2.18 | 42 | 26 |
| 18:00 | 3.84 | 1.69 | 3.16 | 4.85 | 0.98 | 30 | 2.14 | 0.08 | 2.22 | 39 | 26 |
| 19:00 | 4.07 | 1.72 | 3.46 | 5.18 | 1.02 | 27.5 | 2.25 | 0.1 | 2.34 | 35 | 26 |
| 20:00 | 4.14 | 1.74 | 4.12 | 5.86 | 1.03 | 25.6 | 2.25 | 0.11 | 2.36 | 33 | 26.1 |
| 21:00 | 4.31 | 1.88 | 4.28 | 6.16 | 1.05 | 25.1 | 2.32 | 0.1 | 2.42 | 37 | 26 |
| 22:00 | 4.33 | 1.78 | 3.6 | 5.38 | 1.07 | 26.7 | 2.49 | 0.1 | 2.59 | 31 | 26 |
| 23:00 | 4.25 | 1.74 | 3.15 | 4.89 | 1.05 | 27.9 | 2.47 | 0.1 | 2.56 | 30 | 26 |
| 最大值 | 5.03 | 2.86 | 6 | 7.54 | 1.31 | 46.6 | 2.75 | 0.18 | 2.87 | 52 | 26.1 |
| 最小值 | 3.76 | 1.49 | 2.12 | 3.64 | 0.96 | 17 | 2.1 | 0.07 | 2.17 | 28 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 4.06 | 1.88 | 3.6 | 5.48 | 1.03 | 28.3 | 2.36 | 0.1 | 2.47 | 38 | 26 |

溪北國小監測日報表

監測日期：2026/04/19

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 3.91 | 1.88 | 2.87 | 4.75 | 1.03 | 27.4 | 2.41 | 0.1 | 2.51 | 39 | 26 |
| 01:00 | 3.8 | 1.8 | 2.7 | 4.5 | 1.02 | 27 | 2.42 | 0.1 | 2.52 | 31 | 26 |
| 02:00 | 3.65 | 1.86 | 2.43 | 4.29 | 0.99 | 27.7 | 2.35 | 0.09 | 2.44 | 29 | 25.9 |
| 03:00 | 3.72 | 1.88 | 2.48 | 4.36 | 0.99 | 26 | 2.52 | 0.09 | 2.62 | 28 | 26 |
| 04:00 | 3.88 | 1.95 | 2.5 | 4.45 | 1 | 22.8 | 2.77 | 0.1 | 2.87 | 26 | 26 |
| 05:00 | 3.87 | 2.03 | 2.75 | 4.78 | 0.99 | 21.6 | 2.97 | 0.1 | 3.07 | 27 | 26 |
| 06:00 | 3.75 | 2.19 | 3 | 5.18 | 1.02 | 19.2 | 3.18 | 0.11 | 3.29 | 34 | 26 |
| 07:00 | 3.63 | 2.16 | 3.1 | 5.27 | 1.02 | 21.2 | 3 | 0.11 | 3.12 | 31 | 26 |
| 08:00 | 3.43 | 1.9 | 2.89 | 4.78 | 1 | 25.9 | 2.54 | 0.1 | 2.63 | 41 | 26 |
| 09:00 | 3.18 | 1.7 | 2.27 | 3.96 | 0.98 | 31.7 | 2.35 | 0.09 | 2.44 | 42 | 26 |
| 10:00 | 3.08 | 1.62 | 1.73 | 3.35 | 0.97 | 35.1 | 2.28 | 0.1 | 2.38 | 49 | 26 |
| 11:00 | 3.19 | 1.51 | 2.18 | 3.68 | 1.05 | 42.5 | 2.22 | 0.13 | 2.35 | 41 | 26 |
| 12:00 | 3.69 | 1.46 | 2.9 | 4.36 | 1.12 | 56.7 | 2.22 | 0.11 | 2.32 | 31 | 26 |
| 13:00 | 3.76 | 1.46 | 1.89 | 3.34 | 1.1 | 54 | 2.18 | 0.1 | 2.28 | 29 | 26 |
| 14:00 | 3.6 | 1.43 | 1.24 | 2.67 | 1.05 | 51 | 2.15 | 0.08 | 2.23 | 35 | 26 |
| 15:00 | 3.46 | 1.49 | 1.21 | 2.7 | 1.01 | 45.5 | 2.14 | 0.08 | 2.22 | 28 | 26 |
| 16:00 | 3.59 | 1.52 | 1.67 | 3.19 | 1.02 | 43.4 | 2.14 | 0.09 | 2.23 | 25 | 26 |
| 17:00 | 3.61 | 1.46 | 1.57 | 3.03 | 1.05 | 43 | 2.14 | 0.09 | 2.23 | 23 | 26 |
| 18:00 | 3.58 | 1.57 | 2.34 | 3.91 | 1.05 | 41.1 | 2.17 | 0.08 | 2.24 | 33 | 26 |
| 19:00 | 3.64 | 1.61 | 2.61 | 4.22 | 1.03 | 39.5 | 2.19 | 0.07 | 2.26 | 31 | 26 |
| 20:00 | 3.79 | 1.62 | 2.19 | 3.81 | 1.03 | 38.1 | 2.19 | 0.07 | 2.26 | 40 | 26 |
| 21:00 | 3.81 | 1.69 | 2.15 | 3.83 | 1.03 | 35.5 | 2.2 | 0.07 | 2.27 | 39 | 26 |
| 22:00 | 3.82 | 1.67 | 2.16 | 3.83 | 1 | 31 | 2.3 | 0.07 | 2.37 | 41 | 26 |
| 23:00 | 3.9 | 1.82 | 3.55 | 5.38 | 1.01 | 28.4 | 2.32 | 0.07 | 2.39 | 45 | 26 |
| 最大值 | 3.91 | 2.19 | 3.55 | 5.38 | 1.12 | 56.7 | 3.18 | 0.13 | 3.29 | 49 | 26 |
| 最小值 | 3.08 | 1.43 | 1.21 | 2.67 | 0.97 | 19.2 | 2.14 | 0.07 | 2.22 | 23 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 3.64 | 1.72 | 2.35 | 4.07 | 1.02 | 34.8 | 2.39 | 0.09 | 2.48 | 34 | 26 |

溪北國小監測日報表

監測日期：2026/04/20

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 3.65 | 1.82 | 3.14 | 4.96 | 0.97 | 28.6 | 2.38 | 0.06 | 2.44 | 48 | 26 |
| 01:00 | 3.65 | 1.79 | 2.55 | 4.34 | 0.94 | 27.3 | 2.41 | 0.06 | 2.47 | 50 | 26 |
| 02:00 | 3.43 | 1.82 | 2.28 | 4.1 | 0.93 | 23.6 | 2.25 | 0.06 | 2.32 | 51 | 26.1 |
| 03:00 | 3.47 | 1.95 | 2.23 | 4.18 | 0.93 | 23.1 | 2.51 | 0.06 | 2.57 | 43 | 26.1 |
| 04:00 | 3.38 | 1.93 | 2.46 | 4.39 | 0.93 | 22.5 | 2.49 | 0.06 | 2.55 | 39 | 26 |
| 05:00 | 3.22 | 2.09 | 3.08 | 5.18 | 0.94 | 19.8 | 2.55 | 0.08 | 2.63 | 45 | 26 |
| 06:00 | 3.33 | 2.37 | 4.72 | 7.09 | 0.97 | 18.3 | 2.73 | 0.09 | 2.82 | 40 | 26 |
| 07:00 | 3.12 | 2.14 | 4.22 | 6.36 | 0.99 | 22.5 | 2.37 | 0.11 | 2.48 | 32 | 26.1 |
| 08:00 | 3.1 | 1.84 | 2.86 | 4.7 | 0.98 | 30.2 | 2.25 | 0.08 | 2.33 | 28 | 26 |
| 09:00 | 2.97 | 1.71 | 2.1 | 3.81 | 0.98 | 34.2 | 2.26 | 0.09 | 2.35 | 24 | 26 |
| 10:00 | 3.22 | 1.62 | 4.28 | 5.89 | 1.1 | 45.8 | 2.3 | 0.17 | 2.46 | 40 | 26 |
| 11:00 | 3.51 | 1.51 | 5.26 | 6.77 | 1.11 | 47.8 | 2.19 | 0.2 | 2.39 | 46 | 26 |
| 12:00 | 4 | 1.49 | 4.56 | 6.05 | 1.19 | 49.8 | 2.18 | 0.11 | 2.29 | 55 | 26 |
| 13:00 | 3.58 | 1.46 | 1.78 | 3.25 | 1.08 | 47.7 | 2.17 | 0.08 | 2.24 | 42 | 26 |
| 14:00 | 3.4 | 1.49 | 0.94 | 2.44 | 1.03 | 43.7 | 2.15 | 0.12 | 2.27 | 36 | 25.9 |
| 15:00 | 3.22 | 1.47 | 0.75 | 2.23 | 1.01 | 40.6 | 2.14 | 0.06 | 2.21 | 40 | 26 |
| 16:00 | 3.22 | 1.48 | 0.71 | 2.19 | 1.02 | 40.6 | 2.15 | 0.06 | 2.21 | 26 | 26 |
| 17:00 | 3.14 | 1.53 | 1.25 | 2.78 | 1.04 | 39.1 | 2.16 | 0.07 | 2.23 | 28 | 26 |
| 18:00 | 3.1 | 1.6 | 1.65 | 3.24 | 1.04 | 37.2 | 2.17 | 0.06 | 2.22 | 37 | 25.9 |
| 19:00 | 3.04 | 1.62 | 1.84 | 3.46 | 1.04 | 34.8 | 2.2 | 0.09 | 2.29 | 35 | 26 |
| 20:00 | 3.03 | 1.64 | 2 | 3.64 | 1.03 | 33.3 | 2.21 | 0.07 | 2.28 | 31 | 26 |
| 21:00 | 2.94 | 1.65 | 3.27 | 4.93 | 1.04 | 29.7 | 2.27 | 0.07 | 2.34 | 29 | 26 |
| 22:00 | 3.08 | 1.85 | 4.52 | 6.38 | 1.05 | 25.7 | 2.43 | 0.08 | 2.52 | 21 | 26 |
| 23:00 | 3.02 | 2.18 | 7.7 | 9.88 | 1.04 | 20.4 | 2.6 | 0.08 | 2.69 | 23 | 26 |
| 最大值 | 4 | 2.37 | 7.7 | 9.88 | 1.19 | 49.8 | 2.73 | 0.2 | 2.82 | 55 | 26.1 |
| 最小值 | 2.94 | 1.46 | 0.71 | 2.19 | 0.93 | 18.3 | 2.14 | 0.06 | 2.21 | 21 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 3.28 | 1.75 | 2.92 | 4.68 | 1.02 | 32.8 | 2.31 | 0.09 | 2.4 | 37 | 26 |

溪北國小監測日報表

監測日期：2026/04/21

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|------|
| 00:00 | 2.61 | 2.11 | 2.11 | 5.93 | 8.05 | 0.98 | 18.8 | 2.41 | 0.09 | 2.5 | 35 | 26 |
| 01:00 | 2.52 | 2.11 | 2.11 | 4.04 | 6.16 | 0.95 | 21 | 2.42 | 0.06 | 2.49 | 28 | 26 |
| 02:00 | 2.53 | 2.13 | 2.13 | 3.94 | 6.07 | 0.95 | 19.1 | 2.63 | 0.07 | 2.7 | 29 | 26 |
| 03:00 | 2.38 | 2.22 | 2.22 | 3.9 | 6.13 | 0.94 | 19.5 | 2.52 | 0.07 | 2.59 | 41 | 26 |
| 04:00 | 2.34 | 2.09 | 2.09 | 2.81 | 4.89 | 0.93 | 20.4 | 2.51 | 0.07 | 2.58 | 45 | 26 |
| 05:00 | 2.26 | 2.15 | 2.15 | 2.87 | 5.02 | 0.93 | 19.2 | 2.49 | 0.08 | 2.56 | 48 | 26 |
| 06:00 | 2.19 | 2.34 | 2.34 | 3.63 | 5.97 | 0.95 | 18.8 | 2.49 | 0.08 | 2.57 | 37 | 26 |
| 07:00 | 2.34 | 2.24 | 2.24 | 3.88 | 6.12 | 1 | 20.1 | 2.69 | 0.09 | 2.78 | 39 | 26 |
| 08:00 | 2.18 | 1.9 | 1.9 | 3.84 | 5.73 | 1.01 | 26.8 | 2.33 | 0.11 | 2.44 | 40 | 26 |
| 09:00 | 2.15 | 1.68 | 1.68 | 2.73 | 4.41 | 1.01 | 32.4 | 2.25 | 0.09 | 2.35 | 47 | 26 |
| 10:00 | 2.19 | 1.65 | 1.65 | 2.07 | 3.72 | 1.04 | 37.5 | 2.26 | 0.11 | 2.37 | 52 | 26 |
| 11:00 | 2.47 | 1.52 | 1.52 | 2.04 | 3.56 | 1.07 | 51.1 | 2.23 | 0.1 | 2.33 | 38 | 26 |
| 12:00 | 2.45 | 1.48 | 1.48 | 1.9 | 3.38 | 0.98 | 40.4 | 2.15 | 0.08 | 2.23 | 36 | 26 |
| 13:00 | 2.31 | 1.49 | 1.49 | 0.92 | 2.4 | 0.95 | 35.5 | 2.14 | 0.06 | 2.2 | 48 | 26 |
| 14:00 | 2.24 | 1.47 | 1.47 | 0.13 | 1.6 | 0.92 | 40.2 | 2.13 | 0.06 | 2.19 | 51 | 26.1 |
| 15:00 | 2.23 | 1.45 | 1.45 | 0.09 | 1.53 | 0.92 | 42.1 | 2.13 | 0.05 | 2.19 | 56 | 26 |
| 16:00 | 2.17 | 1.47 | 1.47 | 0.46 | 1.93 | 0.94 | 40.7 | 2.16 | 0.06 | 2.22 | 52 | 26 |
| 17:00 | 2.37 | 1.53 | 1.53 | 2.06 | 3.59 | 1.05 | 45.1 | 2.22 | 0.08 | 2.3 | 48 | 26 |
| 18:00 | 2.4 | 1.57 | 1.57 | 2.52 | 4.09 | 1.04 | 39.3 | 2.23 | 0.08 | 2.3 | 39 | 26 |
| 19:00 | 2.29 | 1.68 | 1.68 | 2.64 | 4.32 | 1.01 | 32.8 | 2.27 | 0.07 | 2.34 | 35 | 26 |
| 20:00 | 2.36 | 1.69 | 1.69 | 3.11 | 4.8 | 1.04 | 32.3 | 2.29 | 0.08 | 2.37 | 30 | 26 |
| 21:00 | 2.33 | 1.65 | 1.65 | 3.19 | 4.84 | 1.02 | 31.6 | 2.35 | 0.09 | 2.44 | 26 | 26 |
| 22:00 | 2.54 | 1.72 | 1.72 | 3.3 | 5.03 | 1.05 | 26.6 | 2.76 | 0.11 | 2.87 | 29 | 25.9 |
| 23:00 | 2.32 | 1.83 | 1.83 | 4.37 | 6.21 | 1.01 | 24.5 | 2.58 | 0.1 | 2.68 | 36 | 26 |
| 最大值 | 2.61 | 2.34 | 2.34 | 5.93 | 8.05 | 1.07 | 51.1 | 2.76 | 0.11 | 2.87 | 56 | 26.1 |
| 最小值 | 2.15 | 1.45 | 1.45 | 0.09 | 1.53 | 0.92 | 18.8 | 2.13 | 0.05 | 2.19 | 26 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 2.34 | 1.8 | 1.8 | 2.77 | 4.56 | 0.99 | 30.7 | 2.36 | 0.08 | 2.44 | 40 | 26 |

溪北國小監測日報表

監測日期：2026/04/22

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 1.99 | 1.89 | 3.57 | 5.46 | 0.98 | 23.4 | 2.52 | 0.09 | 2.61 | 27 | 26 |
| 01:00 | 1.85 | 1.89 | 3.43 | 5.32 | 0.94 | 23.5 | 2.44 | 0.09 | 2.53 | 32 | 26 |
| 02:00 | 1.92 | 1.94 | 3.29 | 5.23 | 0.92 | 21.1 | 2.65 | 0.09 | 2.74 | 30 | 26 |
| 03:00 | 1.82 | 2.04 | 3.32 | 5.36 | 0.91 | 20.7 | 2.67 | 0.09 | 2.76 | 25 | 26 |
| 04:00 | 1.69 | 2.02 | 3.06 | 5.08 | 0.92 | 20.5 | 2.64 | 0.08 | 2.71 | 23 | 26 |
| 05:00 | 1.55 | 2.1 | 3.52 | 5.62 | 0.92 | 19.4 | 2.55 | 0.08 | 2.63 | 19 | 26 |
| 06:00 | 1.69 | 2.13 | 3.74 | 5.87 | 0.93 | 19.2 | 2.57 | 0.09 | 2.66 | 33 | 26 |
| 07:00 | 1.58 | 2.12 | 4 | 6.12 | 0.95 | 21.5 | 2.28 | 0.1 | 2.38 | 38 | 26 |
| 08:00 | 1.87 | 1.78 | 2.87 | 4.65 | 0.92 | 26.7 | 2.22 | 0.1 | 2.32 | 42 | 26 |
| 09:00 | 1.55 | 1.71 | 1.49 | 3.21 | 0.85 | 29.9 | 2.1 | 0.06 | 2.16 | 38 | 26 |
| 10:00 | 1.43 | 1.6 | 0.65 | 2.25 | 0.85 | 30.4 | 2.09 | 0.05 | 2.14 | 52 | 26 |
| 11:00 | 1.59 | 1.61 | 0.49 | 2.09 | 0.88 | 29.1 | 2.08 | 0.06 | 2.14 | 58 | 26.1 |
| 12:00 | 1.91 | 1.47 | 0.31 | 1.77 | 0.92 | 29.4 | 2.08 | 0.05 | 2.13 | 54 | 26 |
| 13:00 | 1.97 | 1.54 | 0.04 | 1.58 | 0.94 | 29.4 | 2.08 | 0.05 | 2.12 | 37 | 26 |
| 14:00 | 1.99 | 1.56 | 0.02 | 1.57 | 0.94 | 28.4 | 2.08 | 0.04 | 2.12 | 32 | 26.1 |
| 15:00 | 2.01 | 1.52 | 0.05 | 1.57 | 0.96 | 27.4 | 2.07 | 0.04 | 2.11 | 31 | 26 |
| 16:00 | 2 | 1.53 | 0.3 | 1.84 | 0.96 | 26.2 | 2.07 | 0.04 | 2.11 | 27 | 26 |
| 17:00 | 2.07 | 1.58 | 0.37 | 1.95 | 0.97 | 26.3 | 2.07 | 0.04 | 2.11 | 42 | 26 |
| 18:00 | 2 | 1.72 | 0.58 | 2.3 | 0.97 | 24.9 | 2.08 | 0.04 | 2.11 | 38 | 26 |
| 19:00 | 1.97 | 1.68 | 0.88 | 2.55 | 0.97 | 23.2 | 2.09 | 0.04 | 2.13 | 46 | 26 |
| 20:00 | 1.88 | 1.66 | 0.87 | 2.52 | 0.97 | 22.9 | 2.13 | 0.04 | 2.17 | 37 | 26 |
| 21:00 | 1.87 | 1.84 | 2.15 | 3.99 | 0.99 | 19.7 | 2.29 | 0.05 | 2.34 | 39 | 26 |
| 22:00 | 2.12 | 2.24 | 3.98 | 6.23 | 0.99 | 16.1 | 2.6 | 0.07 | 2.67 | 47 | 26 |
| 23:00 | 2.05 | 2.59 | 4.14 | 6.73 | 0.97 | 15.3 | 2.8 | 0.08 | 2.88 | 48 | 26 |
| 最大值 | 2.12 | 2.59 | 4.14 | 6.73 | 0.99 | 30.4 | 2.8 | 0.1 | 2.88 | 58 | 26.1 |
| 最小值 | 1.43 | 1.47 | 0.02 | 1.57 | 0.85 | 15.3 | 2.07 | 0.04 | 2.11 | 19 | 26 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 1.85 | 1.82 | 1.96 | 3.79 | 0.94 | 23.9 | 2.3 | 0.06 | 2.37 | 37 | 26 |

溪北國小監測日報表

監測日期：2026/04/23

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|------|
| 00:00 | | 1.6 | 2.69 | 3.69 | 6.38 | 0.93 | 15.6 | 2.67 | 0.08 | 2.74 | 41 | 26 |
| 01:00 | | 1.48 | 2.74 | 3.58 | 6.32 | 0.94 | 15.5 | 2.51 | 0.09 | 2.59 | 38 | 26 |
| 02:00 | | 1.39 | 2.78 | 3.37 | 6.15 | 0.93 | 15.6 | 2.43 | 0.08 | 2.51 | 36 | 26 |
| 03:00 | | 1.59 | 2.88 | 3.63 | 6.51 | 0.93 | 15.1 | 3.02 | 0.09 | 3.11 | 33 | 26 |
| 04:00 | | 1.6 | 2.94 | 3.73 | 6.67 | 0.94 | 15.3 | 2.84 | 0.09 | 2.93 | 29 | 26 |
| 05:00 | | 1.46 | 3 | 3.73 | 6.73 | 0.92 | 15.5 | 2.77 | 0.08 | 2.85 | 36 | 26 |
| 06:00 | | 1.38 | 3.44 | 4.09 | 7.53 | 0.94 | 15.2 | 2.71 | 0.09 | 2.8 | 47 | 26 |
| 07:00 | | 1.45 | 4.19 | 4.81 | 9 | 0.99 | 15.7 | 2.65 | 0.1 | 2.76 | 34 | 25.9 |
| 08:00 | | 1.47 | 2.76 | 4.79 | 7.55 | 0.96 | 18.9 | 2.47 | 0.09 | 2.57 | 42 | 26.1 |
| 09:00 | | 1.73 | 1.97 | 3.77 | 5.74 | 0.93 | 23.9 | 2.22 | 0.13 | 2.35 | 47 | 26 |
| 10:00 | | 1.64 | 1.72 | 3.39 | 5.11 | 0.95 | 30 | 2.12 | 0.14 | 2.25 | 59 | 26 |
| 11:00 | | 1.79 | 1.73 | 3.54 | 5.27 | 0.95 | 33.8 | 2.1 | 0.1 | 2.2 | 49 | 26 |
| 12:00 | | 1.85 | 1.55 | 2.27 | 3.82 | 0.95 | 35.8 | 2.08 | 0.08 | 2.16 | 63 | 26 |
| 13:00 | | 2.49 | 1.63 | 3.08 | 4.71 | 1.12 | 30.3 | 2.08 | 0.08 | 2.16 | 62 | 26 |
| 14:00 | | 2.35 | 1.6 | 2.87 | 4.47 | 0.98 | 30.1 | 2.08 | 0.08 | 2.15 | 61 | 26 |
| 15:00 | | 2.19 | 1.6 | 2.74 | 4.35 | 1.03 | 29.1 | 2.08 | 0.08 | 2.16 | 65 | 26 |
| 16:00 | | 2.24 | 1.66 | 3.62 | 5.27 | 1.01 | 26.1 | 2.09 | 0.09 | 2.18 | 62 | 26 |
| 17:00 | | 1.97 | 1.62 | 3.27 | 4.89 | 0.98 | 24.7 | 2.11 | 0.08 | 2.19 | 60 | 26 |
| 18:00 | | 2.1 | 1.76 | 2.78 | 4.54 | 1.01 | 22.8 | 2.18 | 0.07 | 2.25 | 49 | 26 |
| 19:00 | | 2.29 | 1.84 | 2.96 | 4.8 | 1.02 | 21 | 2.29 | 0.09 | 2.38 | 42 | 26 |
| 20:00 | | 2.22 | 1.9 | 3.19 | 5.1 | 1.02 | 19.9 | 2.41 | 0.1 | 2.51 | 42 | 26 |
| 21:00 | | 2.14 | 1.98 | 3.31 | 5.28 | 1.02 | 19.6 | 2.51 | 0.09 | 2.59 | 39 | 26 |
| 22:00 | | 2.19 | 2 | 3.11 | 5.11 | 1 | 18.8 | 2.65 | 0.1 | 2.75 | 28 | 26 |
| 23:00 | | 2.33 | 2.06 | 2.99 | 5.06 | 1 | 17.8 | 2.79 | 0.11 | 2.9 | 31 | 26 |
| 最大值 | | 2.49 | 4.19 | 4.81 | 9 | 1.12 | 35.8 | 3.02 | 0.14 | 3.11 | 65 | 26.1 |
| 最小值 | | 1.38 | 1.55 | 2.27 | 3.82 | 0.92 | 15.1 | 2.08 | 0.07 | 2.15 | 28 | 25.9 |
| 資料數 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | | 1.87 | 2.25 | 3.43 | 5.68 | 0.98 | 21.9 | 2.41 | 0.09 | 2.5 | 46 | 26 |

溪北國小監測日報表

監測日期：2026/04/24

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 2.07 | 2.05 | 2.67 | 4.72 | 0.97 | 19.1 | 2.58 | 0.1 | 2.68 | 64 | 26 |
| 01:00 | 2.05 | 2.01 | 2.66 | 4.66 | 0.94 | 19.1 | 2.66 | 0.1 | 2.76 | 73 | 26 |
| 02:00 | 2.08 | 2.06 | 2.79 | 4.85 | 0.93 | 18.1 | 2.76 | 0.1 | 2.86 | 75 | 26 |
| 03:00 | 2.28 | 2.11 | 2.37 | 4.48 | 0.93 | 17.8 | 2.88 | 0.08 | 2.97 | 65 | 26 |
| 04:00 | 2.2 | 2.27 | 2.19 | 4.46 | 0.92 | 17.6 | 2.67 | 0.1 | 2.76 | 64 | 26 |
| 05:00 | 2.6 | 2.49 | 3.03 | 5.52 | 0.96 | 15.9 | 2.83 | 0.11 | 2.94 | 66 | 26 |
| 06:00 | 6.21 | 3.09 | 4.82 | 7.91 | 1.03 | 15 | 2.83 | 0.14 | 2.97 | 54 | 26 |
| 07:00 | 6.13 | 3.1 | 5 | 8.09 | 1.04 | 17.8 | 2.52 | 0.13 | 2.65 | 39 | 26 |
| 08:00 | 3.19 | 2.01 | 3.66 | 5.67 | 1.03 | 20.6 | 2.16 | 0.13 | 2.29 | 65 | 26 |
| 09:00 | 2.63 | 1.73 | 2.45 | 4.18 | 1.03 | 24.5 | 2.11 | 0.1 | 2.21 | 53 | 26 |
| 10:00 | 2.36 | 1.64 | 1.34 | 2.97 | 1.02 | 26.8 | 2.1 | 0.11 | 2.21 | 49 | 26 |
| 11:00 | 2.17 | 1.55 | 0.76 | 2.31 | 1.01 | 29.6 | 2.07 | 0.05 | 2.13 | 52 | 26 |
| 12:00 | 2.05 | 1.62 | 0.35 | 1.97 | 1 | 29.9 | 2.07 | 0.04 | 2.11 | 46 | 26 |
| 13:00 | 2.03 | 1.58 | 0.16 | 1.74 | 0.98 | 26.2 | 2.06 | 0.03 | 2.1 | 72 | 26 |
| 14:00 | 2.07 | 1.67 | 0.41 | 2.08 | 0.99 | 25.1 | 2.05 | 0.04 | 2.1 | 65 | 26 |
| 15:00 | 2.04 | 1.61 | 0.45 | 2.05 | 0.99 | 25 | 2.05 | 0.04 | 2.1 | 59 | 26 |
| 16:00 | 2.19 | 1.64 | 1.85 | 3.5 | 1.02 | 27.4 | 2.14 | 0.08 | 2.23 | 55 | 26.1 |
| 17:00 | 2.24 | 1.62 | 3.37 | 4.99 | 1.01 | 27.4 | 2.18 | 0.08 | 2.25 | 51 | 26 |
| 18:00 | 2.2 | 1.74 | 3.21 | 4.95 | 1.02 | 24.8 | 2.25 | 0.09 | 2.34 | 52 | 26 |
| 19:00 | 2.3 | 1.8 | 4.68 | 6.47 | 1.08 | 22 | 2.45 | 0.12 | 2.57 | 42 | 26 |
| 20:00 | 2.24 | 1.98 | 5.22 | 7.2 | 1.07 | 19.4 | 2.44 | 0.11 | 2.55 | 37 | 26 |
| 21:00 | 2.39 | 2.06 | 4.13 | 6.19 | 1.03 | 18.6 | 2.51 | 0.09 | 2.6 | 52 | 26 |
| 22:00 | 2.49 | 1.99 | 3.69 | 5.68 | 1.04 | 19.3 | 2.58 | 0.11 | 2.68 | 46 | 26 |
| 23:00 | 2.22 | 2.08 | 3.82 | 5.9 | 1.08 | 17.8 | 2.57 | 0.15 | 2.73 | 50 | 26 |
| 最大值 | 6.21 | 3.1 | 5.22 | 8.09 | 1.08 | 29.9 | 2.88 | 0.15 | 2.97 | 75 | 26.1 |
| 最小值 | 2.03 | 1.55 | 0.16 | 1.74 | 0.92 | 15 | 2.05 | 0.03 | 2.1 | 37 | 26 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 2.6 | 1.98 | 2.71 | 4.69 | 1 | 21.9 | 2.4 | 0.09 | 2.49 | 56 | 26 |

溪北國小監測日報表

監測日期：2026/04/25

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 2.27 | 2.49 | 3.9 | 6.4 | 1.1 | 15.8 | 2.53 | 0.16 | 2.69 | 42 | 26 |
| 01:00 | 2.14 | 2.31 | 3.62 | 5.93 | 1.03 | 17.3 | 2.31 | 0.13 | 2.44 | 39 | 26 |
| 02:00 | 1.92 | 1.98 | 1.68 | 3.67 | 0.96 | 19.6 | 2.18 | 0.06 | 2.23 | 40 | 26 |
| 03:00 | 2.24 | 2.08 | 1.91 | 3.99 | 0.99 | 17.7 | 2.27 | 0.08 | 2.34 | 27 | 26 |
| 04:00 | 2.27 | 2.14 | 2 | 4.13 | 0.99 | 18.1 | 2.28 | 0.08 | 2.35 | 35 | 26 |
| 05:00 | 2.25 | 2.34 | 2.14 | 4.49 | 0.99 | 17 | 2.49 | 0.07 | 2.56 | 32 | 26 |
| 06:00 | 2.22 | 2.9 | 2.23 | 5.13 | 1.02 | 16.2 | 2.66 | 0.09 | 2.75 | 26 | 26 |
| 07:00 | 2.15 | 3.46 | 2.34 | 5.8 | 1.03 | 14.4 | 2.58 | 0.11 | 2.68 | 22 | 26.1 |
| 08:00 | 2.11 | 3.24 | 2.65 | 5.89 | 1.03 | 16.1 | 2.41 | 0.1 | 2.51 | 34 | 26 |
| 09:00 | 2.07 | 3.1 | 3.26 | 6.37 | 1.06 | 16.6 | 2.41 | 0.11 | 2.52 | 37 | 26.1 |
| 10:00 | 1.98 | 2.69 | 3.58 | 6.27 | 1.04 | 18.3 | 2.34 | 0.1 | 2.44 | 41 | 26 |
| 11:00 | 2.1 | 2.18 | 3.55 | 5.73 | 1.06 | 20.5 | 2.36 | 0.11 | 2.46 | 38 | 26 |
| 12:00 | 2.06 | 1.93 | 3.92 | 5.85 | 1.07 | 23.2 | 2.28 | 0.11 | 2.38 | 36 | 26 |
| 13:00 | 2.12 | 1.89 | 5.35 | 7.24 | 1.05 | 25.1 | 2.22 | 0.13 | 2.35 | 35 | 26 |
| 14:00 | 2.05 | 1.87 | 3.44 | 5.31 | 1.02 | 26.2 | 2.21 | 0.1 | 2.31 | 35 | 26 |
| 15:00 | 2.16 | 1.88 | 4.42 | 6.3 | 1.09 | 24.6 | 2.28 | 0.14 | 2.41 | 43 | 26 |
| 16:00 | 2.05 | 1.81 | 3.36 | 5.17 | 1.04 | 25.9 | 2.22 | 0.09 | 2.3 | 41 | 26 |
| 17:00 | 2.03 | 1.84 | 2.6 | 4.44 | 1.01 | 25.8 | 2.22 | 0.07 | 2.29 | 34 | 26 |
| 18:00 | 1.98 | 1.86 | 2.71 | 4.57 | 1.02 | 22.9 | 2.2 | 0.07 | 2.27 | 38 | 26 |
| 19:00 | 2.01 | 1.98 | 2.48 | 4.46 | 0.99 | 21.4 | 2.24 | 0.06 | 2.3 | 30 | 26 |
| 20:00 | 2.22 | 2.04 | 2.99 | 5.03 | 1.02 | 19.7 | 2.51 | 0.08 | 2.58 | 28 | 26 |
| 21:00 | 2.4 | 2.05 | 2.64 | 4.69 | 1.01 | 20.1 | 2.44 | 0.07 | 2.51 | 25 | 26 |
| 22:00 | 2.36 | 2.1 | 2.21 | 4.32 | 0.99 | 19.7 | 2.43 | 0.06 | 2.5 | 29 | 26 |
| 23:00 | 2.35 | 2.22 | 2.41 | 4.64 | 1 | 18.9 | 2.44 | 0.09 | 2.53 | 30 | 25.9 |
| 最大值 | 2.4 | 3.46 | 5.35 | 7.24 | 1.1 | 26.2 | 2.66 | 0.16 | 2.75 | 43 | 26.1 |
| 最小值 | 1.92 | 1.81 | 1.68 | 3.67 | 0.96 | 14.4 | 2.18 | 0.06 | 2.23 | 22 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 2.15 | 2.27 | 2.97 | 5.24 | 1.03 | 20 | 2.35 | 0.09 | 2.45 | 34 | 26 |

溪北國小監測日報表

監測日期：2026/04/26

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|------|
| 00:00 | | 2.2 | 2.48 | 2.6 | 5.08 | 0.98 | 16.8 | 2.6 | 0.1 | 2.7 | 30 | 26 |
| 01:00 | | 2.16 | 2.55 | 2.07 | 4.63 | 0.95 | 17.5 | 2.53 | 0.11 | 2.64 | 32 | 26 |
| 02:00 | | 2.01 | 2.39 | 1.95 | 4.34 | 0.94 | 18.2 | 2.63 | 0.09 | 2.72 | 35 | 26.1 |
| 03:00 | | 2.06 | 2.46 | 1.96 | 4.42 | 0.95 | 17.6 | 2.79 | 0.11 | 2.9 | 37 | 26 |
| 04:00 | | 2.01 | 2.55 | 2 | 4.55 | 0.93 | 16.7 | 2.68 | 0.08 | 2.77 | 23 | 26 |
| 05:00 | | 1.95 | 2.69 | 2.03 | 4.72 | 0.93 | 16.1 | 2.58 | 0.07 | 2.65 | 38 | 26 |
| 06:00 | | 1.99 | 3.34 | 2.01 | 5.35 | 0.94 | 15.2 | 2.71 | 0.08 | 2.79 | 46 | 26 |
| 07:00 | | 1.96 | 2.67 | 2.18 | 4.85 | 0.97 | 17.5 | 2.52 | 0.13 | 2.65 | 53 | 26 |
| 08:00 | | 1.83 | 2.12 | 2.26 | 4.38 | 0.95 | 21.7 | 2.28 | 0.1 | 2.37 | 56 | 25.9 |
| 09:00 | | 1.84 | 1.92 | 1.84 | 3.76 | 0.96 | 24.4 | 2.23 | 0.11 | 2.35 | 47 | 26 |
| 10:00 | | 1.78 | 1.76 | 1.74 | 3.5 | 0.97 | 28.6 | 2.21 | 0.1 | 2.31 | 47 | 26 |
| 11:00 | | 2.05 | 1.72 | 1.98 | 3.7 | 1.01 | 32.2 | 2.23 | 0.11 | 2.34 | 36 | 26.1 |
| 12:00 | | 2.43 | 1.51 | 2.77 | 4.29 | 1.14 | 44.4 | 2.29 | 0.13 | 2.41 | 30 | 25.9 |
| 13:00 | | 2.57 | 1.54 | 2.92 | 4.46 | 1.14 | 49 | 2.28 | 0.12 | 2.4 | 37 | 26 |
| 14:00 | | 2.52 | 1.49 | 1.84 | 3.34 | 1.07 | 48.7 | 2.23 | 0.08 | 2.31 | 46 | 26 |
| 15:00 | | 2.43 | 1.51 | 1.4 | 2.91 | 1.04 | 46.2 | 2.21 | 0.07 | 2.27 | 40 | 26 |
| 16:00 | | 2.5 | 1.5 | 1.18 | 2.67 | 1.02 | 43.6 | 2.19 | 0.06 | 2.26 | 36 | 26.1 |
| 17:00 | | 2.53 | 1.45 | 1.5 | 2.96 | 1.02 | 41.2 | 2.19 | 0.06 | 2.25 | 31 | 26 |
| 18:00 | | 2.61 | 1.55 | 1.87 | 3.42 | 1.02 | 39.9 | 2.2 | 0.06 | 2.26 | 25 | 25.9 |
| 19:00 | | 2.7 | 1.63 | 1.79 | 3.41 | 1.01 | 36.3 | 2.21 | 0.06 | 2.27 | 29 | 26 |
| 20:00 | | 2.72 | 1.62 | 1.51 | 3.13 | 1 | 34.1 | 2.21 | 0.06 | 2.27 | 28 | 26 |
| 21:00 | | 2.69 | 1.71 | 2.06 | 3.77 | 1 | 30.1 | 2.33 | 0.06 | 2.4 | 20 | 26 |
| 22:00 | | 2.91 | 1.87 | 4.02 | 5.89 | 1.03 | 23.7 | 2.62 | 0.07 | 2.7 | 19 | 26 |
| 23:00 | | 2.77 | 1.8 | 3.71 | 5.51 | 1 | 23.7 | 2.51 | 0.07 | 2.58 | 22 | 26 |
| 最大值 | | 2.91 | 3.34 | 4.02 | 5.89 | 1.14 | 49 | 2.79 | 0.13 | 2.9 | 56 | 26.1 |
| 最小值 | | 1.78 | 1.45 | 1.18 | 2.67 | 0.93 | 15.2 | 2.19 | 0.06 | 2.25 | 19 | 25.9 |
| 資料數 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | | 2.3 | 1.99 | 2.13 | 4.13 | 1 | 29.3 | 2.39 | 0.09 | 2.48 | 35 | 26 |

溪北國小監測日報表

監測日期：2026/04/27

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 2.48 | 1.99 | 3.71 | 5.7 | 0.96 | 20.5 | 2.43 | 0.07 | 2.51 | 23 | 26 |
| 01:00 | 2.32 | 1.98 | 2.86 | 4.84 | 0.93 | 22.9 | 2.28 | 0.06 | 2.34 | 27 | 26 |
| 02:00 | 2.23 | 2.06 | 2.68 | 4.74 | 0.93 | 21.4 | 2.31 | 0.06 | 2.37 | 32 | 26 |
| 03:00 | 2.25 | 2.17 | 3.1 | 5.27 | 0.94 | 19.1 | 2.53 | 0.07 | 2.59 | 35 | 25.9 |
| 04:00 | 2.08 | 2.11 | 3.28 | 5.39 | 0.93 | 19.8 | 2.4 | 0.07 | 2.47 | 37 | 26 |
| 05:00 | 1.92 | 2.12 | 3.83 | 5.95 | 0.93 | 19.2 | 2.36 | 0.07 | 2.43 | 35 | 26 |
| 06:00 | 1.88 | 2.49 | 4.79 | 7.29 | 0.95 | 18.3 | 2.46 | 0.08 | 2.54 | 28 | 26 |
| 07:00 | 1.92 | 2.56 | 4.71 | 7.26 | 0.99 | 19.3 | 2.62 | 0.09 | 2.71 | 26 | 26 |
| 08:00 | 1.96 | 2.01 | 4.39 | 6.4 | 0.96 | 24.4 | 2.47 | 0.09 | 2.56 | 22 | 26 |
| 09:00 | 1.74 | 1.72 | 2.6 | 4.32 | 0.92 | 30.5 | 2.29 | 0.08 | 2.37 | 27 | 26 |
| 10:00 | 1.56 | 1.65 | 2.03 | 3.67 | 0.88 | 33.2 | 2.24 | 0.09 | 2.32 | 33 | 26 |
| 11:00 | 1.61 | 1.6 | 1.71 | 3.31 | 0.87 | 36.7 | 2.21 | 0.13 | 2.34 | 43 | 26 |
| 12:00 | 1.98 | 1.52 | 2.1 | 3.62 | 0.99 | 49.7 | 2.2 | 0.09 | 2.28 | 39 | 26 |
| 13:00 | 1.92 | 1.43 | 1.44 | 2.86 | 0.96 | 48.4 | 2.18 | 0.08 | 2.26 | 50 | 26 |
| 14:00 | 1.64 | 1.45 | 1.01 | 2.47 | 0.89 | 40.8 | 2.15 | 0.08 | 2.23 | 57 | 26 |
| 15:00 | 1.17 | 1.48 | 1.02 | 2.49 | 0.88 | 39.8 | 2.16 | 0.08 | 2.24 | 61 | 26 |
| 16:00 | 1.63 | 1.54 | 1.94 | 3.47 | 0.99 | 47.2 | 2.18 | 0.06 | 2.24 | 65 | 26 |
| 17:00 | 1.79 | 1.54 | 3.05 | 4.59 | 0.99 | 42.9 | 2.17 | 0.08 | 2.26 | 42 | 26 |
| 18:00 | 1.75 | 1.58 | 2.48 | 4.06 | 0.99 | 39.1 | 2.19 | 0.11 | 2.3 | 48 | 26 |
| 19:00 | 1.8 | 1.65 | 2.93 | 4.58 | 1.01 | 34.3 | 2.23 | 0.11 | 2.34 | 50 | 26 |
| 20:00 | 1.78 | 1.77 | 3.02 | 4.79 | 1.02 | 30.3 | 2.29 | 0.1 | 2.38 | 39 | 26 |
| 21:00 | 1.85 | 1.84 | 4.41 | 6.25 | 1.05 | 24.5 | 2.52 | 0.1 | 2.62 | 41 | 26 |
| 22:00 | 1.84 | 1.92 | 5.3 | 7.22 | 1.02 | 24.2 | 2.48 | 0.09 | 2.58 | 35 | 26 |
| 23:00 | 1.65 | 1.89 | 4.05 | 5.94 | 0.98 | 24.5 | 2.29 | 0.08 | 2.37 | 26 | 26 |
| 最大值 | 2.48 | 2.56 | 5.3 | 7.29 | 1.05 | 49.7 | 2.62 | 0.13 | 2.71 | 65 | 26 |
| 最小值 | 1.17 | 1.43 | 1.01 | 2.47 | 0.87 | 18.3 | 2.15 | 0.06 | 2.23 | 22 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 1.86 | 1.84 | 3.02 | 4.85 | 0.96 | 30.5 | 2.32 | 0.08 | 2.4 | 38 | 26 |

溪北國小監測日報表

監測日期：2026/04/28

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 1.39 | 1.91 | 4.03 | 5.94 | 0.96 | 22.1 | 2.52 | 0.08 | 2.61 | 32 | 26 |
| 01:00 | 1.31 | 1.97 | 3.92 | 5.88 | 0.95 | 22 | 2.53 | 0.09 | 2.62 | 28 | 26 |
| 02:00 | 1.25 | 2.09 | 4.95 | 7.04 | 0.97 | 19.5 | 2.56 | 0.1 | 2.66 | 31 | 26 |
| 03:00 | 1.25 | 2.05 | 4.4 | 6.44 | 0.96 | 19.8 | 2.59 | 0.1 | 2.68 | 29 | 25.9 |
| 04:00 | 1.41 | 2.26 | 5.26 | 7.52 | 0.97 | 18.1 | 3.05 | 0.12 | 3.17 | 26 | 26 |
| 05:00 | 1.25 | 2.38 | 5.6 | 7.98 | 0.97 | 17.8 | 2.9 | 0.12 | 3.02 | 28 | 26 |
| 06:00 | 1.26 | 2.95 | 6.27 | 9.22 | 0.98 | 16.3 | 2.89 | 0.12 | 3.01 | 20 | 26 |
| 07:00 | 1.45 | 2.64 | 6.56 | 9.2 | 0.96 | 20.3 | 2.91 | 0.13 | 3.03 | 27 | 26.1 |
| 08:00 | 1.61 | 2.04 | 5.45 | 7.49 | 0.96 | 24.5 | 2.64 | 0.12 | 2.76 | 38 | 26 |
| 09:00 | 1.32 | 1.75 | 4.68 | 6.43 | 0.93 | 30.7 | 2.35 | 0.1 | 2.45 | 41 | 26 |
| 10:00 | 1.17 | 1.69 | 2.91 | 4.6 | 0.9 | 36.5 | 2.25 | 0.14 | 2.4 | 37 | 26 |
| 11:00 | 1.44 | 1.52 | 3.44 | 4.96 | 0.92 | 42.3 | 2.23 | 0.11 | 2.34 | 39 | 26 |
| 12:00 | 1.64 | 1.5 | 3.39 | 4.89 | 1.01 | 48.5 | 2.21 | 0.09 | 2.31 | 52 | 26 |
| 13:00 | 1.72 | 1.47 | 2.26 | 3.73 | 1 | 45.6 | 2.18 | 0.08 | 2.26 | 46 | 26 |
| 14:00 | 1.59 | 1.5 | 1.45 | 2.95 | 1 | 43.3 | 2.16 | 0.07 | 2.24 | 61 | 25.9 |
| 15:00 | 1.63 | 1.47 | 1.47 | 2.95 | 1 | 40.8 | 2.15 | 0.06 | 2.21 | 64 | 26 |
| 16:00 | 1.62 | 1.51 | 1.35 | 2.86 | 1 | 39.3 | 2.15 | 0.06 | 2.22 | 52 | 26 |
| 17:00 | 1.6 | 1.49 | 1.43 | 2.92 | 1.01 | 37.9 | 2.15 | 0.06 | 2.22 | 48 | 26 |
| 18:00 | 1.62 | 1.57 | 2.04 | 3.61 | 1.03 | 33.9 | 2.19 | 0.08 | 2.28 | 37 | 26 |
| 19:00 | 1.66 | 1.71 | 2.61 | 4.31 | 1.02 | 29.2 | 2.23 | 0.08 | 2.31 | 36 | 26 |
| 20:00 | 1.79 | 1.7 | 4.1 | 5.8 | 1.05 | 24 | 2.33 | 0.15 | 2.48 | 33 | 26 |
| 21:00 | 1.84 | 1.82 | 5.22 | 7.04 | 1.08 | 22.3 | 2.39 | 0.12 | 2.52 | 30 | 26 |
| 22:00 | 1.91 | 1.9 | 5.42 | 7.32 | 1.08 | 21.7 | 2.49 | 0.14 | 2.63 | 29 | 26 |
| 23:00 | 1.85 | 2.05 | 5.75 | 7.8 | 1.03 | 20.4 | 2.54 | 0.11 | 2.65 | 25 | 26 |
| 最大值 | 1.91 | 2.95 | 6.56 | 9.22 | 1.08 | 48.5 | 3.05 | 0.15 | 3.17 | 64 | 26.1 |
| 最小值 | 1.17 | 1.47 | 1.35 | 2.86 | 0.9 | 16.3 | 2.15 | 0.06 | 2.21 | 20 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 1.52 | 1.87 | 3.91 | 5.79 | 0.99 | 29 | 2.44 | 0.1 | 2.55 | 37 | 26 |

溪北國小監測日報表

監測日期：2026/04/29

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 1.58 | 2.03 | 4.75 | 6.78 | 0.98 | 19.8 | 2.53 | 0.11 | 2.63 | 40 | 26 |
| 01:00 | 1.45 | 2.15 | 4.65 | 6.8 | 0.93 | 18.5 | 2.46 | 0.09 | 2.55 | 35 | 26 |
| 02:00 | 1.57 | 2.29 | 4.47 | 6.76 | 0.93 | 17.5 | 2.79 | 0.1 | 2.89 | 28 | 26 |
| 03:00 | 1.54 | 2.59 | 4.61 | 7.2 | 0.93 | 16 | 2.84 | 0.1 | 2.94 | 26 | 26 |
| 04:00 | 1.48 | 2.45 | 4.23 | 6.68 | 0.91 | 17 | 2.71 | 0.09 | 2.8 | 28 | 26.1 |
| 05:00 | 1.51 | 2.8 | 4.48 | 7.28 | 0.92 | 16.5 | 2.97 | 0.1 | 3.07 | 31 | 26 |
| 06:00 | 1.46 | 4.31 | 5.74 | 10.04 | 0.97 | 14.8 | 3.06 | 0.13 | 3.19 | 34 | 26 |
| 07:00 | 1.41 | 3.95 | 6.72 | 10.67 | 1.01 | 17.4 | 2.78 | 0.13 | 2.91 | 25 | 26 |
| 08:00 | 1.61 | 2.06 | 4.82 | 6.88 | 0.94 | 23.3 | 2.31 | 0.1 | 2.41 | 35 | 26 |
| 09:00 | 1.41 | 1.8 | 1.62 | 3.42 | 0.86 | 22.7 | 2.08 | 0.06 | 2.14 | 48 | 26 |
| 10:00 | 1.22 | 1.77 | 0.46 | 2.22 | 0.86 | 23.8 | 2.04 | 0.04 | 2.09 | 53 | 26 |
| 11:00 | 1.35 | 1.7 | 0.6 | 2.3 | 0.88 | 22.4 | 2.03 | 0.04 | 2.08 | 56 | 25.9 |
| 12:00 | 1.62 | 1.62 | 0.27 | 1.89 | 0.91 | 22 | 2.03 | 0.04 | 2.07 | 54 | 26 |
| 13:00 | 1.62 | 1.63 | 0.25 | 1.89 | 0.91 | 21.4 | 2.03 | 0.04 | 2.07 | 48 | 26 |
| 14:00 | 1.61 | 1.56 | 0.2 | 1.76 | 0.92 | 21.7 | 2.03 | 0.03 | 2.06 | 42 | 26 |
| 15:00 | 1.55 | 1.62 | 0.11 | 1.73 | 0.93 | 23.6 | 2.03 | 0.03 | 2.06 | 36 | 26 |
| 16:00 | 1.56 | 1.62 | 0.29 | 1.91 | 0.94 | 23.8 | 2.03 | 0.04 | 2.07 | 45 | 26.1 |
| 17:00 | 1.58 | 1.6 | 0.49 | 2.09 | 0.95 | 23.8 | 2.04 | 0.04 | 2.08 | 40 | 26 |
| 18:00 | 1.63 | 1.68 | 0.84 | 2.52 | 0.95 | 22.8 | 2.05 | 0.04 | 2.08 | 38 | 26.1 |
| 19:00 | 1.54 | 1.66 | 1.15 | 2.81 | 0.97 | 21.2 | 2.07 | 0.05 | 2.12 | 40 | 26 |
| 20:00 | 1.54 | 1.92 | 1.97 | 3.89 | 0.96 | 18.7 | 2.14 | 0.05 | 2.19 | 28 | 26 |
| 21:00 | 1.49 | 1.96 | 2.58 | 4.54 | 0.96 | 18.6 | 2.16 | 0.05 | 2.21 | 25 | 26 |
| 22:00 | 1.73 | 2.69 | 4.54 | 7.23 | 1.01 | 14.3 | 2.63 | 0.09 | 2.72 | 21 | 26 |
| 23:00 | 1.53 | 2.99 | 3.42 | 6.42 | 0.93 | 15.7 | 2.51 | 0.06 | 2.57 | 16 | 26.1 |
| 最大值 | 1.73 | 4.31 | 6.72 | 10.67 | 1.01 | 23.8 | 3.06 | 0.13 | 3.19 | 56 | 26.1 |
| 最小值 | 1.22 | 1.56 | 0.11 | 1.73 | 0.86 | 14.3 | 2.03 | 0.03 | 2.06 | 16 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 1.52 | 2.19 | 2.64 | 4.82 | 0.94 | 19.9 | 2.35 | 0.07 | 2.42 | 36 | 26 |

溪北國小監測日報表

監測日期：2026/04/30

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|
| 00:00 | 1.21 | 2.8 | 2.55 | 5.35 | 0.92 | 14.7 | 2.49 | 0.08 | 2.57 | 21 | 26 |
| 01:00 | 1.25 | 3.57 | 3.13 | 6.7 | 0.94 | 13.9 | 2.63 | 0.1 | 2.73 | 23 | 26.1 |
| 02:00 | 1.23 | 4.5 | 3.24 | 7.74 | 0.92 | 13.6 | 2.88 | 0.1 | 2.98 | 32 | 26.1 |
| 03:00 | 1.16 | 6.55 | 3.06 | 9.6 | 0.89 | 13.1 | 2.89 | 0.1 | 2.99 | 33 | 26 |
| 04:00 | 1.31 | 6.27 | 2.8 | 9.06 | 0.9 | 14 | 3.07 | 0.11 | 3.18 | 35 | 26 |
| 05:00 | 1.14 | 6.87 | 2.81 | 9.68 | 0.9 | 13.1 | 2.67 | 0.1 | 2.77 | 36 | 26 |
| 06:00 | 1.16 | 5.02 | 3.18 | 8.2 | 0.92 | 14.2 | 2.7 | 0.1 | 2.8 | 39 | 26 |
| 07:00 | 1.19 | 3.96 | 2.86 | 6.82 | 0.92 | 15 | 2.53 | 0.09 | 2.62 | 42 | 26 |
| 08:00 | 1.22 | 2.57 | 2.64 | 5.22 | 0.92 | 18.3 | 2.19 | 0.09 | 2.28 | 45 | 26 |
| 09:00 | 1.3 | 2.03 | 2.87 | 4.89 | 0.94 | 20.8 | 2.14 | 0.09 | 2.23 | 48 | 26.1 |
| 10:00 | 1.32 | 1.79 | 2.19 | 3.97 | 0.91 | 24 | 2.1 | 0.07 | 2.18 | 38 | 26 |
| 11:00 | 1.39 | 1.59 | 1.03 | 2.62 | 0.9 | 24.8 | 2.09 | 0.06 | 2.14 | 33 | 26 |
| 12:00 | 1.71 | 1.57 | 0.71 | 2.28 | 0.96 | 28.9 | 2.11 | 0.06 | 2.16 | 45 | 26 |
| 13:00 | 1.76 | 1.5 | 0.82 | 2.32 | 0.96 | 28.7 | 2.11 | 0.05 | 2.16 | 51 | 26 |
| 14:00 | 1.69 | 1.46 | 0.74 | 2.2 | 0.98 | 28.6 | 2.1 | 0.06 | 2.17 | 56 | 26 |
| 15:00 | 1.76 | 1.47 | 1.25 | 2.71 | 0.99 | 30.4 | 2.09 | 0.07 | 2.16 | 47 | 26 |
| 16:00 | 1.82 | 1.56 | 1.38 | 2.95 | 0.98 | 27.7 | 2.08 | 0.07 | 2.15 | 41 | 26 |
| 17:00 | 1.9 | 1.62 | 1.26 | 2.88 | 0.99 | 24.9 | 2.08 | 0.07 | 2.15 | 30 | 26 |
| 18:00 | 2.04 | 1.61 | 1.8 | 3.41 | 1 | 24.5 | 2.11 | 0.07 | 2.18 | 28 | 26 |
| 19:00 | 2.37 | 1.84 | 4.65 | 6.49 | 1.08 | 20.6 | 2.29 | 0.16 | 2.46 | 29 | 26 |
| 20:00 | 2.55 | 2.08 | 6.46 | 8.54 | 1.09 | 18 | 2.35 | 0.17 | 2.52 | 23 | 26 |
| 21:00 | 2.63 | 2.19 | 5.84 | 8.03 | 1.07 | 17.9 | 2.36 | 0.16 | 2.52 | 34 | 26 |
| 22:00 | 2.64 | 2.31 | 5.52 | 7.83 | 1.08 | 16.7 | 2.38 | 0.17 | 2.55 | 38 | 26 |
| 23:00 | 2.68 | 2.26 | 5.19 | 7.46 | 1.07 | 17.1 | 2.45 | 0.18 | 2.63 | 48 | 26 |
| 最大值 | 2.68 | 6.87 | 6.46 | 9.68 | 1.09 | 30.4 | 3.07 | 0.18 | 3.18 | 56 | 26.1 |
| 最小值 | 1.14 | 1.46 | 0.71 | 2.2 | 0.89 | 13.1 | 2.08 | 0.05 | 2.14 | 21 | 26 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 平均數 | 1.68 | 2.87 | 2.83 | 5.71 | 0.97 | 20.1 | 2.37 | 0.1 | 2.47 | 37 | 26 |

廠內監測日報表

監測日期：2026/04/01

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|
| 00:00 | 23.87 | 3.3 | 1.9 | 5.2 | 1.55 | 12 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 01:00 | 23.84 | 3.3 | 1.9 | 5.2 | 1.54 | 14.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 02:00 | 23.9 | 3.3 | 1.9 | 5.2 | 1.55 | 14.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 03:00 | 23.76 | 3.3 | 1.9 | 5.2 | 1.57 | 13.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 04:00 | 23.91 | 3.3 | 1.9 | 5.2 | 1.57 | 12.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 05:00 | 23.89 | 3.3 | 1.9 | 5.2 | 1.58 | 11.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 06:00 | 23.84 | 3.3 | 1.9 | 5.2 | 1.59 | 11.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 07:00 | 23.58 | 3.3 | 1.9 | 5.2 | 1.64 | 11.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 |
| 08:00 | 23.63 | 3.3 | 1.9 | 5.2 | 1.62 | 13.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 09:00 | 23.59 | 3.3 | 1.9 | 5.2 | 1.53 | 23.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 |
| 10:00 | 23.6 | 3.3 | 1.9 | 5.2 | 1.52 | 25.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 |
| 11:00 | 23.78 | 3.3 | 1.9 | 5.2 | 1.49 | 28.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 12:00 | 23.73 | 3.3 | 1.9 | 5.2 | 1.5 | 28.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 13:00 | 23.02 | 3.3 | 1.9 | 5.2 | 1.43 | 28 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 14:00 | 22.64 | 3.3 | 1.9 | 5.2 | 1.39 | 27 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 15:00 | 22.09 | 3.3 | 1.9 | 5.2 | 1.4 | 25.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 16:00 | 21.61 | 3.3 | 1.9 | 5.2 | 1.43 | 21.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 17:00 | 21.22 | 3.3 | 1.9 | 5.2 | 1.5 | 15.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 18:00 | 20.91 | 3.3 | 1.9 | 5.2 | 1.5 | 12.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 19:00 | 20.47 | 3.3 | 1.9 | 5.2 | 1.5 | 11.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 20:00 | 20.17 | 3.3 | 1.9 | 5.2 | 1.49 | 14.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 21:00 | 19.74 | 3.3 | 1.9 | 5.2 | 1.5 | 15.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 22:00 | 19.54 | 3.3 | 1.9 | 5.2 | 1.51 | 19.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 23:00 | 19.78 | 3.3 | 1.9 | 5.2 | 1.54 | 13.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |
| 最大值 | 23.91 | 3.3 | 1.9 | 5.2 | 1.64 | 28.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 |
| 最小值 | 19.54 | 3.3 | 1.9 | 5.2 | 1.39 | 11.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 24 |
| 平均數 | 22.5 | 3.3 | 1.9 | 5.2 | 1.52 | 17.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 |

廠內監測日報表

監測日期：2026/04/02

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 19.99 | 3.3 | 1.9 | 5.2 | 1.56 | 11.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 20.18 | 3.3 | 1.9 | 5.2 | 1.57 | 11 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 02:00 | 20.4 | 3.3 | 1.9 | 5.2 | 1.6 | 11.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 03:00 | 20.38 | 3.3 | 1.9 | 5.2 | 1.59 | 10.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 04:00 | 20.57 | 3.3 | 1.9 | 5.2 | 1.6 | 11.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 20.62 | 3.3 | 1.9 | 5.2 | 1.57 | 10.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 20.67 | 3.3 | 1.9 | 5.2 | 1.57 | 10.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 20.65 | 3.3 | 1.9 | 5.2 | 1.61 | 11.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 08:00 | 20.67 | 3.3 | 1.9 | 5.2 | 1.6 | 12.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 09:00 | 20.54 | 3.3 | 1.9 | 5.2 | 1.59 | 25.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 20.68 | 3.3 | 1.9 | 5.2 | 1.57 | 34.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 20.96 | 3.3 | 1.9 | 5.2 | 1.56 | 43.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 20.91 | 3.3 | 1.9 | 5.2 | 1.5 | 48.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 20.36 | 3.3 | 1.9 | 5.2 | 1.46 | 44 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 20.04 | 3.3 | 1.9 | 5.2 | 1.46 | 45.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 15:00 | 19.59 | 3.3 | 1.9 | 5.2 | 1.49 | 42.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 19.17 | 3.3 | 1.9 | 5.2 | 1.5 | 41.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 18.87 | 3.3 | 1.9 | 5.2 | 1.56 | 32 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | 18.7 | 3.3 | 1.9 | 5.2 | 1.54 | 29.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 18.27 | 3.3 | 1.9 | 5.2 | 1.53 | 24.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 17.99 | 3.3 | 1.9 | 5.2 | 1.51 | 21.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 17.53 | 3.3 | 1.9 | 5.2 | 1.54 | 20.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 17.54 | 3.3 | 1.9 | 5.2 | 1.58 | 18.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 17.77 | 3.3 | 1.9 | 5.2 | 1.59 | 14.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 20.96 | 3.3 | 1.9 | 5.2 | 1.61 | 48.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 17.53 | 3.3 | 1.9 | 5.2 | 1.46 | 10.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 19.71 | 3.3 | 1.9 | 5.2 | 1.55 | 24.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/03

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 17.94 | 3.3 | 1.9 | 5.2 | 1.61 | 12.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 18.11 | 3.3 | 1.9 | 5.2 | 1.6 | 15 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 18.33 | 3.3 | 1.9 | 5.2 | 1.59 | 11.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 18.51 | 3.3 | 1.9 | 5.2 | 1.6 | 11.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 18.66 | 3.3 | 1.9 | 5.2 | 1.62 | 11.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 18.73 | 3.3 | 1.9 | 5.2 | 1.59 | 12.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 18.91 | 3.3 | 1.9 | 5.2 | 1.6 | 15.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 18.94 | 3.3 | 1.9 | 5.2 | 1.65 | 13.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 18.95 | 3.3 | 1.9 | 5.2 | 1.63 | 17.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 19 | 3.3 | 1.9 | 5.2 | 1.57 | 29.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 19.09 | 3.3 | 1.9 | 5.2 | 1.48 | 39.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 19.19 | 3.3 | 1.9 | 5.2 | 1.43 | 41.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 19.42 | 3.3 | 1.9 | 5.2 | 1.39 | 42 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 13:00 | 18.86 | 3.3 | 1.9 | 5.2 | 1.37 | 39.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 18.43 | 3.3 | 1.9 | 5.2 | 1.37 | 36.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 17.96 | 3.3 | 1.9 | 5.2 | 1.39 | 37.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 17.56 | 3.3 | 1.9 | 5.2 | 1.38 | 37.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 17.04 | 3.3 | 1.9 | 5.2 | 1.4 | 34 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 18:00 | 16.82 | 3.3 | 1.9 | 5.2 | 1.39 | 32.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 16.53 | 3.3 | 1.9 | 5.2 | 1.38 | 29.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 16.31 | 3.3 | 1.9 | 5.2 | 1.38 | 28.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 15.99 | 3.3 | 1.9 | 5.2 | 1.38 | 25.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 15.74 | 3.3 | 1.9 | 5.2 | 1.43 | 24.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 16.13 | 3.3 | 1.9 | 5.2 | 1.46 | 20.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 19.42 | 3.3 | 1.9 | 5.2 | 1.65 | 42 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 15.74 | 3.3 | 1.9 | 5.2 | 1.37 | 11.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 17.96 | 3.3 | 1.9 | 5.2 | 1.49 | 25.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/04

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 16.29 | 3.3 | 1.9 | 5.2 | 1.47 | 19.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 16.46 | 3.3 | 1.9 | 5.2 | 1.48 | 17.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 16.61 | 3.3 | 1.9 | 5.2 | 1.48 | 18.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 16.74 | 3.3 | 1.9 | 5.2 | 1.49 | 13.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 16.88 | 3.3 | 1.9 | 5.2 | 1.54 | 14.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 16.94 | 3.3 | 1.9 | 5.2 | 1.51 | 12 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 16.96 | 3.3 | 1.9 | 5.2 | 1.57 | 11.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 17.09 | 3.3 | 1.9 | 5.2 | 1.55 | 15.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 17.17 | 3.3 | 1.9 | 5.2 | 1.48 | 21.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 17.3 | 3.3 | 1.9 | 5.2 | 1.47 | 25.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 17.36 | 3.3 | 1.9 | 5.2 | 1.47 | 26.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 17.64 | 3.3 | 1.9 | 5.2 | 1.45 | 28.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 17.65 | 3.3 | 1.9 | 5.2 | 1.42 | 29.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 17.26 | 3.3 | 1.9 | 5.2 | 1.52 | 32.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 16.82 | 3.3 | 1.9 | 5.2 | 1.53 | 27.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 16.5 | 3.3 | 1.9 | 5.2 | 1.5 | 25 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 16.16 | 3.3 | 1.9 | 5.2 | 1.48 | 28.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 15.94 | 3.3 | 1.9 | 5.2 | 1.45 | 30.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | 15.77 | 3.3 | 1.9 | 5.2 | 1.44 | 24.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 15.47 | 3.3 | 1.9 | 5.2 | 1.49 | 27.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 15.32 | 3.3 | 1.9 | 5.2 | 1.47 | 31.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 21:00 | 14.96 | 3.3 | 1.9 | 5.2 | 1.46 | 23.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 14.85 | 3.3 | 1.9 | 5.2 | 1.48 | 20.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 15.25 | 3.3 | 1.9 | 5.2 | 1.51 | 18.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 17.65 | 3.3 | 1.9 | 5.2 | 1.57 | 32.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最小值 | 14.85 | 3.3 | 1.9 | 5.2 | 1.42 | 11.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 16.47 | 3.3 | 1.9 | 5.2 | 1.49 | 22.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/05

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 15.45 | 3.3 | 1.9 | 5.2 | 1.51 | 21.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 15.63 | 3.3 | 1.9 | 5.2 | 1.54 | 23.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 15.73 | 3.3 | 1.9 | 5.2 | 1.55 | 21.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 16 | 3.3 | 1.9 | 5.2 | 1.55 | 21.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 16.09 | 3.3 | 1.9 | 5.2 | 1.54 | 20.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 16.25 | 3.3 | 1.9 | 5.2 | 1.53 | 18 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 16.43 | 3.3 | 1.9 | 5.2 | 1.53 | 16.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 16.54 | 3.3 | 1.9 | 5.2 | 1.54 | 17 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 16.51 | 3.3 | 1.9 | 5.2 | 1.53 | 19.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 09:00 | 16.65 | 3.3 | 1.9 | 5.2 | 1.5 | 25 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 10:00 | 16.66 | 3.3 | 1.9 | 5.2 | 1.46 | 29.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 16.95 | 3.3 | 1.9 | 5.2 | 1.45 | 27.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 16.89 | 3.3 | 1.9 | 5.2 | 1.41 | 28 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 16.67 | 3.3 | 1.9 | 5.2 | 1.39 | 30.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 14:00 | 16.15 | 3.3 | 1.9 | 5.2 | 1.38 | 29.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 15.93 | 3.3 | 1.9 | 5.2 | 1.36 | 30.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 15.61 | 3.3 | 1.9 | 5.2 | 1.36 | 29.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 15.32 | 3.3 | 1.9 | 5.2 | 1.37 | 27.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | 15.24 | 3.3 | 1.9 | 5.2 | 1.38 | 24 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 14.95 | 3.3 | 1.9 | 5.2 | 1.38 | 23 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 14.78 | 3.3 | 1.9 | 5.2 | 1.39 | 22.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 14.46 | 3.3 | 1.9 | 5.2 | 1.43 | 19.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 14.37 | 3.3 | 1.9 | 5.2 | 1.49 | 17.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 14.6 | 3.3 | 1.9 | 5.2 | 1.49 | 16.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 16.95 | 3.3 | 1.9 | 5.2 | 1.55 | 30.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 14.37 | 3.3 | 1.9 | 5.2 | 1.36 | 16.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 15.83 | 3.3 | 1.9 | 5.2 | 1.46 | 23.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/06

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 14.87 | 3.3 | 1.9 | 5.2 | 1.49 | 16.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 14.98 | 3.3 | 1.9 | 5.2 | 1.47 | 18.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 15.24 | 3.3 | 1.9 | 5.2 | 1.44 | 22.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 15.42 | 3.3 | 1.9 | 5.2 | 1.44 | 22.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 15.53 | 3.3 | 1.9 | 5.2 | 1.44 | 23.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 15.74 | 3.3 | 1.9 | 5.2 | 1.44 | 23.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 06:00 | 15.8 | 3.3 | 1.9 | 5.2 | 1.45 | 20.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 15.84 | 3.3 | 1.9 | 5.2 | 1.49 | 14.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 15.9 | 3.3 | 1.9 | 5.2 | 1.54 | 12.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 16 | 3.3 | 1.9 | 5.2 | 1.48 | 19.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 16.06 | 3.3 | 1.9 | 5.2 | 1.43 | 24.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 16.25 | 3.3 | 1.9 | 5.2 | 1.41 | 24.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 16.3 | 3.3 | 1.9 | 5.2 | 1.37 | 24.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 16.03 | 3.3 | 1.9 | 5.2 | 1.35 | 24.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 15.61 | 3.3 | 1.9 | 5.2 | 1.36 | 23.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 15:00 | 15.19 | 3.3 | 1.9 | 5.2 | 1.35 | 24.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 16:00 | 15.09 | 3.3 | 1.9 | 5.2 | 1.36 | 23 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 17:00 | 14.77 | 3.3 | 1.9 | 5.2 | 1.38 | 19.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | 14.61 | 3.3 | 1.9 | 5.2 | 1.39 | 17 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 14.3 | 3.3 | 1.9 | 5.2 | 1.41 | 13.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 14.1 | 3.3 | 1.9 | 5.2 | 1.44 | 12 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 13.79 | 3.3 | 1.9 | 5.2 | 1.47 | 11.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 22:00 | 13.55 | 3.3 | 1.9 | 5.2 | 1.61 | 11.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 13.88 | 3.3 | 1.9 | 5.2 | 1.63 | 10.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 16.3 | 3.3 | 1.9 | 5.2 | 1.63 | 24.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 13.55 | 3.3 | 1.9 | 5.2 | 1.35 | 10.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 15.2 | 3.3 | 1.9 | 5.2 | 1.44 | 19.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/07

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 14.15 | 3.3 | 1.9 | 5.2 | 1.55 | 11.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 14.34 | 3.3 | 1.9 | 5.2 | 1.59 | 10.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 14.53 | 3.3 | 1.9 | 5.2 | 1.57 | 11.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 14.68 | 3.3 | 1.9 | 5.2 | 1.53 | 11.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 14.87 | 3.3 | 1.9 | 5.2 | 1.49 | 12.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 14.96 | 3.3 | 1.9 | 5.2 | 1.5 | 13.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 15.15 | 3.3 | 1.9 | 5.2 | 1.51 | 12.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 15.15 | 3.3 | 1.9 | 5.2 | 1.56 | 11.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 15.33 | 3.3 | 1.9 | 5.2 | 1.59 | 12.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 15.44 | 3.3 | 1.9 | 5.2 | 1.58 | 16.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 15.36 | 3.3 | 1.9 | 5.2 | 1.61 | 17.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 11:00 | 15.61 | 3.3 | 1.9 | 5.2 | 1.5 | 18.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 15.79 | 3.3 | 1.9 | 5.2 | 1.39 | 21.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 15.43 | 3.3 | 1.9 | 5.2 | 1.46 | 19.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 14.92 | 3.3 | 1.9 | 5.2 | 1.38 | 20.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 14.63 | 3.3 | 1.9 | 5.2 | 1.4 | 17.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 14.37 | 3.3 | 1.9 | 5.2 | 1.36 | 19.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 14.29 | 3.3 | 1.9 | 5.2 | 1.4 | 17.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | 13.88 | 3.3 | 1.9 | 5.2 | 1.39 | 17.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 13.7 | 3.3 | 1.9 | 5.2 | 1.37 | 17 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 13.66 | 3.3 | 1.9 | 5.2 | 1.36 | 19.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 13.27 | 3.3 | 1.9 | 5.2 | 1.37 | 20.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 13 | 3.3 | 1.9 | 5.2 | 1.43 | 23.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 23:00 | 13.38 | 3.3 | 1.9 | 5.2 | 1.46 | 22.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 15.79 | 3.3 | 1.9 | 5.2 | 1.61 | 23.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 13 | 3.3 | 1.9 | 5.2 | 1.36 | 10.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 14.58 | 3.3 | 1.9 | 5.2 | 1.47 | 16.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/08

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 13.64 | 3.3 | 1.9 | 5.2 | 1.46 | 19.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 13.91 | 3.3 | 1.9 | 5.2 | 1.47 | 22.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 02:00 | 13.93 | 3.3 | 1.9 | 5.2 | 1.49 | 20 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 14.23 | 3.3 | 1.9 | 5.2 | 1.5 | 15.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 14.29 | 3.3 | 1.9 | 5.2 | 1.5 | 13.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 14.46 | 3.3 | 1.9 | 5.2 | 1.51 | 12.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 14.51 | 3.3 | 1.9 | 5.2 | 1.5 | 13.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 14.61 | 3.3 | 1.9 | 5.2 | 1.51 | 12.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 14.63 | 3.3 | 1.9 | 5.2 | 1.55 | 13.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 14.71 | 3.3 | 1.9 | 5.2 | 1.57 | 15.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 14.8 | 3.3 | 1.9 | 5.2 | 1.58 | 17.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 15.06 | 3.3 | 1.9 | 5.2 | 1.58 | 19.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 14.92 | 3.3 | 1.9 | 5.2 | 1.57 | 26 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 14.6 | 3.3 | 1.9 | 5.2 | 1.57 | 40.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 14.39 | 3.3 | 1.9 | 5.2 | 1.54 | 42 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 14.17 | 3.3 | 1.9 | 5.2 | 1.52 | 47.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 13.84 | 3.3 | 1.9 | 5.2 | 1.53 | 47.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 17:00 | 13.71 | 3.3 | 1.9 | 5.2 | 1.53 | 42.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 18:00 | 13.53 | 3.3 | 1.9 | 5.2 | 1.59 | 36.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 13.29 | 3.3 | 1.9 | 5.2 | 1.55 | 33.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 13.22 | 3.3 | 1.9 | 5.2 | 1.5 | 32.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 21:00 | 12.85 | 3.3 | 1.9 | 5.2 | 1.52 | 30.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 12.63 | 3.3 | 1.9 | 5.2 | 1.58 | 26.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 13.03 | 3.3 | 1.9 | 5.2 | 1.57 | 23.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 15.06 | 3.3 | 1.9 | 5.2 | 1.59 | 47.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 12.63 | 3.3 | 1.9 | 5.2 | 1.46 | 12.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 14.04 | 3.3 | 1.9 | 5.2 | 1.53 | 26 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/09

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 13.28 | 3.3 | 1.9 | 5.2 | 1.56 | 20.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 13.48 | 3.3 | 1.9 | 5.2 | 1.56 | 19.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 13.58 | 3.3 | 1.9 | 5.2 | 1.59 | 19.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 13.77 | 3.3 | 1.9 | 5.2 | 1.59 | 18.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 13.89 | 3.3 | 1.9 | 5.2 | 1.59 | 13.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 14.14 | 3.3 | 1.9 | 5.2 | 1.64 | 12.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 14.28 | 3.3 | 1.9 | 5.2 | 1.61 | 12.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 14.39 | 3.3 | 1.9 | 5.2 | 1.64 | 17.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 14.47 | 3.3 | 1.9 | 5.2 | 1.6 | 27.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 14.69 | 3.3 | 1.9 | 5.2 | 1.53 | 33.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 14.65 | 3.3 | 1.9 | 5.2 | 1.47 | 33 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 14.87 | 3.3 | 1.9 | 5.2 | 1.43 | 32 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 14.95 | 3.3 | 1.9 | 5.2 | 1.4 | 34.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 14.53 | 3.3 | 1.9 | 5.2 | 1.4 | 26.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 14.23 | 3.3 | 1.9 | 5.2 | 1.42 | 18.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 13.94 | 3.3 | 1.9 | 5.2 | 1.42 | 19 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 13.79 | 3.3 | 1.9 | 5.2 | 1.4 | 27 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 13.52 | 3.3 | 1.9 | 5.2 | 1.41 | 25.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | 13.33 | 3.3 | 1.9 | 5.2 | 1.41 | 23.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 13.15 | 3.3 | 1.9 | 5.2 | 1.4 | 21.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 12.93 | 3.3 | 1.9 | 5.2 | 1.42 | 19.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 12.62 | 3.3 | 1.9 | 5.2 | 1.47 | 13.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 12.54 | 3.3 | 1.9 | 5.2 | 1.51 | 12.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 12.7 | 3.3 | 1.9 | 5.2 | 1.53 | 11.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 最大值 | 14.95 | 3.3 | 1.9 | 5.2 | 1.64 | 34.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最小值 | 12.54 | 3.3 | 1.9 | 5.2 | 1.4 | 11.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 13.82 | 3.3 | 1.9 | 5.2 | 1.5 | 21.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/10

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|
| 00:00 | 13.06 | 3.3 | 3.3 | 1.9 | 5.2 | 1.53 | 12.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 01:00 | 13.18 | 3.3 | 3.3 | 1.9 | 5.2 | 1.52 | 12.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 02:00 | 13.42 | 3.3 | 3.3 | 1.9 | 5.2 | 1.52 | 10.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 03:00 | 13.58 | 3.3 | 3.3 | 1.9 | 5.2 | 1.52 | 12.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 04:00 | 13.66 | 3.3 | 3.3 | 1.9 | 5.2 | 1.49 | 15.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 05:00 | 13.84 | 3.3 | 3.3 | 1.9 | 5.2 | 1.48 | 17.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 06:00 | 14.02 | 3.3 | 3.3 | 1.9 | 5.2 | 1.48 | 15.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 07:00 | 14.13 | 3.3 | 3.3 | 1.9 | 5.2 | 1.55 | 15.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 08:00 | 14.16 | 3.3 | 3.3 | 1.9 | 5.2 | 1.56 | 18.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 09:00 | 14.28 | 3.3 | 3.3 | 1.9 | 5.2 | 1.58 | 19.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 10:00 | 14.38 | 3.3 | 3.3 | 1.9 | 5.2 | 1.55 | 28.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 11:00 | 14.6 | 3.3 | 3.3 | 1.9 | 5.2 | 1.5 | 35.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 12:00 | 14.78 | 3.3 | 3.3 | 1.9 | 5.2 | 1.45 | 39.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 13:00 | 14.34 | 3.3 | 3.3 | 1.9 | 5.2 | 1.49 | 30.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 14:00 | 13.88 | 3.3 | 3.3 | 1.9 | 5.2 | 1.44 | 26.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 15:00 | 13.78 | 3.3 | 3.3 | 1.9 | 5.2 | 1.4 | 20.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 16:00 | 13.43 | 3.3 | 3.3 | 1.9 | 5.2 | 1.39 | 19.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 17:00 | 13.31 | 3.3 | 3.3 | 1.9 | 5.2 | 1.59 | 15.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26.1 |
| 18:00 | 13.09 | 3.3 | 3.3 | 1.9 | 5.2 | 1.78 | 12.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 19:00 | 12.88 | 3.3 | 3.3 | 1.9 | 5.2 | 1.48 | 13.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 20:00 | 12.74 | 3.3 | 3.3 | 1.9 | 5.2 | 1.5 | 11.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 21:00 | 12.44 | 3.3 | 3.3 | 1.9 | 5.2 | 1.56 | 10.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 22:00 | 12.37 | 3.3 | 3.3 | 1.9 | 5.2 | 1.57 | 10.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 23:00 | 12.56 | 3.3 | 3.3 | 1.9 | 5.2 | 1.57 | 11.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 最大值 | 14.78 | 3.3 | 3.3 | 1.9 | 5.2 | 1.78 | 39.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26.1 |
| 最小值 | 12.37 | 3.3 | 3.3 | 1.9 | 5.2 | 1.39 | 10.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 電源損壞 | 電源損壞 | 24 |
| 平均數 | 13.58 | 3.3 | 3.3 | 1.9 | 5.2 | 1.52 | 18.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |

廠內監測日報表

監測日期：2026/04/11

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 12.9 | 3.3 | 1.9 | 5.2 | 1.6 | 10.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 13.12 | 3.3 | 1.9 | 5.2 | 1.53 | 12.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 13.24 | 3.3 | 1.9 | 5.2 | 1.54 | 12.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 13.47 | 3.3 | 1.9 | 5.2 | 1.53 | 12.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 13.67 | 3.3 | 1.9 | 5.2 | 1.56 | 10.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 13.86 | 3.3 | 1.9 | 5.2 | 1.56 | 10.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 13.88 | 3.3 | 1.9 | 5.2 | 1.52 | 11.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 14.05 | 3.3 | 1.9 | 5.2 | 1.54 | 12 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 14.14 | 3.3 | 1.9 | 5.2 | 1.54 | 15.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 14.16 | 3.3 | 1.9 | 5.2 | 1.49 | 24.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 10:00 | 14.27 | 3.3 | 1.9 | 5.2 | 1.45 | 28 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 14.47 | 3.3 | 1.9 | 5.2 | 1.41 | 28 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 12:00 | 14.56 | 3.3 | 1.9 | 5.2 | 1.38 | 31.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 14.11 | 3.3 | 1.9 | 5.2 | 1.37 | 31.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 13.85 | 3.3 | 1.9 | 5.2 | 1.36 | 26.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 13.57 | 3.3 | 1.9 | 5.2 | 1.36 | 26.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 13.33 | 3.3 | 1.9 | 5.2 | 1.37 | 27.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 17:00 | 13.04 | 3.3 | 1.9 | 5.2 | 1.38 | 24.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | 12.96 | 3.3 | 1.9 | 5.2 | 1.4 | 19.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 12.71 | 3.3 | 1.9 | 5.2 | 1.44 | 15 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 12.49 | 3.3 | 1.9 | 5.2 | 1.43 | 13.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 12.17 | 3.3 | 1.9 | 5.2 | 1.48 | 13 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 12.03 | 3.3 | 1.9 | 5.2 | 1.57 | 11.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 12.34 | 3.3 | 1.9 | 5.2 | 1.59 | 11.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 14.56 | 3.3 | 1.9 | 5.2 | 1.6 | 31.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 12.03 | 3.3 | 1.9 | 5.2 | 1.36 | 10.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 13.43 | 3.3 | 1.9 | 5.2 | 1.48 | 18.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/12

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 12.54 | 3.3 | 1.9 | 5.2 | 1.53 | 11.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 12.76 | 3.3 | 1.9 | 5.2 | 1.49 | 12.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 12.98 | 3.3 | 1.9 | 5.2 | 1.49 | 13.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 13.11 | 3.3 | 1.9 | 5.2 | 1.5 | 12.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 13.4 | 3.3 | 1.9 | 5.2 | 1.5 | 12.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 13.5 | 3.3 | 1.9 | 5.2 | 1.5 | 11.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 13.71 | 3.3 | 1.9 | 5.2 | 1.52 | 10.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 07:00 | 13.67 | 3.3 | 1.9 | 5.2 | 1.54 | 11.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 13.81 | 3.3 | 1.9 | 5.2 | 1.56 | 17.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 13.86 | 3.3 | 1.9 | 5.2 | 1.5 | 26.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 14.07 | 3.3 | 1.9 | 5.2 | 1.45 | 30.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 11:00 | 14.36 | 3.3 | 1.9 | 5.2 | 1.42 | 30.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 14.37 | 3.3 | 1.9 | 5.2 | 1.38 | 31.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 14.11 | 3.3 | 1.9 | 5.2 | 1.37 | 31 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 13.76 | 3.3 | 1.9 | 5.2 | 1.36 | 29.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 13.52 | 3.3 | 1.9 | 5.2 | 1.36 | 28.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 13.23 | 3.3 | 1.9 | 5.2 | 1.37 | 25.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 13.13 | 3.3 | 1.9 | 5.2 | 1.39 | 23 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | 12.76 | 3.3 | 1.9 | 5.2 | 1.39 | 19.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 12.62 | 3.3 | 1.9 | 5.2 | 1.42 | 13.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 12.45 | 3.3 | 1.9 | 5.2 | 1.42 | 14.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 12.18 | 3.3 | 1.9 | 5.2 | 1.46 | 11.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 11.87 | 3.3 | 1.9 | 5.2 | 1.56 | 10.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 12.22 | 3.3 | 1.9 | 5.2 | 1.54 | 11.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最大值 | 14.37 | 3.3 | 1.9 | 5.2 | 1.56 | 31.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 11.87 | 3.3 | 1.9 | 5.2 | 1.36 | 10.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 13.25 | 3.3 | 1.9 | 5.2 | 1.46 | 18.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/13

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 12.39 | 3.3 | 1.9 | 5.2 | 1.53 | 11.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 12.71 | 3.3 | 1.9 | 5.2 | 1.5 | 11 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 02:00 | 12.99 | 3.3 | 1.9 | 5.2 | 1.51 | 11.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 13.12 | 3.3 | 1.9 | 5.2 | 1.52 | 11.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 13.24 | 3.3 | 1.9 | 5.2 | 1.52 | 10.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 13.5 | 3.3 | 1.9 | 5.2 | 1.52 | 11.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 13.59 | 3.3 | 1.9 | 5.2 | 1.53 | 12.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 13.5 | 3.3 | 1.9 | 5.2 | 1.57 | 12 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 13.68 | 3.3 | 1.9 | 5.2 | 1.56 | 17.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 09:00 | 13.68 | 3.3 | 1.9 | 5.2 | 1.49 | 24.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 13.74 | 3.3 | 1.9 | 5.2 | 1.55 | 33 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 13.98 | 3.3 | 1.9 | 5.2 | 1.68 | 46.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 14.09 | 3.3 | 1.9 | 5.2 | 1.42 | 39 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 13.82 | 3.3 | 1.9 | 5.2 | 1.39 | 38.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 13.55 | 3.3 | 1.9 | 5.2 | 1.4 | 38.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 13.16 | 3.3 | 1.9 | 5.2 | 1.37 | 31.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 13.11 | 3.3 | 1.9 | 5.2 | 1.36 | 24.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 12.86 | 3.3 | 1.9 | 5.2 | 1.39 | 21.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | 12.62 | 3.3 | 1.9 | 5.2 | 1.41 | 18.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 12.43 | 3.3 | 1.9 | 5.2 | 1.4 | 17.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 12.26 | 3.3 | 1.9 | 5.2 | 1.41 | 14.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 11.93 | 3.3 | 1.9 | 5.2 | 1.46 | 11.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 11.85 | 3.3 | 1.9 | 5.2 | 1.51 | 11.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 12.06 | 3.3 | 1.9 | 5.2 | 1.54 | 10.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 14.09 | 3.3 | 1.9 | 5.2 | 1.68 | 46.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 11.85 | 3.3 | 1.9 | 5.2 | 1.36 | 10.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 13.08 | 3.3 | 1.9 | 5.2 | 1.48 | 20.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/14

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 12.25 | 3.3 | 1.9 | 5.2 | 1.53 | 10.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 12.47 | 3.3 | 1.9 | 5.2 | 1.53 | 12 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 12.67 | 3.3 | 1.9 | 5.2 | 1.51 | 12 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 12.94 | 3.3 | 1.9 | 5.2 | 1.51 | 13.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 13.04 | 3.3 | 1.9 | 5.2 | 1.51 | 14.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 13.25 | 3.3 | 1.9 | 5.2 | 1.54 | 11.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 13.33 | 3.3 | 1.9 | 5.2 | 1.56 | 11.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 13.55 | 3.3 | 1.9 | 5.2 | 1.57 | 12.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 13.42 | 3.3 | 1.9 | 5.2 | 1.53 | 18 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 13.58 | 3.3 | 1.9 | 5.2 | 1.57 | 22.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 13.66 | 3.3 | 1.9 | 5.2 | 1.59 | 35.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 13.91 | 3.3 | 1.9 | 5.2 | 1.47 | 41.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 14.01 | 3.3 | 1.9 | 5.2 | 1.41 | 39.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 13.61 | 3.3 | 1.9 | 5.2 | 1.37 | 33.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 13.28 | 3.3 | 1.9 | 5.2 | 1.37 | 29 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 13.06 | 3.3 | 1.9 | 5.2 | 1.36 | 26.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 12.9 | 3.3 | 1.9 | 5.2 | 1.38 | 24.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 12.54 | 3.3 | 1.9 | 5.2 | 1.41 | 22.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | 12.38 | 3.3 | 1.9 | 5.2 | 1.48 | 16.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 12.33 | 3.3 | 1.9 | 5.2 | 1.51 | 12.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 12.02 | 3.3 | 1.9 | 5.2 | 1.47 | 10.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 11.76 | 3.3 | 1.9 | 5.2 | 1.49 | 11.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 11.64 | 3.3 | 1.9 | 5.2 | 1.53 | 10.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 12.02 | 3.3 | 1.9 | 5.2 | 1.53 | 10.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 最大值 | 14.01 | 3.3 | 1.9 | 5.2 | 1.59 | 41.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最小值 | 11.64 | 3.3 | 1.9 | 5.2 | 1.36 | 10.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 12.9 | 3.3 | 1.9 | 5.2 | 1.49 | 19.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/15

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 12.28 | 3.3 | 1.9 | 5.2 | 1.52 | 12.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 12.55 | 3.3 | 1.9 | 5.2 | 1.5 | 13.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 12.71 | 3.3 | 1.9 | 5.2 | 1.5 | 11.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 12.81 | 3.3 | 1.9 | 5.2 | 1.48 | 12.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 12.98 | 3.3 | 1.9 | 5.2 | 1.48 | 10.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 13.08 | 3.3 | 1.9 | 5.2 | 1.52 | 10.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 13.26 | 3.3 | 1.9 | 5.2 | 1.54 | 10.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 13.36 | 3.3 | 1.9 | 5.2 | 1.57 | 11.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 13.47 | 3.3 | 1.9 | 5.2 | 1.52 | 14.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 09:00 | 13.48 | 3.3 | 1.9 | 5.2 | 1.45 | 17.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 13.46 | 3.3 | 1.9 | 5.2 | 1.43 | 21.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 13.77 | 3.3 | 1.9 | 5.2 | 1.44 | 31.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 12:00 | 14.06 | 3.3 | 1.9 | 5.2 | 1.41 | 35 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 13.61 | 3.3 | 1.9 | 5.2 | 1.38 | 31.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 14:00 | 13.2 | 3.3 | 1.9 | 5.2 | 1.37 | 23.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 13.06 | 3.3 | 1.9 | 5.2 | 1.39 | 23.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 16:00 | 12.81 | 3.3 | 1.9 | 5.2 | 1.4 | 24.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 12.68 | 3.3 | 1.9 | 5.2 | 1.48 | 19.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 18:00 | 12.37 | 3.3 | 1.9 | 5.2 | 1.44 | 19 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 12.18 | 3.3 | 1.9 | 5.2 | 1.46 | 17.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 12.07 | 3.3 | 1.9 | 5.2 | 1.46 | 15.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 11.75 | 3.3 | 1.9 | 5.2 | 1.47 | 15.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 11.7 | 3.3 | 1.9 | 5.2 | 1.47 | 17.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 11.91 | 3.3 | 1.9 | 5.2 | 1.47 | 17.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 14.06 | 3.3 | 1.9 | 5.2 | 1.57 | 35 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 11.7 | 3.3 | 1.9 | 5.2 | 1.37 | 10.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 12.86 | 3.3 | 1.9 | 5.2 | 1.46 | 18.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/16

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 12.22 | 3.3 | 1.9 | 5.2 | 1.47 | 16 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 01:00 | 12.33 | 3.3 | 1.9 | 5.2 | 1.47 | 14.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 12.54 | 3.3 | 1.9 | 5.2 | 1.47 | 14 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 12.75 | 3.3 | 1.9 | 5.2 | 1.48 | 13.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 12.91 | 3.3 | 1.9 | 5.2 | 1.48 | 11.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 13.02 | 3.3 | 1.9 | 5.2 | 1.5 | 10.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 13.03 | 3.3 | 1.9 | 5.2 | 1.51 | 11.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 13.27 | 3.3 | 1.9 | 5.2 | 1.52 | 13 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 13.34 | 3.3 | 1.9 | 5.2 | 1.52 | 17.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 13.43 | 3.3 | 1.9 | 5.2 | 1.58 | 19.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 13.65 | 3.3 | 1.9 | 5.2 | 1.6 | 27 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 11:00 | 13.81 | 3.3 | 1.9 | 5.2 | 1.49 | 31.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 13.83 | 3.3 | 1.9 | 5.2 | 1.45 | 36.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 13.43 | 3.3 | 1.9 | 5.2 | 1.45 | 37.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 13.21 | 3.3 | 1.9 | 5.2 | 1.45 | 36.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 12.96 | 3.3 | 1.9 | 5.2 | 1.62 | 32.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 12.62 | 3.3 | 1.9 | 5.2 | 1.87 | 27.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 12.43 | 3.3 | 1.9 | 5.2 | 1.69 | 28.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | 12.25 | 3.3 | 1.9 | 5.2 | 1.56 | 29 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 12.14 | 3.3 | 1.9 | 5.2 | 1.58 | 25.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 11.89 | 3.3 | 1.9 | 5.2 | 1.58 | 26 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 11.62 | 3.3 | 1.9 | 5.2 | 1.59 | 26.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 11.54 | 3.3 | 1.9 | 5.2 | 1.61 | 24.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 11.89 | 3.3 | 1.9 | 5.2 | 1.59 | 22.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 13.83 | 3.3 | 1.9 | 5.2 | 1.87 | 37.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 11.54 | 3.3 | 1.9 | 5.2 | 1.45 | 10.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 12.75 | 3.3 | 1.9 | 5.2 | 1.55 | 23.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/17

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 12.05 | 3.3 | 1.9 | 5.2 | 1.58 | 19.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 12.3 | 3.3 | 1.9 | 5.2 | 1.58 | 19.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 12.47 | 3.3 | 1.9 | 5.2 | 1.59 | 15.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 12.69 | 3.3 | 1.9 | 5.2 | 1.62 | 18.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 12.75 | 3.3 | 1.9 | 5.2 | 1.63 | 17.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 12.9 | 3.3 | 1.9 | 5.2 | 1.68 | 12.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 13.04 | 3.3 | 1.9 | 5.2 | 1.69 | 12 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 13.17 | 3.3 | 1.9 | 5.2 | 1.69 | 17 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 08:00 | 13.17 | 3.3 | 1.9 | 5.2 | 1.66 | 19.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 13.33 | 3.3 | 1.9 | 5.2 | 1.6 | 26.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 13.45 | 3.3 | 1.9 | 5.2 | 1.53 | 32 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 13.71 | 3.3 | 1.9 | 5.2 | 1.54 | 41.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 13.82 | 3.3 | 1.9 | 5.2 | 1.54 | 49.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 13.56 | 3.3 | 1.9 | 5.2 | 1.64 | 56.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 13.13 | 3.3 | 1.9 | 5.2 | 1.63 | 48.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 12.86 | 3.3 | 1.9 | 5.2 | 1.85 | 37.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 12.61 | 3.3 | 1.9 | 5.2 | 1.49 | 32.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 12.42 | 3.3 | 1.9 | 5.2 | 1.52 | 30.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | 12.28 | 3.3 | 1.9 | 5.2 | 1.52 | 28.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 19:00 | 12.08 | 3.3 | 1.9 | 5.2 | 1.51 | 25.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 11.91 | 3.3 | 1.9 | 5.2 | 1.52 | 24.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 11.6 | 3.3 | 1.9 | 5.2 | 1.53 | 23.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 11.51 | 3.3 | 1.9 | 5.2 | 1.58 | 22.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 11.67 | 3.3 | 1.9 | 5.2 | 1.6 | 18.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 13.82 | 3.3 | 1.9 | 5.2 | 1.85 | 56.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 11.51 | 3.3 | 1.9 | 5.2 | 1.49 | 12 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 12.69 | 3.3 | 1.9 | 5.2 | 1.6 | 27.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/18

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 12.12 | 3.3 | 1.9 | 5.2 | 1.6 | 17.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 01:00 | 12.32 | 3.3 | 1.9 | 5.2 | 1.6 | 16.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 12.41 | 3.3 | 1.9 | 5.2 | 1.61 | 14.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 12.78 | 3.3 | 1.9 | 5.2 | 1.61 | 15.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 12.93 | 3.3 | 1.9 | 5.2 | 1.59 | 15.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 13.03 | 3.3 | 1.9 | 5.2 | 1.6 | 13.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 13.11 | 3.3 | 1.9 | 5.2 | 1.61 | 11.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 13.28 | 3.3 | 1.9 | 5.2 | 1.62 | 14.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 13.36 | 3.3 | 1.9 | 5.2 | 1.61 | 20.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 13.48 | 3.3 | 1.9 | 5.2 | 1.57 | 30.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 13.55 | 3.3 | 1.9 | 5.2 | 1.65 | 47.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 13.92 | 3.3 | 1.9 | 5.2 | 1.61 | 47.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 12:00 | 13.85 | 3.3 | 1.9 | 5.2 | 1.56 | 54.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 13.5 | 3.3 | 1.9 | 5.2 | 1.55 | 55.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 13.23 | 3.3 | 1.9 | 5.2 | 1.86 | 47.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 12.82 | 3.3 | 1.9 | 5.2 | 1.53 | 43.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 12.59 | 3.3 | 1.9 | 5.2 | 1.47 | 35.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 12.41 | 3.3 | 1.9 | 5.2 | 1.49 | 31.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 18:00 | 12.24 | 3.3 | 1.9 | 5.2 | 1.52 | 29.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 12.02 | 3.3 | 1.9 | 5.2 | 1.53 | 26.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 11.99 | 3.3 | 1.9 | 5.2 | 1.55 | 23.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 11.65 | 3.3 | 1.9 | 5.2 | 1.59 | 23.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 11.53 | 3.3 | 1.9 | 5.2 | 1.64 | 27.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 11.88 | 3.3 | 1.9 | 5.2 | 1.66 | 26.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 13.92 | 3.3 | 1.9 | 5.2 | 1.86 | 55.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 11.53 | 3.3 | 1.9 | 5.2 | 1.47 | 11.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 12.75 | 3.3 | 1.9 | 5.2 | 1.59 | 28.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/19

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 12.15 | 3.3 | 1.9 | 5.2 | 1.67 | 27.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 01:00 | 12.41 | 3.3 | 1.9 | 5.2 | 1.67 | 25.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 12.75 | 3.3 | 1.9 | 5.2 | 1.66 | 24.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 12.76 | 3.3 | 1.9 | 5.2 | 1.66 | 24.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 12.85 | 3.3 | 1.9 | 5.2 | 1.66 | 21.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 13.01 | 3.3 | 1.9 | 5.2 | 1.67 | 19.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 13.24 | 3.3 | 1.9 | 5.2 | 1.68 | 16.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 07:00 | 13.13 | 3.3 | 1.9 | 5.2 | 1.69 | 19.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 13.26 | 3.3 | 1.9 | 5.2 | 1.66 | 26.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 13.37 | 3.3 | 1.9 | 5.2 | 1.62 | 35.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 13.59 | 3.3 | 1.9 | 5.2 | 1.6 | 40.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 13.81 | 3.3 | 1.9 | 5.2 | 1.62 | 55 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 13.96 | 3.3 | 1.9 | 5.2 | 1.65 | 72.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 13.49 | 3.3 | 1.9 | 5.2 | 1.65 | 71.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 13.16 | 3.3 | 1.9 | 5.2 | 1.57 | 62.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 12.85 | 3.3 | 1.9 | 5.2 | 1.51 | 53.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 12.57 | 3.3 | 1.9 | 5.2 | 1.51 | 51.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 12.44 | 3.3 | 1.9 | 5.2 | 1.52 | 49.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 18:00 | 12.24 | 3.3 | 1.9 | 5.2 | 1.56 | 45.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 12 | 3.3 | 1.9 | 5.2 | 1.55 | 43.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 11.89 | 3.3 | 1.9 | 5.2 | 1.57 | 40.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 11.61 | 3.3 | 1.9 | 5.2 | 1.55 | 33.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 11.52 | 3.3 | 1.9 | 5.2 | 1.62 | 27.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 11.68 | 3.3 | 1.9 | 5.2 | 1.66 | 24.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 13.96 | 3.3 | 1.9 | 5.2 | 1.69 | 72.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 11.52 | 3.3 | 1.9 | 5.2 | 1.51 | 16.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 12.74 | 3.3 | 1.9 | 5.2 | 1.62 | 38.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/20

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 12.02 | 3.3 | 1.9 | 5.2 | 1.64 | 24.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 12.18 | 3.3 | 1.9 | 5.2 | 1.61 | 21.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 12.28 | 3.3 | 1.9 | 5.2 | 1.6 | 21 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 12.52 | 3.3 | 1.9 | 5.2 | 1.61 | 22.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 12.62 | 3.3 | 1.9 | 5.2 | 1.6 | 20 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 12.78 | 3.3 | 1.9 | 5.2 | 1.61 | 18 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 13.05 | 3.3 | 1.9 | 5.2 | 1.63 | 17.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 13 | 3.3 | 1.9 | 5.2 | 1.68 | 19.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 13.11 | 3.3 | 1.9 | 5.2 | 1.65 | 33.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 13.3 | 3.3 | 1.9 | 5.2 | 1.63 | 39.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 13.22 | 3.3 | 1.9 | 5.2 | 1.69 | 52.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 13.57 | 3.3 | 1.9 | 5.2 | 1.67 | 54.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 13.58 | 3.3 | 1.9 | 5.2 | 1.62 | 56 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 13.29 | 3.3 | 1.9 | 5.2 | 1.59 | 54.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 12.99 | 3.3 | 1.9 | 5.2 | 1.55 | 52.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 12.68 | 3.3 | 1.9 | 5.2 | 1.51 | 47 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 12.47 | 3.3 | 1.9 | 5.2 | 1.53 | 47.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 12.26 | 3.3 | 1.9 | 5.2 | 1.55 | 44 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | 11.96 | 3.3 | 1.9 | 5.2 | 1.57 | 36.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 11.82 | 3.3 | 1.9 | 5.2 | 1.55 | 33 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 11.62 | 3.3 | 1.9 | 5.2 | 1.55 | 31.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 11.36 | 3.3 | 1.9 | 5.2 | 1.57 | 27.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 11.19 | 3.3 | 1.9 | 5.2 | 1.62 | 24.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 11.56 | 3.3 | 1.9 | 5.2 | 1.65 | 21.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 13.58 | 3.3 | 1.9 | 5.2 | 1.69 | 56 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最小值 | 11.19 | 3.3 | 1.9 | 5.2 | 1.51 | 17.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 12.52 | 3.3 | 1.9 | 5.2 | 1.6 | 34.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/21

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 11.67 | 3.3 | 1.9 | 5.2 | 1.63 | 17.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 01:00 | 11.88 | 3.3 | 1.9 | 5.2 | 1.62 | 16.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 12.17 | 3.3 | 1.9 | 5.2 | 1.61 | 15.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 12.3 | 3.3 | 1.9 | 5.2 | 1.61 | 17.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 12.51 | 3.3 | 1.9 | 5.2 | 1.6 | 17.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 12.55 | 3.3 | 1.9 | 5.2 | 1.67 | 15.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 06:00 | 12.71 | 3.3 | 1.9 | 5.2 | 1.64 | 15.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 07:00 | 12.8 | 3.3 | 1.9 | 5.2 | 1.64 | 19.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 12.95 | 3.3 | 1.9 | 5.2 | 1.66 | 29 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 12.44 | 3.3 | 1.9 | 5.2 | 1.66 | 38 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 6.57 | 3.3 | 1.9 | 5.2 | 1.66 | 47.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 6.78 | 3.3 | 1.9 | 5.2 | 1.64 | 63.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 6.77 | 3.3 | 1.9 | 5.2 | 1.5 | 47.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 6.46 | 3.3 | 1.9 | 5.2 | 1.45 | 39.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 6.4 | 3.3 | 1.9 | 5.2 | 1.43 | 43.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 6.16 | 3.3 | 1.9 | 5.2 | 1.42 | 44.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 6.03 | 3.3 | 1.9 | 5.2 | 1.43 | 42.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 5.93 | 3.3 | 1.9 | 5.2 | 1.55 | 50.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | 5.83 | 3.3 | 1.9 | 5.2 | 1.56 | 43.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 5.65 | 3.3 | 1.9 | 5.2 | 1.57 | 37.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 5.56 | 3.3 | 1.9 | 5.2 | 1.57 | 32.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 5.31 | 3.3 | 1.9 | 5.2 | 1.59 | 29 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 5.28 | 3.3 | 1.9 | 5.2 | 1.65 | 25.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 5.5 | 3.3 | 1.9 | 5.2 | 1.65 | 22.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 12.95 | 3.3 | 1.9 | 5.2 | 1.67 | 63.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 5.28 | 3.3 | 1.9 | 5.2 | 1.42 | 15.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 8.68 | 3.3 | 1.9 | 5.2 | 1.58 | 32.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/22

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 5.63 | 3.3 | 1.9 | 5.2 | 1.64 | 20.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 5.8 | 3.3 | 1.9 | 5.2 | 1.63 | 14.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 5.85 | 3.3 | 1.9 | 5.2 | 1.61 | 17 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 5.95 | 3.3 | 1.9 | 5.2 | 1.6 | 15.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 6.08 | 3.3 | 1.9 | 5.2 | 1.62 | 15.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 6.19 | 3.3 | 1.9 | 5.2 | 1.62 | 14.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 6.36 | 3.3 | 1.9 | 5.2 | 1.62 | 14.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 6.38 | 3.3 | 1.9 | 5.2 | 1.64 | 18.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 6.46 | 3.3 | 1.9 | 5.2 | 1.6 | 29 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 6.53 | 3.3 | 1.9 | 5.2 | 1.5 | 36.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 6.59 | 3.3 | 1.9 | 5.2 | 1.5 | 38.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 6.66 | 3.3 | 1.9 | 5.2 | 1.48 | 38 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 6.66 | 3.3 | 1.9 | 5.2 | 1.45 | 33.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 6.45 | 3.3 | 1.9 | 5.2 | 1.46 | 27.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 6.27 | 3.3 | 1.9 | 5.2 | 1.43 | 34.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 6.06 | 3.3 | 1.9 | 5.2 | 1.44 | 32.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 16:00 | 5.85 | 3.3 | 1.9 | 5.2 | 1.5 | 30.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 5.79 | 3.3 | 1.9 | 5.2 | 1.47 | 27.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | 5.61 | 3.3 | 1.9 | 5.2 | 1.47 | 24 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 5.47 | 3.3 | 1.9 | 5.2 | 1.49 | 21.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 5.32 | 3.3 | 1.9 | 5.2 | 1.49 | 22.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 5.18 | 3.3 | 1.9 | 5.2 | 1.53 | 16.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 5.18 | 3.3 | 1.9 | 5.2 | 1.58 | 12.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 5.38 | 3.3 | 1.9 | 5.2 | 1.59 | 12 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 6.66 | 3.3 | 1.9 | 5.2 | 1.64 | 38.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 5.18 | 3.3 | 1.9 | 5.2 | 1.43 | 12 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 5.99 | 3.3 | 1.9 | 5.2 | 1.54 | 23.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/23

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 5.53 | 3.3 | 1.9 | 5.2 | 1.65 | 12.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 5.61 | 3.3 | 1.9 | 5.2 | 1.59 | 11.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 5.73 | 3.3 | 1.9 | 5.2 | 1.59 | 14.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 5.82 | 3.3 | 1.9 | 5.2 | 1.6 | 12.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 5.87 | 3.3 | 1.9 | 5.2 | 1.62 | 12.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 6.05 | 3.3 | 1.9 | 5.2 | 1.59 | 13.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 6.1 | 3.3 | 1.9 | 5.2 | 1.58 | 13.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 6.19 | 3.3 | 1.9 | 5.2 | 1.62 | 12.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 6.2 | 3.3 | 1.9 | 5.2 | 1.63 | 16.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 6.36 | 3.3 | 1.9 | 5.2 | 1.62 | 23.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 6.4 | 3.3 | 1.9 | 5.2 | 1.61 | 32.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 6.51 | 3.3 | 1.9 | 5.2 | 1.57 | 36 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 6.55 | 3.3 | 1.9 | 5.2 | 1.51 | 36.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 6.32 | 3.3 | 1.9 | 5.2 | 1.63 | 32.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 6.12 | 3.3 | 1.9 | 5.2 | 1.51 | 33.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 6.06 | 3.3 | 1.9 | 5.2 | 1.55 | 32.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 5.74 | 3.3 | 1.9 | 5.2 | 1.53 | 28.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 5.66 | 3.3 | 1.9 | 5.2 | 1.5 | 24.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | 5.52 | 3.3 | 1.9 | 5.2 | 1.52 | 22.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 5.45 | 3.3 | 1.9 | 5.2 | 1.54 | 18.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 5.28 | 3.3 | 1.9 | 5.2 | 1.54 | 17.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 5.11 | 3.3 | 1.9 | 5.2 | 1.57 | 16.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 22:00 | 5.04 | 3.3 | 1.9 | 5.2 | 1.61 | 15.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 5.26 | 3.3 | 1.9 | 5.2 | 1.6 | 15.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 6.55 | 3.3 | 1.9 | 5.2 | 1.65 | 36.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最小值 | 5.04 | 3.3 | 1.9 | 5.2 | 1.5 | 11.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 5.85 | 3.3 | 1.9 | 5.2 | 1.58 | 21.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/24

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 5.41 | 3.3 | 1.9 | 5.2 | 1.61 | 14.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 5.59 | 3.3 | 1.9 | 5.2 | 1.58 | 15.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 5.66 | 3.3 | 1.9 | 5.2 | 1.58 | 14.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 5.79 | 3.3 | 1.9 | 5.2 | 1.55 | 15.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 5.85 | 3.3 | 1.9 | 5.2 | 1.56 | 14.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 5.97 | 3.3 | 1.9 | 5.2 | 1.56 | 12.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 6.08 | 3.3 | 1.9 | 5.2 | 1.59 | 12.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 6.11 | 3.3 | 1.9 | 5.2 | 1.63 | 14.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 6.13 | 3.3 | 1.9 | 5.2 | 1.61 | 14.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 09:00 | 6.32 | 3.3 | 1.9 | 5.2 | 1.6 | 17.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 6.31 | 3.3 | 1.9 | 5.2 | 1.54 | 26 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 6.43 | 3.3 | 1.9 | 5.2 | 1.54 | 29.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 12:00 | 6.5 | 3.3 | 1.9 | 5.2 | 1.49 | 30.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 6.23 | 3.3 | 1.9 | 5.2 | 1.5 | 28.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 6.05 | 3.3 | 1.9 | 5.2 | 1.49 | 22.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 5.86 | 3.3 | 1.9 | 5.2 | 1.49 | 27 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 5.74 | 3.3 | 1.9 | 5.2 | 1.51 | 28.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 5.55 | 3.3 | 1.9 | 5.2 | 1.52 | 28.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 18:00 | 5.41 | 3.3 | 1.9 | 5.2 | 1.53 | 22.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 5.37 | 3.3 | 1.9 | 5.2 | 1.57 | 19.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 5.24 | 3.3 | 1.9 | 5.2 | 1.59 | 16.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 21:00 | 5.06 | 3.3 | 1.9 | 5.2 | 1.58 | 15 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 4.93 | 3.3 | 1.9 | 5.2 | 1.63 | 15.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 5.17 | 3.3 | 1.9 | 5.2 | 1.69 | 13.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 6.5 | 3.3 | 1.9 | 5.2 | 1.69 | 30.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 4.93 | 3.3 | 1.9 | 5.2 | 1.49 | 12.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 5.78 | 3.3 | 1.9 | 5.2 | 1.56 | 19.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/25

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 5.37 | 3.3 | 1.9 | 5.2 | 1.69 | 12.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 01:00 | 5.47 | 3.3 | 1.9 | 5.2 | 1.64 | 14.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 5.56 | 3.3 | 1.9 | 5.2 | 1.58 | 16.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 5.69 | 3.3 | 1.9 | 5.2 | 1.58 | 16.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 5.81 | 3.3 | 1.9 | 5.2 | 1.58 | 19.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 5.91 | 3.3 | 1.9 | 5.2 | 1.58 | 15.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 6.04 | 3.3 | 1.9 | 5.2 | 1.6 | 11.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 6.02 | 3.3 | 1.9 | 5.2 | 1.62 | 11.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 6.18 | 3.3 | 1.9 | 5.2 | 1.62 | 12.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 6.1 | 3.3 | 1.9 | 5.2 | 1.64 | 13 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 6.15 | 3.3 | 1.9 | 5.2 | 1.64 | 14.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 6.26 | 3.3 | 1.9 | 5.2 | 1.62 | 18.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 6.34 | 3.3 | 1.9 | 5.2 | 1.6 | 20.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 6.08 | 3.3 | 1.9 | 5.2 | 1.58 | 25 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 5.95 | 3.3 | 1.9 | 5.2 | 1.56 | 25.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 5.76 | 3.3 | 1.9 | 5.2 | 1.6 | 24.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 5.61 | 3.3 | 1.9 | 5.2 | 1.57 | 27.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 5.47 | 3.3 | 1.9 | 5.2 | 1.54 | 25.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | 5.44 | 3.3 | 1.9 | 5.2 | 1.54 | 24.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 5.29 | 3.3 | 1.9 | 5.2 | 1.53 | 20.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 5.28 | 3.3 | 1.9 | 5.2 | 1.54 | 18.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 21:00 | 5.15 | 3.3 | 1.9 | 5.2 | 1.56 | 16 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 5.07 | 3.3 | 1.9 | 5.2 | 1.59 | 16.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 5.24 | 3.3 | 1.9 | 5.2 | 1.63 | 14.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 6.34 | 3.3 | 1.9 | 5.2 | 1.69 | 27.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 5.07 | 3.3 | 1.9 | 5.2 | 1.53 | 11.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 5.72 | 3.3 | 1.9 | 5.2 | 1.59 | 18.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/26

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|------|----|
| 00:00 | | 5.4 | 3.3 | 1.9 | 5.2 | 1.62 | 13.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | | 5.64 | 3.3 | 1.9 | 5.2 | 1.6 | 14.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | | 5.78 | 3.3 | 1.9 | 5.2 | 1.61 | 14.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | | 5.91 | 3.3 | 1.9 | 5.2 | 1.61 | 14.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | | 6.05 | 3.3 | 1.9 | 5.2 | 1.61 | 14.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | | 6.07 | 3.3 | 1.9 | 5.2 | 1.59 | 13.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 06:00 | | 6.2 | 3.3 | 1.9 | 5.2 | 1.6 | 13 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | | 6.27 | 3.3 | 1.9 | 5.2 | 1.62 | 15.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 08:00 | | 6.32 | 3.3 | 1.9 | 5.2 | 1.62 | 20.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 09:00 | | 6.4 | 3.3 | 1.9 | 5.2 | 1.61 | 25.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | | 6.45 | 3.3 | 1.9 | 5.2 | 1.6 | 33 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | | 6.61 | 3.3 | 1.9 | 5.2 | 1.59 | 38.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 12:00 | | 6.7 | 3.3 | 1.9 | 5.2 | 1.6 | 51.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | | 6.46 | 3.3 | 1.9 | 5.2 | 1.63 | 70.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | | 6.17 | 3.3 | 1.9 | 5.2 | 1.58 | 65.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | | 6.03 | 3.3 | 1.9 | 5.2 | 1.53 | 57.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | | 5.89 | 3.3 | 1.9 | 5.2 | 1.52 | 56.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | | 5.77 | 3.3 | 1.9 | 5.2 | 1.52 | 52.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | | 5.69 | 3.3 | 1.9 | 5.2 | 1.54 | 47 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | | 5.53 | 3.3 | 1.9 | 5.2 | 1.53 | 44.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | | 5.4 | 3.3 | 1.9 | 5.2 | 1.52 | 38.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | | 5.24 | 3.3 | 1.9 | 5.2 | 1.53 | 34.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | | 5.18 | 3.3 | 1.9 | 5.2 | 1.61 | 19.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | | 5.36 | 3.3 | 1.9 | 5.2 | 1.63 | 19 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | | 6.7 | 3.3 | 1.9 | 5.2 | 1.63 | 70.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最小值 | | 5.18 | 3.3 | 1.9 | 5.2 | 1.52 | 13 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | | 5.94 | 3.3 | 1.9 | 5.2 | 1.58 | 32.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/27

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 5.45 | 3.3 | 1.9 | 5.2 | 1.61 | 21 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 5.6 | 3.3 | 1.9 | 5.2 | 1.59 | 19.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 5.71 | 3.3 | 1.9 | 5.2 | 1.6 | 19.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 5.77 | 3.3 | 1.9 | 5.2 | 1.61 | 16.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 5.89 | 3.3 | 1.9 | 5.2 | 1.64 | 17.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 6.01 | 3.3 | 1.9 | 5.2 | 1.62 | 18.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 6.02 | 3.3 | 1.9 | 5.2 | 1.64 | 12 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 6.1 | 3.3 | 1.9 | 5.2 | 1.65 | 15.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 6.12 | 3.3 | 1.9 | 5.2 | 1.64 | 24.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 6.23 | 3.3 | 1.9 | 5.2 | 1.58 | 34.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 10:00 | 6.26 | 3.3 | 1.9 | 5.2 | 1.54 | 38.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 6.43 | 3.3 | 1.9 | 5.2 | 1.48 | 41 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 6.49 | 3.3 | 1.9 | 5.2 | 1.5 | 60.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 6.28 | 3.3 | 1.9 | 5.2 | 1.48 | 56.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 6.16 | 3.3 | 1.9 | 5.2 | 1.44 | 49.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 5.94 | 3.3 | 1.9 | 5.2 | 1.4 | 44.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 5.88 | 3.3 | 1.9 | 5.2 | 1.48 | 52.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 5.72 | 3.3 | 1.9 | 5.2 | 1.52 | 48.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 18:00 | 5.52 | 3.3 | 1.9 | 5.2 | 1.55 | 37.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 5.44 | 3.3 | 1.9 | 5.2 | 1.53 | 29.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 5.25 | 3.3 | 1.9 | 5.2 | 1.53 | 21.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 5.14 | 3.3 | 1.9 | 5.2 | 1.58 | 18 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 5.03 | 3.3 | 1.9 | 5.2 | 1.62 | 21 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 5.22 | 3.3 | 1.9 | 5.2 | 1.61 | 22.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 6.49 | 3.3 | 1.9 | 5.2 | 1.65 | 60.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 5.03 | 3.3 | 1.9 | 5.2 | 1.4 | 12 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 5.82 | 3.3 | 1.9 | 5.2 | 1.56 | 30.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/28

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 5.41 | 3.3 | 1.9 | 5.2 | 1.62 | 19.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 5.47 | 3.3 | 1.9 | 5.2 | 1.61 | 20.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 5.56 | 3.3 | 1.9 | 5.2 | 1.64 | 18.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 5.74 | 3.3 | 1.9 | 5.2 | 1.64 | 16.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 04:00 | 5.86 | 3.3 | 1.9 | 5.2 | 1.62 | 15.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 5.97 | 3.3 | 1.9 | 5.2 | 1.67 | 13.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 6.01 | 3.3 | 1.9 | 5.2 | 1.63 | 14.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 6.12 | 3.3 | 1.9 | 5.2 | 1.62 | 18.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 08:00 | 6.16 | 3.3 | 1.9 | 5.2 | 1.62 | 23.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 6.13 | 3.3 | 1.9 | 5.2 | 1.58 | 35.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 6.21 | 3.3 | 1.9 | 5.2 | 1.56 | 44.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 6.42 | 3.3 | 1.9 | 5.2 | 1.56 | 52.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 6.34 | 3.3 | 1.9 | 5.2 | 1.55 | 59.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 6.2 | 3.3 | 1.9 | 5.2 | 1.53 | 61.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 5.98 | 3.3 | 1.9 | 5.2 | 1.5 | 53.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 15:00 | 5.88 | 3.3 | 1.9 | 5.2 | 1.48 | 49.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 5.68 | 3.3 | 1.9 | 5.2 | 1.48 | 50.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 5.66 | 3.3 | 1.9 | 5.2 | 1.5 | 44 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | 5.49 | 3.3 | 1.9 | 5.2 | 1.52 | 38.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 5.37 | 3.3 | 1.9 | 5.2 | 1.51 | 29.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 5.18 | 3.3 | 1.9 | 5.2 | 1.53 | 24.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 5.08 | 3.3 | 1.9 | 5.2 | 1.58 | 23.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 5 | 3.3 | 1.9 | 5.2 | 1.64 | 19.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 5.2 | 3.3 | 1.9 | 5.2 | 1.66 | 15.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 最大值 | 6.42 | 3.3 | 1.9 | 5.2 | 1.67 | 61.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 5 | 3.3 | 1.9 | 5.2 | 1.48 | 13.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 25.9 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 5.75 | 3.3 | 1.9 | 5.2 | 1.58 | 31.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/29

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg | |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|----|
| 00:00 | 5.35 | 3.3 | 1.9 | 5.2 | 1.64 | 16.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 01:00 | 5.54 | 3.3 | 1.9 | 5.2 | 1.61 | 13.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 02:00 | 5.6 | 3.3 | 1.9 | 5.2 | 1.6 | 12.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 03:00 | 5.68 | 3.3 | 1.9 | 5.2 | 1.61 | 11.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 04:00 | 5.8 | 3.3 | 1.9 | 5.2 | 1.58 | 12.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 05:00 | 5.93 | 3.3 | 1.9 | 5.2 | 1.62 | 11.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 06:00 | 6.02 | 3.3 | 1.9 | 5.2 | 1.63 | 11.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 07:00 | 6.07 | 3.3 | 1.9 | 5.2 | 1.64 | 14.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 08:00 | 6.18 | 3.3 | 1.9 | 5.2 | 1.62 | 22.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 09:00 | 6.32 | 3.3 | 1.9 | 5.2 | 1.48 | 26.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 10:00 | 6.28 | 3.3 | 1.9 | 5.2 | 1.47 | 27.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 11:00 | 6.41 | 3.3 | 1.9 | 5.2 | 1.45 | 26.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 12:00 | 6.42 | 3.3 | 1.9 | 5.2 | 1.4 | 26.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 13:00 | 6.21 | 3.3 | 1.9 | 5.2 | 1.4 | 25 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 14:00 | 5.98 | 3.3 | 1.9 | 5.2 | 1.4 | 25.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 15:00 | 5.77 | 3.3 | 1.9 | 5.2 | 1.4 | 28.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 16:00 | 5.67 | 3.3 | 1.9 | 5.2 | 1.4 | 27.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 17:00 | 5.5 | 3.3 | 1.9 | 5.2 | 1.41 | 27.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 18:00 | 5.36 | 3.3 | 1.9 | 5.2 | 1.42 | 23.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 19:00 | 5.31 | 3.3 | 1.9 | 5.2 | 1.43 | 20.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 20:00 | 5.17 | 3.3 | 1.9 | 5.2 | 1.44 | 17.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 21:00 | 4.99 | 3.3 | 1.9 | 5.2 | 1.46 | 16.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 22:00 | 4.9 | 3.3 | 1.9 | 5.2 | 1.52 | 12 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 23:00 | 5.09 | 3.3 | 1.9 | 5.2 | 1.54 | 11.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 最大值 | 6.42 | 3.3 | 1.9 | 5.2 | 1.64 | 28.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26.1 | |
| 最小值 | 4.9 | 3.3 | 1.9 | 5.2 | 1.4 | 11.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |
| 資料數 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 電源損壞 | 電源損壞 | 24 |
| 平均數 | 5.73 | 3.3 | 1.9 | 5.2 | 1.51 | 19.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 | 電源損壞 | 電源損壞 | 26 | |

廠內監測日報表

監測日期：2026/04/30

| 時間 | SO2 PPB | NO PPB | NO2 PPB | NOX PPB | CO PPM | O3 PPB | CH4 PPM | NMHC PPM | THC PPM | PM10 UG/3 | AT DEG | RH % | WS M/S | WD DEG | ST Deg |
|-------|------------|-----------|------------|------------|-----------|-----------|------------|-------------|------------|--------------|-----------|---------|-----------|-----------|-----------|
| 00:00 | | 5.3 | 3.3 | 1.9 | 5.2 | 1.55 | 11.3 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 01:00 | | 5.3 | 3.3 | 1.9 | 5.2 | 1.56 | 10.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 02:00 | | 5.48 | 3.3 | 1.9 | 5.2 | 1.56 | 11.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 03:00 | | 5.61 | 3.3 | 1.9 | 5.2 | 1.56 | 9.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 04:00 | | 5.67 | 3.3 | 1.9 | 5.2 | 1.56 | 10.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 05:00 | | 5.75 | 3.3 | 1.9 | 5.2 | 1.56 | 10.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 06:00 | | 5.85 | 3.3 | 1.9 | 5.2 | 1.57 | 10.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 07:00 | | 5.95 | 3.3 | 1.9 | 5.2 | 1.58 | 11.1 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 08:00 | | 5.97 | 3.3 | 1.9 | 5.2 | 1.57 | 15.2 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 09:00 | | 6.13 | 3.3 | 1.9 | 5.2 | 1.57 | 19.4 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 10:00 | | 6.13 | 3.3 | 1.9 | 5.2 | 1.53 | 23.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 11:00 | | 6.29 | 3.3 | 1.9 | 5.2 | 1.47 | 27.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 25.9 |
| 12:00 | | 6.31 | 3.3 | 1.9 | 5.2 | 1.45 | 32.6 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 13:00 | | 6.09 | 3.3 | 1.9 | 5.2 | 1.43 | 32.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 14:00 | | 5.85 | 3.3 | 1.9 | 5.2 | 1.45 | 34 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 15:00 | | 5.79 | 3.3 | 1.9 | 5.2 | 1.45 | 31.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 16:00 | | 5.6 | 3.3 | 1.9 | 5.2 | 1.44 | 28.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 17:00 | | 5.49 | 3.3 | 1.9 | 5.2 | 1.47 | 24.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 18:00 | | 5.4 | 3.3 | 1.9 | 5.2 | 1.5 | 22.8 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 19:00 | | 5.29 | 3.3 | 1.9 | 5.2 | 1.57 | 18.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 20:00 | | 5.17 | 3.3 | 1.9 | 5.2 | 1.6 | 14.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 21:00 | | 4.96 | 3.3 | 1.9 | 5.2 | 1.6 | 14.7 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 22:00 | | 4.86 | 3.3 | 1.9 | 5.2 | 1.65 | 14.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 23:00 | | 5.1 | 3.3 | 1.9 | 5.2 | 1.66 | 12.5 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 最大值 | | 6.31 | 3.3 | 1.9 | 5.2 | 1.66 | 34 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |
| 最小值 | | 4.86 | 3.3 | 1.9 | 5.2 | 1.43 | 9.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 25.9 |
| 資料數 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 電源損壞 | 電源損壞 | 24 |
| 平均數 | | 5.64 | 3.3 | 1.9 | 5.2 | 1.54 | 18.9 | 2.12 | 0.3 | 2.42 | 30 | 28.7 | 55 電源損壞 | 電源損壞 | 26 |